

Patient: **GSR47 NOFILTER,**
Date of Birth: **Jan 19, 1971**
Gender: **Male**
Patient ID: **GSR47**



Halifax Vision Centre
7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8


OD Single Field Analysis

Central 24-2 Threshold Test

Fixation Monitor: **Gaze/Blind Spot**
Fixation Target: **Central**
Fixation Losses: **4/17 XX**
False POS Errors: **9%**
False NEG Errors: **0%**
Test Duration: **07:48**
Fovea: **Off**

Stimulus: **III, White**
Background: **31.5 asb**
Strategy: **SITA Standard**
Pupil Diameter:
Visual Acuity:
Rx: **+1.75 DS**

Date: **Jul 11, 2023**
Time: **4:02 PM**
Age: **52**



-14-30-23-21
-31-32-32-25-29-23
-31-32-33-34-27-33-20-5
-29-32-33-31-35-32-30-11
-14-15-19-35-10-9-3-6
-17-12-22-30-7-8-10-7
-21-18-30-7-7-5
-11-23-32-7


Total Deviation

MD Threshold exceeded.
See Total Deviation plot.

Pattern Deviation

GHT: **Outside Normal Limits**

VFI: **32%**
MD24-2: **-21.54 dB P < 0.5%**
PSD24-2: **11.41 dB P < 0.5%**



MD Threshold exceeded.
See Total Deviation plot.

*** Low Test Reliability ***

:: P < 5%
P < 2%
P < 1%
P < 0.5%



Comments

Signature

