

Patient: GSR33 NOFILTER, GSR33

Date of Birth: Jul 03, 1958

Gender: Female

Patient ID: GSR33



Halifax Vision Centre

7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8


## OS Single Field Analysis

## Central 24-2 Threshold Test

Fixation Monitor: Gaze/Blind Spot  
Fixation Target: Central  
Fixation Losses: 1/14  
False POS Errors: 5%  
False NEG Errors: 0%  
Test Duration: 05:43  
Fovea: Off

Stimulus: III, White  
Background: 31.5 asb  
Strategy: SITA Standard  
Pupil Diameter: 0.8  
Visual Acuity: 0.8  
Rx: +1.75 DS

Date: Apr 14, 2022  
Time: 12:20 PM  
Age: 63



1	3	-1	2
4	4	4	2
-1	3	3	3
3	3	2	1
2	0	1	1
-6	0	2	2
-1	4	3	0
-5	1	1	1

Total Deviation

-3	0	-5	-1
0	1	1	-1
-4	-1	0	0
-1	-1	-1	-2
-1	-3	-2	-2
-10	-4	-2	-1
-4	1	0	-3
-8	-3	-2	-3



Pattern Deviation

GHT: Borderline

VFI: 99%

MD24-2: 1.50 dB

PSD24-2: 2.02 dB P < 5%



:: P < 5%  
:: P < 2%  
:: P < 1%  
■ P < 0.5%



Comments

Signature

