

Patient: GSR33 NOFILTER, GSR33

Date of Birth: Jul 03, 1958

Gender: Female

Patient ID: GSR33



Halifax Vision Centre

7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8


## OD Single Field Analysis

## Central 24-2 Threshold Test

Fixation Monitor: Gaze/Blind Spot  
Fixation Target: Central  
Fixation Losses: 1/15  
False POS Errors: 5%  
False NEG Errors: 0%  
Test Duration: 05:11  
Fovea: Off

Stimulus: III, White  
Background: 31.5 asb  
Strategy: SITA Standard  
Pupil Diameter: 0.8  
Visual Acuity: 0.8  
Rx: +3.00 DS

Date: Apr 14, 2022  
Time: 12:29 PM  
Age: 63



1	0	2	6
1	0	-1	0
0	2	1	2
0	-1	0	0
1	1	2	0
0	1	1	0
2	-1	-1	-1
1	1	2	1



Total Deviation

-1	-2	0	4
-1	-2	-3	-2
-2	0	-1	0
-2	-4	-2	-2
-1	-1	0	-2
-2	-1	-1	-3
0	-3	-3	-3
-1	-1	0	-1

Pattern Deviation

GHT: Within Normal Limits

VFI: 100%  
MD24-2: 0.71 dB  
PSD24-2: 1.29 dB



:: P < 5%  
■ P < 2%  
■ P < 1%  
■ P < 0.5%



Comments

Signature

