

Patient: **GSR15 no filter,**  
Date of Birth: **Aug 12, 1939**  
Gender: **Female**  
Patient ID: **1939.0812.3A2C.646C.F0D5.66AE**



Halifax Vision Centre  
7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8


## OS Single Field Analysis

## Central 24-2 Threshold Test

Fixation Monitor: **Gaze/Blind Spot**  
Fixation Target: **Central**  
Fixation Losses: **1/14**  
False POS Errors: **3%**  
False NEG Errors: **0%**  
Test Duration: **05:07**  
Fovea: **Off**

Stimulus: **III, White**  
Background: **31.5 asb**  
Strategy: **SITA Standard**  
Pupil Diameter:  
Visual Acuity: **1.0**  
Rx: **+1.50 DS +1.50 DC X 173**

Date: **Apr 05, 2023**  
Time: **10:32 AM**  
Age: **83**





		1	0	-2	-2				
		-1	0	-1	-2	-2	-2		
	0	0	-1	-4	-3	0	0	-2	
	-1		-3	-4	-4	-3	-3	-4	-3
	-3		-5	-5	-4	-1	-3	-4	-2
	-1	-1	0	-3	-4	-1	-1	-5	
		-1	-1	-4	-4	-2	-3		
			-7	-4	-8	-7			

Total Deviation

		1	0	-1	-2				
		-1	0	-1	-2	-2	-2		
	0	0	-1	-3	-3	0	0	-2	
	-1		-3	-4	-4	-3	-3	-4	-3
-2		-5	-4		-3	-1	-2	-4	-1
-1	-1	0	-3		-3	-1	-1	-5	
	-1	-1	-4		-4	-2	-3		
		-7	-3		-8	-7			

Pattern Deviation



GHT: **Borderline**

VFI: **95%**  
MD24-2: **-2.76 dB P < 2%**  
PSD24-2: **2.00 dB P < 5%**

:: P < 5%  
:: P < 2%  
:: P < 1%  
■ P < 0.5%



Comments

Signature

