Date of Birth: Apr 29, 1957

Gender: Female Patient ID: GSR32



Halifax Vision Centre

X 7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8

OS Single Field Analysis

Central 24-2 Threshold Test

Jun 19, 2023

Gaze/Blind Spot **Fixation Monitor: Fixation Target:** Central 2/16 **Fixation Losses:** False POS Errors: 0% False NEG Errors: 0% **Test Duration:**

05:09

Stimulus: III, White Background: 31.5 asb Strategy:

Rx: +1.75 DS +1.25 DC X 154


SITA Standard Pupil Diameter:

Time: 12:36 PM Age:


66


Date:

Off Fovea:



Visual Acuity:








VFI: 100%

MD24-2: -1.82 dB P < 10%

PSD24-2: 1.14 dB

-	_	4.0	
Total	I I IAV	/Iati∩I	n
1 Ota		latio	ч



			٠	٠		٠				
		٠	٠	٠		٠	٠			
	٠	-	٠	-	-	-	٠	-		
	•		٠	-		٠	٠	-	-	
	-		•	٠	-	٠	•	٠	٠	
	-	-		-		٠		-		
					::	٠				
					-					



Comments

Signature



© Carl Zeiss Meditec Inc., 2017. All rights reserved.