

Patient: **GSR04 nofilter1,**  
 Date of Birth: **Apr 25, 1945**  
 Gender: **Male**  
 Patient ID: **1945.0425.7779.1106.56D4.5625**



Halifax Vision Centre  
 7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8


## OD Single Field Analysis

## Central 24-2 Threshold Test

Fixation Monitor: **Gaze/Blind Spot**  
 Fixation Target: **Central**  
 Fixation Losses: **10/15 XX**  
 False POS Errors: **5%**  
 False NEG Errors: **6%**  
 Test Duration: **06:35**  
 Fovea: **Off**


Stimulus: **III, White**  
 Background: **31.5 asb**  
 Strategy: **SITA Standard**  
 Pupil Diameter: **1.0**  
 Visual Acuity: **1.0**  
 Rx: **+2.25 DS**

Date: **Mar 29, 2023**  
 Time: **11:23 AM**  
 Age: **77**




-3	0	2	1
0	-1	-1	1
-2	2	1	0
2	1	2	-2
4	1	2	0
5	3	2	1
-1	0	1	2
-1	1	1	1

Total Deviation



-5	-2	-1	-1
-2	-3	-3	-1
-4	0	-1	-3
-1	-2	-1	-1
2	-2	0	-3
2	0	-1	-2
-3	-3	-2	-1
-3	-1	-1	-2

Pattern Deviation



GHT: **Within Normal Limits**

VFI: **99%**  
 MD24-2: **0.65 dB**  
 PSD24-2: **1.75 dB**

\*\*\* Low Test Reliability \*\*\*

:: P < 5%  
 :: P < 2%  
 :: P < 1%  
 ■ P < 0.5%



Comments

Signature

