

Patient: GSR37 NOFILTER,

Date of Birth: Jun 04, 1971

Gender: Female

Patient ID: GSR37



Halifax Vision Centre

7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8


OS Single Field Analysis

Central 24-2 Threshold Test

Fixation Monitor: Gaze/Blind Spot
Fixation Target: Central
Fixation Losses: 1/13
False POS Errors: 6%
False NEG Errors: 0%
Test Duration: 04:45
Fovea: Off


Stimulus: III, White
Background: 31.5 asb
Strategy: SITA Standard
Pupil Diameter: 0.2
Visual Acuity: 0.2
Rx: +5.25 DS

Date: Jun 14, 2023
Time: 9:30 AM
Age: 52




-2	-11	4	1
-1	0	-1	-2
1	2	1	-2
2	-1	-1	0
-1	-2	-1	0
0	1	1	-1
2	1	-3	-1
-1	0	-1	2

Total Deviation



-3	-12	3	-1
-2	-1	-2	-3
0	0	-1	-3
1	-2	-2	-1
-2	-3	-2	-1
-1	0	0	-2
0	-1	-4	-2
-2	-1	-3	0

Pattern Deviation



GHT: Borderline

VFI: 99%
MD24-2: -0.56 dB
PSD24-2: 1.69 dB

:: P < 5%
P < 2%
P < 1%
P < 0.5%



Comments

Signature

