

Patient: **GSR22 NOFILTER,**  
 Date of Birth: **Nov 22, 1952**  
 Gender: **Female**  
 Patient ID: **1952.1122.89BB.EA4D.2B99.61E1**



Halifax Vision Centre  
 7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8


## OD Single Field Analysis

## Central 24-2 Threshold Test

Fixation Monitor: **Gaze/Blind Spot**  
 Fixation Target: **Central**  
 Fixation Losses: **5/14 XX**  
 False POS Errors: **6%**  
 False NEG Errors: **4%**  
 Test Duration: **04:58**  
 Fovea: **Off**


Stimulus: **III, White**  
 Background: **31.5 asb**  
 Strategy: **SITA Standard**  
 Pupil Diameter: **1.0**  
 Visual Acuity: **1.0**  
 Rx: **+2.25 DS**

Date: **May 24, 2023**  
 Time: **1:42 PM**  
 Age: **70**




|    |    |    |    |
|----|----|----|----|
| 1  | 1  | -2 | -4 |
| 1  | 2  | 0  | 0  |
| -1 | 1  | -1 | 0  |
| 5  | 0  | 1  | 2  |
| 5  | 0  | 1  | 0  |
| -3 | -1 | 0  | 0  |
| -2 | 0  | 1  | 0  |
| 5  | -1 | -2 | -1 |

Total Deviation



|    |    |    |    |
|----|----|----|----|
| -1 | -1 | -4 | -5 |
| -1 | 0  | -2 | -1 |
| -3 | -1 | -2 | -2 |
| 3  | -2 | -1 | 0  |
| 3  | -2 | -1 | -2 |
| -5 | -3 | -2 | -2 |
| -4 | -2 | -1 | -1 |
| 3  | -3 | -4 | -3 |

Pattern Deviation



GHT: **Within Normal Limits**

VFI: **100%**  
 MD24-2: **0.13 dB**  
 PSD24-2: **1.58 dB**

\*\*\* Low Test Reliability \*\*\*

:: P < 5%  
 :: P < 2%  
 :: P < 1%  
 :: P < 0.5%



Comments

Signature

