

Patient: **GSR47 NOFILTER,**  
Date of Birth: **Jan 19, 1971**  
Gender: **Male**  
Patient ID: **GSR47**



Halifax Vision Centre  
7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8



## OS Single Field Analysis

## Central 24-2 Threshold Test

Fixation Monitor: **Gaze/Blind Spot**  
Fixation Target: **Central**  
Fixation Losses: **3/16**  
False POS Errors: **5%**  
False NEG Errors: **N/A**  
Test Duration: **08:39**  
Fovea: **Off**

Stimulus: **III, White**  
Background: **31.5 asb**  
Strategy: **SITA Standard**  
Pupil Diameter:  
Visual Acuity:  
Rx: **+2.00 DS**

Date: **Jul 11, 2023**  
Time: **4:14 PM**  
Age: **52**




Total Deviation

MD Threshold exceeded.  
See Total Deviation plot.

Pattern Deviation

GHT: **Outside Normal Limits**

VFI: **20%**  
MD24-2: **-24.31 dB P < 0.5%**  
PSD24-2: **8.14 dB P < 0.5%**



MD Threshold exceeded.  
See Total Deviation plot.

:: P < 5%  
P < 2%  
P < 1%  
P < 0.5%



Comments

Signature

