

Patient: GSR34 NOFILTER,

Date of Birth: Jul 30, 1960

Gender: Female

Patient ID: GSR34



Halifax Vision Centre

7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8


OS Single Field Analysis

Central 24-2 Threshold Test

Fixation Monitor: Gaze/Blind Spot
Fixation Target: Central
Fixation Losses: 0/14
False POS Errors: 1%
False NEG Errors: 0%
Test Duration: 04:06
Fovea: Off


Stimulus: III, White
Background: 31.5 asb
Strategy: SITA Standard
Pupil Diameter: 1.0
Visual Acuity: 1.0
Rx: +4.00 DS

Date: Jul 05, 2023
Time: 9:26 AM
Age: 62




0	1	3	0
1	0	0	3
1	1	0	-1
1	-3	-1	-1
0	2	0	-2
1	1	0	-2
0	1	-2	-2
1	0	-1	-1

Total Deviation



-1	1	2	-1
0	0	-1	3
0	0	-1	-2
0	-4	-2	-2
-1	1	-1	-3
0	0	-1	-2
0	0	-3	-2
0	-1	-2	-1

Pattern Deviation



GHT: Within Normal Limits

VFI: 100%
MD24-2: -0.45 dB
PSD24-2: 1.33 dB

:: P < 5%
▤ P < 2%
▥ P < 1%
■ P < 0.5%



Comments

Signature

