Bug report id: BR01

Title: List of test cases missing test_case_id fields after sending GET request to "/test-cases" Description: "/test-cases" endpoint have to return name, priority and test_case_id for each test case in the list.

Pre-conditions: User already logged in. At least one test case is created. Steps to reproduce:

1. Send GET request to "/users" with curl request:

"curl --location 'http://127.0.0.1:8000/test-cases'\

--header 'Authorization: Bearer <TOKEN>"

Actual result: "200 OK" response from server with list of test cases with their **name**, **priority** in the response body.

Expected result: "200 OK" response from server with list of test cases with their **name**, **test_case_id and priority** in the response body.

Attachments:

```
[{"name":"test case creation","priority":"MEDIUM"},{"name":"test case creation","priority":"MEDIUM"},{"name":"test case creation","priority":"MEDIUM"},{"name":"test case creation","priority":"MEDIUM"}]
```

Created by: Viacheslav Simakin Created at: 07.21.25 14:01

Bug report id: BR02

Title: It is possible to create a new step with test case id corresponding to one test case and next_step_id corresponding to step from other test case

Description: This lack of validation leads to case, when two steps from different test cases are connected(attachments), what results in breaking logic for other functionalities.

Pre-conditions: User already logged in. Two test cases are created. Steps to reproduce:

1. Send POST request to "/test-cases/{test-case-id}/steps/" with test case id of already existing test case #1 and step id of first step as prev_step_id, associated with test case #2.

```
Curl request: "curl --location 'http://127.0.0.1:8000/test-cases/{test-case-id}/steps/' \
--header 'Authorization: Bearer <TOKEN>'\
--header 'Content-Type: application/json' \
--data '{
  "description": "new tc2",
  "expected_result": "do this and do that",
```

"prev_step_id": "{id of step from other test case}"}"

Actual result: "200 OK" response from server received.

Expected result: "400 Bad request." response from server with "Can't create step. Steps must correspond to test cases." received in the response body.

Additional info: The same logic should apply to next_step_id, prev_step_id and if both are used.

Attachments:



Created by: Viacheslav Simakin Created at: 07.21.25 14:11