



Securing Amazon Web Services with Qualys

October 1, 2019

Copyright 2017-2019 by Qualys, Inc. All Rights Reserved.

Qualys and the Qualys logo are registered trademarks of Qualys, Inc. All other trademarks are the property of their respective owners.

Qualys, Inc.
919 E Hillsdale Blvd
4th Floor
Foster City, CA 94404
1 (650) 801 6100



Table of Contents

About this guide.....	5
About Qualys	5
Qualys Support	5
Introduction.....	6
Qualys Integrated Security Platform	6
Pre-requisites	8
Automate Asset Inventory.....	10
Setting up EC2 Connector	10
Cross-Account Role Authentication for EC2 Connectors	10
ARN authentication	10
CloudFormation Template.....	13
Selecting EC2 regions.....	14
Activating Assets.....	14
Enable AWS connector for CloudView	15
Assigning Tags.....	15
Upgrade existing connector to cross-account role	17
Using Base Account authentication	18
Create a Base Account.....	18
Updating Existing Connectors to Base Account	19
How does EC2 Connector work?	22
Viewing Imported Assets	22
AWS APIs used by EC2 Connector to discover assets.....	23
Qualys APIs for EC2 Connectors	24
Scanning in AWS EC2 Environments	25
Deploy Sensors.....	36
Deploying Pre-authorized Virtual Scanner Appliance	36
Cost and Licenses.....	36
Deployment recommendations for scanner	37
What do I need?	38
Scanner Deployment	38
Support for Qualys Private Cloud Platform.....	43
Deploying Qualys Cloud Agent	44
Scan Assets	46
EC2 Scan checklist.....	46
Scan Using Pre-authorized Virtual Scanner Appliance.....	52
EC2 Scan workflow	52

Scanning EC2 Classic instances	54
Scanning VPC instances	54
Scanning instances using VPC Peering.....	54
Scanning EC2 Instances in GovCloud	55
Internal Network Scanning using Qualys Cloud Agent	56
Perimeter Scanning using Qualys Scanners	57
Securing Web Applications	63
Analyze, Report & Remediate.....	64
How to Query EC2 Assets	64
Dynamic Tagging Using EC2 Attributes.....	66
Generate Reports	67
Manage Assets using Qualys.....	68
Setting up Qualys configurations	68
Use Cases for scanning your AWS environment	71
Use Case 1 - Scanning multiple VPCs with No Overlapping IPs	71
Use Case 2 - Scanning multiple VPCs with Overlapping IPs	72
Use Case 3 - Automate scanning into DevOps process to harden the AMI.....	73
Common Questions	74

About this guide

Welcome to Qualys Cloud Platform and security scanning in the Cloud! We'll help you get acquainted with the Qualys solutions for scanning your Cloud IT infrastructure using the Qualys Cloud Security Platform.

About Qualys

Qualys, Inc. (NASDAQ: QLYS) is a pioneer and leading provider of cloud-based security and compliance solutions. The Qualys Cloud Platform and its integrated apps help businesses simplify security operations and lower the cost of compliance by delivering critical security intelligence on demand and automating the full spectrum of auditing, compliance and protection for IT systems and web applications.

Founded in 1999, Qualys has established strategic partnerships with leading managed service providers and consulting organizations including Accenture, BT, Cognizant Technology Solutions, Deutsche Telekom, Fujitsu, HCL, HP Enterprise, IBM, Infosys, NTT, Optiv, SecureWorks, Tata Communications, Verizon and Wipro. The company is also a founding member of the [Cloud Security Alliance \(CSA\)](#). For more information, please visit www.qualys.com

Qualys Support

Qualys is committed to providing you with the most thorough support. Through online documentation, telephone help, and direct email support, Qualys ensures that your questions will be answered in the fastest time possible. We support you 7 days a week, 24 hours a day. Access support information at www.qualys.com/support/

Introduction

Welcome to Qualys Cloud Platform that brings you solutions for securing your Cloud IT Infrastructure as well as your traditional IT infrastructure. In this guide we'll be talking about securing your Amazon AWS EC2 infrastructure using Qualys.

Qualys Integrated Security Platform

With Qualys Cloud Platform you get a single view of your security and compliance - in real time. If you're new to Qualys we recommend you to visit the [Qualys Cloud Platform](#) web page to know more about our cloud platform.

CLOUD PLATFORM APPS	
Overview	
ASSET MANAGEMENT	WEB APP SECURITY
Asset Inventory	Web App Scanning
CMDB Sync	Web App Firewall
IT SECURITY	COMPLIANCE
Vulnerability Management	Policy Compliance
Threat Protection	Security Configuration Assessment
Continuous Monitoring	PCI Compliance
Indication of Compromise	File Integrity Monitoring
Container Security	Security Assessment Questionnaire
CLOUD SECURITY	
Cloud Inventory	CERTIFICATE SECURITY
Cloud Security Assessment	Certificate Inventory
	Certificate Assessment

Qualys Support for AWS

Qualys AWS Cloud support provides the following features:

- Secure EC2 Instances (IaaS) from vulnerabilities and check for regulatory compliance on OS and Applications (Database, Middleware)
- Gain continuous security using Cloud Agents, embed them into AMIs to get complete visibility
- Identify vulnerabilities for public facing IPs and URLs
- Secure Application using Application Scanning and Firewall solutions
- Pre-authorized vulnerability Scan
- Supports all AWS global regions including GovCloud
- Supports EC2 instances in Classic and VPC platform
- Qualys Cloud Agents certified to work in EC2



Qualys Sensors

Qualys sensors, a core service of the Qualys Cloud Platform, make it easy to extend your security throughout your global enterprise. These sensors are remotely deployable, centrally managed and self updating. They collect the data and automatically beam it up to the Qualys Cloud Platform, which has the computing power to continuously analyze and correlate the information in order to help you identify threats and eliminate vulnerabilities.



Virtual Scanner Appliances

Remote scan across your networks - hosts and applications



Cloud Agents

Continuous security view and platform for additional security



AWS Cloud Connectors

Sync cloud instances and its metadata



Internet Scanners

Perimeter scan for edge facing IPs and URLs



Web Application Firewalls

Actively defend intrusions and secure applications

Pre-requisites

These options must be enabled for your Qualys user account.

- Qualys Applications: Vulnerability Management (VM), Policy Compliance (PC) or Security Configuration Assessment (SCA), Cloud Agent (CA), Web Application Scanning (WAS), Web Application Firewall (WAF).
- Qualys Amazon AWS EC2 Scanning option must be turned ON. If not available, please contact your Qualys Sales representative (TAM) or Support.
- Qualys Sensors: Virtual Scanner Appliances, Cloud Agents, as desired
- Manager or Unit Manager role

It's easy to get started

You might already be familiar with Qualys Cloud Suite, its features and user interface. If you're new to Qualys we recommend these overview tutorials - it just takes a few minutes!

Video Tutorials get you familiar with basics

[Vulnerability Management Overview \(8 mins\)](#)

[Policy Compliance Overview \(14 mins\)](#)

Quick Steps: Securing AWS

Here's the user flow for securing AWS EC2 using Qualys.

- 1** Automate Asset Inventory
Sync inventory and metadata for an AWS account by setting up EC2 Connector
- 2** Deploy Sensors
Install scanner appliance and/or Cloud Agents
- 3** Scan Assets
Launch scans targeting all assets or specific assets you are interested in
- 4** Analyze, Report & Remediate
View dynamic dashboards, Create custom widgets, Run reports

Helpful resources Always up to date with the information you need

From the Community

[Qualys Training](#) | Free self paced classes, video series, online classes

[Qualys Documentation](#) | Getting started guides, quick references, API docs

[Qualys AWS EC2 Video Series](#) | Learn how to discover and secure AWS assets

Automate Asset Inventory

The Connector for Amazon continuously discovers Amazon EC2 and VPC assets using an Amazon API integration. Connectors may be configured to connect to one or more Amazon accounts so they can automatically detect and synchronize changes to virtual machine instance inventories from all Amazon EC2 Regions and Amazon VPCs.

AWS instances are tracked by their Amazon Instance ID within Qualys, even as their IP addresses change over time. Asset Tags, which can drive or influence policies and reporting throughout Qualys, may be automatically assigned to asset entries as part of the import process. Attributes and contextual metadata about Amazon instances are also captured and available as data points to perform further Dynamic Asset Tagging within Qualys.

For an EC2 instance, you'll see the IP address, tags, private DNS name, EC2 Instance ID.

Setting up EC2 Connector

This is the first step for securing AWS Infrastructure. In this section we will go through the steps required to setup the EC2 connector. Qualys recommends you setup one EC2 connector per AWS account.

Qualys discovers and syncs asset inventories every 4 hours. Asset inventory is independent of a scan. See [AWS APIs used by EC2 Connector to discover assets](#).


Cross-Account Role Authentication for EC2 Connectors

Cross-account role allows Qualys to access your AWS EC2 instances without the need to share your AWS security credentials. Qualys will access your AWS EC2 instances by assuming the IAM role that you create in your AWS account. This eliminates the overhead of management of IAM user keys in your Qualys subscription.

ARN authentication

You can create new EC2 connectors using cross-account role authentication. Let us see the steps to create EC2 connectors using cross-account role authentication.

- 1) Go to AssetView (AV) > Connectors and click Create EC2 Connector.



2) Provide a connector name, description (optional) and select the account type.

3) Launch AWS console and navigate to IAM > Roles section. Click Create Role.

4) Add another AWS account.

- Choose 'Another AWS account'. (Use 1 AWS account per connector.)
- Paste in the Account ID (AWS Account ID) and External ID from connector details
- Click 'Next: Permissions'.

* Required

Cancel Next: Permissions

5) Create a policy with the Lambda:GetFunction permission and associate the policy with the role.

6) Find the policy titled “SecurityAudit” and select the check box next to it. Click Next: Tags.

Click ‘Next: Review’.

7) Enter a role name (e.g. QualysEC2Role) and click Create role.

Create role

Review

Provide the required information below and review this role before you create it.

Role name* QualysEC2Role

Use alphanumeric and '+-, @-' characters. Maximum 64 characters.

Role description

Maximum 1000 characters. Use alphanumeric and '+-, @-' characters.

Trusted entities The account 383031258652

Policies SecurityAudit

* Required

Create role

8) Click on the role you just created to view details. Copy the Role ARN value and paste the Role ARN value into your Qualys connector details.

Step 1 of 4

1 Connector Details ✓

2 Region Selection

3 Tags and Activation

4 Review

Connector Details

Name* Connector_new (*) REQUIRED FIELDS

Description Connector description

Select Account Type
 Global GovCloud China

Set up your Cross-account Access
 Create an IAM role to give Qualys cross-account access to your AWS resources, or use the CloudFormation template.
[View help](#) | [Download template](#)

Qualys AWS Account ID
 805950163170

External ID
 1529732406350

Role ARN
 e.g. arn:aws:iam::111111111111:role/testRole

Provide Role ARN later
 Connector will be created with Incomplete state. After you provide a valid ARN, the connector state will change.

Cancel **Continue**

9) Click Continue on the connector creation wizard and complete the remaining steps of region selection, tags & module activation.

CloudFormation Template

You can automate creation of EC2 connectors using CloudFormation template, which is downloadable directly from the UI.

Let us see the steps to create new EC2 connector by following the UI instructions and manually creating the necessary role in AWS console.

- 1) Go to AssetView (AV) > Connectors and click Create EC2 Connector.
- 2) Provide a connector name, description (optional) and select the account type.
- 3) Click 'Download template' link. This will download the CloudFormation template that you can run in the AWS console that you want to configure.

- 4) Select the 'Provide Role ARN later' option. This will create a connector in Incomplete state and you can edit it later to update the Role ARN. Click 'Continue' to perform the remaining steps and finish creating the connector.
- 5) Log in to Amazon Web Services (AWS) and go to CloudFormation.
- 6) Create stack & upload the template downloaded in the step 3. When the stack is complete, copy the Role ARN value from the output.
- 7) Navigate back to AssetView (AV) > Connectors and locate the connector by filtering on Incomplete state. Then edit the connector and paste the ARN value into the details.

Selecting EC2 regions

Select the regions you want to collect EC2 data from. You can use the Sync Assets button to get the asset count for each region. If you select only a few regions here, you can later modify to add additional regions. We recommend to select all regions. This gives you the visibility whether someone has turned up instance in another region.

The screenshot shows the 'Create EC2 Connector' wizard at Step 2 of 4, titled 'Region Selection'. On the left, a vertical navigation bar lists steps: 1. Connector Details (checkmark), 2. Region Selection (highlighted), 3. Tags and Activation, and 4. Review. The main area is titled 'Regions Information' with the sub-instruction 'We will fetch the data from all the selected regions'. A note '(*) REQUIRED FIELDS' is in red. A scrollable list of regions is shown, with most checkboxes checked except for the first one under 'Region Name'. The regions listed are: Asia Pacific (Mumbai), Asia Pacific (Seoul), Asia Pacific (Singapore), Asia Pacific (Sydney), Asia Pacific (Tokyo), Canada (Central), EU (Frankfurt), EU (Ireland), EU (London), EU (Paris), and South America (Sao Paulo). At the bottom are 'Cancel', 'Previous', and 'Continue' buttons.

Activating Assets

EC2 assets must be activated for your Qualys license in order to scan them. If you are going to use the Pre-authorized scanner in AWS, you are required to activate your assets here or manually from AssetView. By choosing “Automatically activate” we’ll activate all discovered EC2 assets (size medium and above). This makes them ready for scanning.

Note that assets of type m1.small, t1.micro or t2.nano instances are excluded from activation. These assets will be imported in to the Qualys however they won’t be activated for VM, PC or SCA. The AWS acceptable scanning policy prevents us from scanning the m1.small, t1.micro or t2.nano instances.

The screenshot shows the 'Create EC2 Connector' wizard at Step 3 of 4, titled 'Tags and Activation'. The left navigation bar shows steps 1 through 4, with step 3 highlighted. The main area is titled 'Tags and Activation Information' with the sub-instruction 'Activate and tag assets for scanning if you plan to use a pre-authorized scanner appliance.' A note '(*) REQUIRED FIELDS' is in red. Under 'Select Activation', three checkboxes are listed: 'Automatically activate all assets for VM Scanning application', 'Automatically activate all assets for PC Scanning application', and 'Automatically activate all assets for SCA Scanning application'. The last two checkboxes are highlighted with a red rounded rectangle. Below is a section titled 'Select Asset Tags' with a 'Select Tags' button and 'Select | Create | Remove All' options.

Want to activate later? Just go to the Assets tab in AssetView, select the assets you want to activate, and choose “Activate Assets” from the Actions menu.

Enable AWS connector for CloudView

While creating a new AWS connector in AssetView or editing an existing one, you can use the “Create Connector in CloudView” option to enable that AWS connector to be available in the CloudView App as well. This will save you from creating a separate connector in CloudView.

Create EC2 Connector

Step 3 of 4

1 Connector Details ✓
2 Region Selection ✓
3 Tags and Activation ✓
4 Review

Tags and Activation Information
Activate and tag assets for scanning if you plan to use a pre-authorized scanner appliance.

Select Activation

- Automatically activate all assets for VM Scanning application
- Automatically activate all assets for PC Scanning application
- Automatically activate all assets for SCA Scanning application
- Automatically activate all assets for CertView Scanning application

Connector creation in CloudView

Create Connector in CloudView

Select to automate creation of same connector in CloudView. Ensure that your account has the required permissions for CloudView module for the connector to be created in CloudView.

Once enabled in AssetView, disabling this option later will not remove the corresponding connector from CloudView. You need to explicitly remove the connector from the CloudView app.

Assigning Tags

EC2 Scans with Qualys relies upon a “scan-by-tag” workflow. It is a best practice to associate a Qualys tag to all of your EC2 instances. To scan using a pre-authorized scanners use of tags is required. It’s recommended you create at least one generic Asset Tag (for example, “EC2”) and have the connector automatically apply the EC2 tag to all imported assets.

Create EC2 Connector

Step 3 of 4

1 Connector Details ✓
2 Region Selection ✓
3 Tags and Activation ✓
4 Review

Tags and Activation Information
Activate and tag assets for scanning if you plan to use a pre-authorized scanner appliance.

Select Activation

(*) REQUIRED FIELDS

Automatically activate all assets for VM Scanning application

Automatically activate all assets for PC Scanning application

Automatically activate all assets for SCA Scanning application

Select Asset Tags

Select Tags to automatically add to discovered Assets

Select | Create | Remove All

EC2 X | Business Units X

Cancel Previous Continue

You can also create dynamic tags that allow you to tag your EC2 assets automatically based upon the IP address of the discovered EC2 instances & other EC2 attributes.

Click Finish to complete the connector creation.

What's next

Once you create your connector, we'll discover EC2 instances, activate them and add them to your Qualys account. You'll see them in your assets inventory in your Qualys Cloud Suite apps.

App	Asset inventory
VM, PC, SCA	Assets > Host Assets tab
AssetView	Assets tab

Upgrade existing connector to cross-account role


You can now upgrade your existing connectors that are created using access key to cross-account role authentication. The new connectors only support cross-account access roles and not key-based connectors.

We'll help you migrate your existing EC2 connectors to now use cross-account access roles. Note that this migration of your existing EC2 connector to cross account role is unidirectional and cannot be reverted.


Support for key-based connectors will be discontinued after 180 days. Ensure that you upgrade your key-based connectors to cross-account role within 180 days.

Steps to upgrade key-based connectors to cross-account role

- 1) Go to AssetView > Connectors. Identify the EC2 connector you want to upgrade, then right-click and select Upgrade to Role ARN from the quick actions menu.




Provide ARN details and click Upgrade.



Upgrade multiple EC2 connectors for same AWS account

You can now create only one connector for each unique AWS account. If you have multiple EC2 connectors for the same AWS account, you need to retain only one of the two connectors. Before you remove one of the connectors, ensure that you add the settings (for example, regions, tags and activation) to the connector you plan to retain and then switch to cross-account role based authentication.

If you have duplicate connectors for the same AWS account and you try to upgrade any one of them you will be provided with a conflict report listing the duplicate connectors.



Delete duplicate connectors and retain only one connector for each AWS account.

Create only one connector for each unique AWS account. It's recommended that you merge multiple EC2 connectors into one by removing duplicate connectors before you upgrade to ARN.

Using Base Account authentication

The AWS connectors with cross-account role uses Qualys accounts. If you do not wish to use Qualys account, you can use the base account to set up the AWS connectors.

You can configure to use your own AWS account as a base account while setting up the AWS Connectors instead of using Qualys account. You need to map your AWS account ID (in case of multiple AWS accounts, at least one AWS account) with the base account you create.

For example, you have 3 AWS accounts: A1, A2, A3. You can choose any one of these accounts to map to the base account. For the other two accounts, Qualys account will be used.

Create a Base Account

Before you create a new connector, create a base account for the same account type (region). If you do not create a base account, you can still create a connector.

Go to Connectors > Connectors and then click Configure Base Account. Provide name, AWS account ID, access and secret keys and then select the account type.

The screenshot shows a configuration dialog titled 'Connector Base Account'. It includes fields for 'Account Name*' (My AWS Account), 'AWS Account ID' (111111111111), 'Access key' (redacted), 'Secret key' (redacted), and 'Select Account Type' (radio buttons for Global, GovCloud, and China, with Global selected). At the bottom are 'Cancel' and 'Create' buttons.

You can create only one base account per account type. Ensure that the AWS account ID for which you configure that base account has policies associated in the AWS console. To know detailed configuration steps on AWS console, refer to Base Account Configuration in AWS.

Edit a Base Account

Select the base account you want to edit and click the quick action menu, then select Edit. You can edit name, AWS account ID, access keys and secret keys. You cannot edit the account type.

Updating Existing Connectors to Base Account

To update the existing AWS connectors with cross-account role to base account usage, you need to

-create a base account using AWS account ID (as described in [Create a Base Account](#)).

-update the Trust Entities for your IAM Roles: On AWS console, go to IAM role > Trust relationships and then Edit trust relationship. Ensure that the AWS account ID for which you configure that base account matches the account number in trusted relationships of the AWS console. Click Update Trust Policy.

Edit Trust Relationship

You can customize trust relationships by editing the following access control policy document.

Policy Document

```
1 {  
2   "Version": "2012-10-17",  
3   "Statement": [  
4     {  
5       "Effect": "Allow",  
6       "Principal": {  
7         "AWS": "arn:aws:iam::111111111111:root"  
8       },  
9       "Action": "sts:AssumeRole",  
10      "Condition": {  
11        "StringEquals": {  
12          "sts:ExternalId": "1541307767358"  
13        }  
14      }  
15    }  
16  ]  
17 }
```

Ensure your account number matches with one you specified during base account creation.

Base Account Configuration in AWS

If you plan to use base account for your connectors, there are certain pre-requisites and settings that need to be configured on AWS console. The detailed steps and configuration required in AWS console for setting up base account is listed below.

Create IAM User and associate policy in AWS

1. On the AWS console, navigate to AWS > Policies and create a policy (for example, AssumeRole) that contains the following JSON content.

```
1 {  
2   "Version": "2012-10-17",  
3   "Statement": [  
4     {  
5       "Sid": "Stmt1501205548000",  
6       "Effect": "Allow",  
7       "Action": [  
8         "sts:AssumeRole"  
9       ],  
10      "Resource": [  
11        "*"  
12      ]  
13    }  
14  ]  
15 }
```

2. Create IAM User. Navigate to Identity and Access Management > Users and then click Add user.

Add user

Set user details

You can add multiple users at once with the same access type and permissions. [Learn more](#)

User name* Qualys-Demo

[+ Add another user](#)

Select AWS access type

Select how these users will access AWS. Access keys and autogenerated passwords are provided in the last step. [Learn more](#)

Access type* Programmatic access
Enables an **access key ID** and **secret access key** for the AWS API, CLI, SDK, and other development tools.

AWS Management Console access
Enables a **password** that allows users to sign-in to the AWS Management Console.

* Required

Cancel [Next: Permissions](#)

3. Provide a user name and enable Programmatic access for the user. Click Next: Permissions.

Add user

1 2 3 4 5

Set permissions

Add user to group Copy permissions from existing user Attach existing policies directly

Create policy

Filter policies ▾ Showing 2 results

	Policy name ▾	Type	Used as	Description
<input checked="" type="checkbox"/>	AssumeRole	Customer managed	Permissions policy (1373)	Attach this policy to users to grant them Ass...

4. Select Attach existing policies directly and then type the name of the policy that you created (AssumeRole) in Filter policies. Select the policy (AssumeRole) you configured and then click Next: Tags.

Add tags if needed (as this is optional). Review the user settings you configured and then click Create user.

How does EC2 Connector work?

Asset Discovery: The EC2 connector performs asset discovery for your cloud with its continuous synchronization mechanism. The connector synchronizes every 4 hours with the AWS account and pulls in all instances (including terminated instances).


AWS retains the terminated instances for only about 15 minutes. However, Qualys stores record of all the terminated instances and you can always track the history and details of all such terminated instances.

Synchronization of Assets: Adds the assets to your Qualys account. Except for assets with errors (as such assets are dropped off), all other assets are added to the Qualys account.

Activation: When you plan to execute a scan using scanner appliances, you need to activate Vulnerability Management/Policy Compliance/Security Configuration Assessment licenses for the assets you added to your Qualys account. You can manually activate the assets or enable automatic activation during the EC2 connector setup.

Excluded from Activation: Apart from the terminated instances that are excluded from activation, m1.small, t1.micro or t2.nano instances are also excluded from activation. The AWS acceptable scanning policy prevents us from scanning the m1.small, t1.micro or t2.nano instances. You could use Cloud Agent on such instances.

Viewing Imported Assets



The EC2 connector starts pulling the instances once you finish the connector creation. Let's check out the different information we display once the connector run is complete.

- ① **Asset Count** - The Asset count column shows the assets discovered and synchronized in the latest EC2 connector run.
- ② **Synchronized Assets** - In the Asset count column, the green portion represents assets synchronized. Synchronized count represents assets that are successfully processed at Qualys.
- ③ **Excluded Assets** - The blue portion represents the assets which are synchronized but excluded from VM/PC/SCA activation. Excluded assets could be terminated instances or m1.small, t1.micro or t2.nano, which cannot be scanned by Qualys scanners as per AWS Acceptable Use Guidance for Scanning. Excluded assets are subset of synchronized assets.

- 4 **Show assets** – The total count of assets discovered by the connector over its span of time.

Assets with Error - The Asset count column may also show a portion in red which represents assets with errors. Assets with errors are those which have encountered issues while being processed at Qualys.

You can view the assets that are collected by connector by navigating to AssetView. The EC2 Information tab of Asset details page displays the AWS instance metadata collected. Here is the sample screen shot that displays the information we collect.

Once the EC2 instances are discovered, you are ready to start scanning and securing your Amazon EC2 infrastructure!

AWS APIs used by EC2 Connector to discover assets

Qualys uses three APIs to discover EC2 instances and identify additional information about those instances from an AWS account. Information about these APIs is available on the Amazon AWS web site locations mentioned below.

DescribeInstances API

https://docs.aws.amazon.com/AWSEC2/latest/APIReference/API_DescribeInstances.html

DescribeImages API

https://docs.aws.amazon.com/AWSEC2/latest/APIReference/API_DescribeImages.html

DescribeNetworkInterfaces API

https://docs.aws.amazon.com/AWSEC2/latest/APIReference/API_DescribeNetworkInterfaces.html

The Discovery job can be run on demand or with the default frequency (every 4 hours). This frequency is currently not configurable.

Qualys APIs for EC2 Connectors

You can perform various EC2 connector operations through API as well. For detailed information on using Qualys APIs related to AWS, see the [Asset Management and Tagging API v2 User Guide](#).

Here are some useful EC2 connector APIs:

Create AWS Connector

<https://qualysapi.qualys.com/qps/rest/2.0/create/am/awsassetdataconnector>

Run Connector

<https://qualysapi.qualys.com/qps/rest/2.0/run/am/assetdataconnector/<id>>

Get Host Asset Info (get the metadata of an EC2 instance)

<https://qualysapi.qualys.com/qps/rest/2.0/get/am/hostasset/<id>>

Scanning in AWS EC2 Environments

Let us get familiar with few terms in networking basics.


VPC: enables you to launch AWS resources into a virtual network that you've defined. This closely resembles a traditional network that you'd operate in your own data center, with the benefits of using the scalability of AWS.

VPC Peering: a networking connection between two VPCs that enables you to route traffic between them.

Transit Gateway: A network transit hub, which you can use to interconnect your virtual private clouds (VPC) and on-premises networks.

Let us now see the various scenarios for scanning in AWS EC2 environment.


A Single scanner scans MULTIPLE instances in a VPC



Scanners need to be configured to communicate to Qualys Cloud Platform and AWS EC2 & STS endpoints over https (via security groups and internet gateways)

AWS recommends excluding the following EC2 instance types (T3.nano, T2.nano, T1.micro and M1.small) from your security assessments to minimize potential disruption to your environment. Cloud-agents are preferred method for scanning them.

Multiple scanners to scan MULTIPLE instances in VPC




Based on number of instances and scan frequency, multiple scanners might be required to scan MULTIPLE instances in a VPC. Require at least one scanner per VPC. You can add more based on requirements.

Scanners needs to be configured to communicate to Qualys Cloud Platform and AWS EC2 & STS endpoints (via security groups and internet gateways)

AWS recommends excluding the following EC2 instance types (T3.nano, T2.nano, T1.micro and M1.small) from your security assessments to minimize potential disruption to your environment. Cloud-agents are preferred method for scanning them.

A Single scanner scans MULTIPLE instances across the subnets within a VPC




Scanners can typically work across the subnets within a VPC, unless there are restrictions in networks introduced

Scanners needs to be configured to communicate to Qualys Cloud Platform and AWS EC2 & STS endpoints over https (via security groups or internet gateways)

AWS recommends excluding the following EC2 instance types (T3.nano, T2.nano, T1.micro and M1.small) from your security assessments to minimize potential disruption to your environment. Cloud-agents are preferred method for scanning them.

A Single scanner scans MULTIPLE instances across Peered VPCs in a region




You can add more based on requirements.

Scanners needs to be configured to communicate to Qualys Cloud Platform and AWS EC2 & STS endpoints over https (via security groups and internet gateways)

AWS recommends excluding the following EC2 instance types (T3.nano, T2.nano, T1.micro and M1.small) from your security assessments to minimize potential disruption to your environment. Cloud-agents are preferred method for scanning them.

Multiple scanners might be required to scan MULTIPLE instances across Peered VPCs




Based on number of instances and scan frequency, multiple scanners might be required to scan MULTIPLE instances across Peered VPCs in a region. You can add more based on requirements to ALLOW Scanning across VPC boundaries.

Scanners needs to be configured to communicate to Qualys Cloud Platform and AWS EC2 & STS endpoints over https (via security groups and internet gateways)

AWS recommends excluding the following EC2 instance types (T3.nano, T2.nano, T1.micro and M1.small) from your security assessments to minimize potential disruption to your environment. Cloud-agents are preferred method for scanning them.

Scanner cannot scan instances in non-peered VPCs




You can add more based on requirements to ALLOW Scanning across VPC boundaries.

Scanners needs to be configured to communicate to Qualys Cloud Platform and AWS EC2 & STS endpoints over https (via security group and internet gateways)

AWS recommends excluding the following EC2 instance types (T3.nano, T2.nano, T1.micro and M1.small) from your security assessments to minimize potential disruption to your environment. Cloud-agents are preferred method for scanning them.

Scanner cannot scan instances in VPCs with overlapping IP addresses




A single scanner cannot scan instances in VPCs with overlapping IP addresses due to reachability to a single subnet. You can add more based on requirements to ALLOW Scanning across VPC boundaries.

Note: Albeit VPC peering can be configured between VPC A & C, due to overlapping subnets between B & C, scanners will only reach one of them based on route table.

Scanners need to be configured to communicate to Qualys Cloud Platform and AWS EC2 & STS endpoints over https (via security groups and internet gateways)

AWS recommends excluding the following EC2 instance types (T3.nano, T2.nano, T1.micro and M1.small) from your security assessments to minimize potential disruption to your environment. Cloud-agents are preferred method for scanning them.

Single scanner scans MULTIPLE instances across Peered VPCs in different regions




You can add more scanners based on requirements to ALLOW Scanning across Region across VPC boundaries.

Scanners needs to be configured to communicate to Qualys Cloud Platform and AWS EC2 & STS endpoints over https (via security groups and internet gateways)

AWS recommends excluding the following EC2 instance types (T3.nano, T2.nano, T1.micro and M1.small) from your security assessments to minimize potential disruption to your environment. Cloud-agents are preferred method for scanning

Single scanner scans multiple instances across VPCs in region connected by Transit




Since a network transit hub allows interconnectivity between virtual private clouds (VPC), a single scanner can be used to scan multiple instances across VPCs in a region connected by Transit gateway.

Scanners need to be configured to communicate to Qualys Cloud Platform and AWS EC2 & STS endpoints over https (via security groups and internet gateways)

AWS recommends excluding the following EC2 instance types (T3.nano, T2.nano, T1.micro and M1.small) from your security assessments to minimize potential disruption to your environment. Cloud-agents are preferred method for scanning them.

On-premises Scanners not recommended for scans of Cloud Instances



Instance types of t2.micro and t2.nano will NOT be scanned as per AWS pen testing rules.
Cloud-agents are preferred method for scanning them.

Deploy Sensors

Qualys sensors, a core service of the Qualys Cloud Platform, make it easy to extend your security throughout your global enterprise. These sensors are remotely deployable, centrally managed and self-updating. They collect the data and automatically beam it up to the Qualys Cloud Platform, which has the computing power to continuously analyze and correlate the information in order to help you identify threats and eliminate vulnerabilities. For AWS, the sensors come as virtual appliances in the form of AMI & lightweight agents.

Prior to scan, you need to deploy sensors. Depending on your preference, you could deploy pre-authorized scanner appliance or Qualys Cloud Agent. Let's go through the steps involved in deploying these sensors.

[Deploying Pre-authorized Virtual Scanner Appliance](#)

[Deploying Qualys Cloud Agent](#)

Deploying Pre-authorized Virtual Scanner Appliance

Before we go through the actual steps involved in the pre-authorized scanner deployment let's understand the licensing/cost aspect and the deployment recommendations.

Cost and Licenses

Qualys Virtual Scanner Appliance is available as an Amazon Machine Image (AMI) at AWS Marketplace, ready for customers to launch onto Amazon EC2-Classic and EC2-VPC.

There are two aspects to consider:

- Qualys costs for the virtual scanner license subscription
- AWS costs for the computing resources to run the appliance as an EC2 Instance

Qualys Cost

You will need to acquire a Qualys license for each virtual scanner appliance Instance you would like to run. This license is acquired from Qualys, not from AWS, and our scanner appliances are listed at AWS Marketplace with a BYOL (i.e., "bring your own license") model accordingly. Each Qualys Virtual Scanner Appliance profile that you define in the Qualys Cloud Platform UI will consume a single virtual scanner appliance license. If you delete a virtual scanner appliance profile from your Qualys subscription, that license is freed up and immediately available for re-use.

Contact your Qualys technical account manager or Qualys reseller for a pricing quotation or to request an evaluation.

AWS Cost

Each virtual scanner appliance Instance will be launched into one of your own AWS accounts. You will be responsible for paying AWS for the costs of running the appliance.

Those costs include:

- Compute Capacity based upon instances type
- Storage
- Data transfer IN/OUT

The compute capacity charges (i.e., CPU, RAM) are overwhelmingly the largest part of the costs to run an Instance. Note that you are not required to keep your scanner appliance(s) running at all times. Any hours during which your Instance is Stopped will incur only per-GB provisioned storage charges. However, scanners should be turned on for at least several hours per week in order to ensure that they stay up-to-date with software and signatures.

Deployment recommendations for scanner

Following are some recommendations from Qualys for deploying scanners based on the network topology and the size of the EC2 instance for hosting the scanner appliance.

Instance size for hosting the scanner

To host the Qualys Virtual Scanner Appliance, maximum recommended limit by Qualys is 16 CPUs and 16 GB RAM. In addition, we do not support scanner deployment on A1 instance types. Based on the number of EC2 instances being scanned, and the number of times the instances are scanned, you can scale up to 16 CPUs and 16 GB RAM.

Limitations on scanning targets


Note that scans cannot be launched on targets using t1.micro, m1.small, t2.nano instance types.

Scanner placement based on the network topology

Amazon Virtual Private Cloud (Amazon VPC) offers a comprehensive set of virtual networking capabilities that provide AWS customers with many options for designing and implementing networks on the AWS cloud. With Amazon VPC, customers can provision logically isolated virtual networks to host their AWS resources. Based upon how you have setup your AWS network, here are some recommendations on how you can place your scanner.

- Non peered VPCs in a region - Qualys recommends to have one or more scanners per VPC per region if the VPCs are non peered.

- Peered VPCs in a region - you can have one or more scanners in the central VPC which is peered to other VPC in a region (hub 'n' spoke model). Here is an example for the same.



- VPCs across regions - you can have one or more scanners in a VPC which has VPN or VPC-transit to other regions.

Instance Snapshots/Cloning Not Allowed

Using a snapshot or clone of a virtual scanner instance to create a new instance is strictly prohibited. The new instance will not function as a scanner. All configuration settings and platform registration information will be lost. This could also lead to scans failing and errors for the original scanner.

Moving/Exporting Instance Not Allowed

Moving or exporting a registered scanner instance from a virtualization platform (HyperV, VMware, XenServer) in any file format to the AWS cloud platform is strictly prohibited. This will break scanner functionality & the scanner will permanently lose all its settings.

What do I need?

The Virtual Scanner option must be turned on for your account. Contact Qualys Support or your Technical Account Manager if you would like us to turn on this option for you.

You must be a Manager or a sub-user with the “Manage virtual scanner appliances” permission. This permission may be granted to Unit Managers. Your subscription may be configured to allow this permission to be granted to Scanners.

Scanner Deployment

The scanner deployment involves configuration in Qualys as well as AWS.

Some things to consider...

The following features are not supported and are disabled in all cloud (private and public) platforms:


- WAN/Split network SETTINGS - “WAN Interface” option for split network settings is not available from Scanner UI/console. Only LAN/single network settings from Cloud UI, used for both scanning and connecting to Qualys servers, are supported
- NATIVE VLAN - “VLAN on LAN” option for configuring Native VLAN is not available from scanner UI/console

- STATIC VLAN (IPV4 AND IPV6) - "VLANS" option for configuring static VLANs is not available from Qualys UI
- STATIC ROUTES (IPV4 AND IPV6) - Option to configure "Static Routes" is not available from Qualys UI
- IPV6 ON LAN - Option to configure "IPv6 on LAN" is not available from Qualys UI


Configuration in Qualys

Setting up Virtual Appliance - Get Personalization Code


Select VM or PC from the Qualys app picker. Then navigate to Scans > Appliances and select New > Virtual Scanner Appliance.




Choose "I have My Image" and click Continue.



Provide a name and click Next.




If you're a sub-user then you'll need to pick an asset group that has been assigned to your business unit by a Manager user. Not seeing any asset groups? Please ask a Manager to assign an asset group (other than the All group) to your business unit.



Follow the on-screen instructions to configure your virtual scanner. Click Next.



Get your personalization code. You'll need this to launch your AMI instance.



Configuration in AWS

Launch an AMI instance in the Amazon AWS

These steps tell you how to launch an AMI instance from the Amazon AWS Marketplace. You can also launch an AMI instance using the AWS Management Console (i.e. sign in to the console, go to Services > EC2 and enter AMI settings per below).

- 1) Go to Qualys Virtual Scanner Appliance page at AWS Marketplace, and login to your AWS account.

[Qualys Virtual Scanner Appliance \(Pre-Authorized Scanning\) HVM on AWS Marketplace](#)

The screenshot shows the AWS Marketplace product page for the Qualys Virtual Scanner Appliance (Pre-Authorized Scanning) HVM. At the top, there's a navigation bar with links for 'awsmarketplace', 'View Categories', 'AMI & SaaS', 'Search', 'Sign in or Create a new account', 'Sell in AWS Marketplace', 'Amazon Web Services Home', and 'Help'. Below the navigation, the product title 'Qualys Virtual Scanner Appliance (Pre-Authorized Scanning) HVM' is displayed in orange. To its left is the Qualys logo. A sub-headline 'Sold by: Qualys, Inc. | See product video' follows. The main description text reads: 'The Qualys Virtual Scanner Appliance extends the reach of the Qualys Cloud Platform's integrated suite of security and compliance SaaS applications into the internal networks of both Amazon VPC and classic EC2-Classic. IMPORTANT NOTE: This AMI should not be used with 1-Click Launch, as additional configuration input is required when creating a new instance. This "Pre-Authorized Scanning" version of the virtual scanner is for use with the "EC2 Scanning" workflow within the Qualys Vulnerability Management solution. In collaboration with Amazon, Qualys has built safeguards... [Read more](#)'.

Customer Rating: ★★★★☆ (0 Customer Reviews)

[Continue](#)

You will have an opportunity

The AWS marketplace lists two virtual scanner appliances - A Pre-Authorized scanner appliance and a Standard scanner appliance. The Standard appliance performs IP based scanning and Qualys recommends you to use the Pre-Authorized scanner appliance. If you cannot use the Pre-Authorized scanner appliance it is recommended to contact Qualys Support before choosing the Standard scanner appliance.

- 2) Launch the virtual scanner AMI in a region.

3) Use the wizard to enter AMI settings. In the User data field enter the personalization code obtained from the Qualys user interface and optionally proxy server (if used).

The screenshot shows the AWS Step 3: Configure Instance Details wizard. The User data section is highlighted, showing the input field containing "PERSCODE=123456789101234". A red arrow points to this input field.

User data (i) As text As file Input is already base64 encoded
PERSCODE=123456789101234

Cancel Previous Review and Launch Next: Add Storage

Personalization Code - Enter the personalization code that you obtained from Qualys preceded by PERSCODE=

Proxy Server (Optional) - Enter Proxy Server information, on a separate line from the personalization code, preceded by PROXY_URL. A proxy server is used when your scanner does not have direct connectivity to the Qualys Cloud Platform.

Enter proxy information in the format username:password@proxyhost:port
If you have a domain user, the format is domain\username:password@proxyhost:port
If authentication is not used, the format is proxyhost:port

where proxyhost is the IPv4 address or the FQDN of the proxy server, port is the port the proxy server is running on.

Example:

```
PERSCODE=12345678901234
PROXY_URL=jdoe:abc12345@10.40.1.123:3128
```

If you use a proxy server, ensure that you configure the Amazon EC2 API Proxy server settings in Qualys UI. To know more refer to [Define Amazon EC2 API Proxy settings in Qualys UI](#).

Once launched, Virtual Appliance connects to Qualys Cloud Platform

This step registers the Virtual Scanner Appliance with your Qualys account. Also, your appliance will download all the latest software updates right away, so it's ready for scanning.

Configuring security groups for your Virtual Scanner Appliance

Setup following outbound rule in security group assigned to scanner appliance.

- Connectivity to Qualys Cloud Platform

The scanner appliance must have connectivity to Qualys Cloud Platform. If the scanner appliance has direct internet connectivity, ensure that the outbound rule allows access on port 443 to Qualys Security Operations Center (SOC) IP address. You can get the SOC IP address range by logging in to Qualys Portal and navigating to Help > About option. If you are using proxy server, ensure you have outbound rule that allows communication to proxy server and the proxy server can reach the Qualys Cloud Platform.

- Connectivity to Amazon EC2 API endpoints

The scanner appliance must have connectivity to the Amazon EC2 and STS API endpoints. For authorization, scanners must reach STS endpoints to assume role and get tokens to make EC2 API calls. The communication to the EC2 and STS API will not be routed through the proxy server that you may have configured for appliance management communications with the Qualys Cloud Platform (see above). The scanner appliance must communicate directly to the EC2 and STS API or through a fully transparent proxy or filtering technology.

If the scanner appliance has direct internet connectivity, ensure that the outbound rule allows access on port 443 to Amazon EC2 and STS API endpoints. If you have configured Amazon EC2 API proxy server in Qualys UI then ensure you have outbound rule that allows communication to proxy server and proxy server can reach Amazon EC2 API endpoints.

The scanner appliance must have connectivity to the Amazon EC2 API endpoints. If the appliance cannot reach the Amazon EC2 API endpoint, then any EC2 Scan job you initiate will not be able to succeed. Your scan will conclude without scanning any of the EC2 instance targets, because the appliance will not be able to resolve the list of target instance IDs to IP addresses with potential error "No Hosts alive".

Go here to learn about regions & endpoints:

http://docs.aws.amazon.com/general/latest/gr/rande.html#ec2_region

- Connectivity to target instances

Scanner should be able to reach out to all the target instances for running the scan. It is recommended to configure outbound rule that allows access to all ports and subnets of the EC2 instances that the scanner is going to scan.

Support for Qualys Private Cloud Platform

If you are using Qualys Private Cloud Platform (PCP) to scan EC2 instances, please contact your Qualys Sales representative (TAM) or Support to generate a Virtual Scanner Appliance AMI for AWS. Provide the following information:

- The AWS regions in which you want to deploy the scanner appliance
- The AWS account you want to use for scanner deployment

Ensure that the security groups allow communication from the scanner appliance to your Qualys PCP on port 443. You may need to provide the IP address of your Qualys PCP to Support.

Deploying Qualys Cloud Agent

Using our revolutionary Qualys Cloud Agent platform you can deploy lightweight cloud agents to continuously assess your AWS infrastructure for security and compliance.

Cloud Agent features

- Communicates to the Qualys Cloud Platform over port 443 and supports Proxy configurations.
- Deployable directly on the EC2 instances or embed in the AMIs. Works well for cloud burst and ephemeral instances
- Supports scanning a range of Linux and Windows OS versions
- Supports scanning EC2 instance OS vulnerabilities

What are the steps?

Navigate to the Cloud Agent (CA) app and install the Cloud Agent in minutes.

The screenshot shows the Qualys Enterprise interface for Cloud Agent Management. The top navigation bar includes 'Cloud Agent' (selected), 'Dashboard', and 'Agent Management'. Below this, the 'Agent Management' tab is active, with sub-options 'Agents', 'Activation Keys' (selected), and 'Configuration Profiles'. A search bar and 'Actions (0)' button are also present. On the left, two callouts provide instructions: 'Install New Agent to deploy directly on the instance or embed into the AMIs' and 'Assign key and activate for applications (VM, PC, etc)'. The main content area is titled 'New Activation Key' and contains a sub-section 'Create a new activation key'. It explains that an activation key allows grouping agents and managing them better. A 'Title' input field is populated with 'AWSEC2AGENT'. Below it, a 'Select | Create' button and a dropdown menu showing 'EC2_EAST X' and 'AWS_EC2 X' are visible. A section 'Provision Key for these applications' lists 'VM' (checked) with 'Vulnerability Management' and '10 Licenses Remaining', and 'PC' (checked) with 'Policy Compliance' and '10 Licenses Remaining'.

We recommend these resources

[Qualys Cloud Platform](#)

[Qualys Cloud Agent Getting Started Guide](#)

Scan Assets

We will see the steps to scan your network. Before you initiate your scan, you must ensure few check points/pre-configurations.


EC2 Scan checklist

Go to Qualys VM or Qualys PC - We recommend these steps before scanning.

- [Check Appliance Status](#)
- [Define Amazon EC2 API Proxy settings in Qualys UI](#) (only if you've defined Proxy Server)
- [Check EC2 Assets are activated](#)
- [Configure security groups for the EC2 instances to be scanned](#)
- [Configure OS Authentication](#)

Check Appliance Status

Go to Scans > Appliances - Be sure the new Scanner Appliance is connected to the Qualys Cloud Platform.  means your appliance is connected and ready for scanning.



The screenshot shows the Qualys Vulnerability Management interface. The top navigation bar includes links for Dashboard, Scans, Reports, Remediation, Assets, KnowledgeBase, and Users. Below this is a secondary navigation bar with tabs for Scans, Maps, Schedules, Appliances, Option Profiles, Authentication, Search Lists, and Settings. The 'Scans' tab is currently selected. A search bar and a 'New' button are also present. The main content area displays a table of scanner appliances. The columns are: Appliance, ID, LAN IP, WAN IP, Polling, Scanner, Signatures, and Last Update. Two rows are visible: one for 'vpc90-scr2' with ID 15465835141830 and another for 'vpc90-scr1' with ID 15491710005768. Both rows show green checkmarks in the first column, indicating they are connected. The table also includes icons for edit and delete actions.

Appliance	ID	LAN IP	WAN IP	Polling	Scanner	Signatures	Last Update
vpc90-scr2	15465835141830	10.90.2.100	--	180 seconds	9.2.33-1	2.4.17-3	04/14/2017 at 05:10:08 (GMT+0)
vpc90-scr1	15491710005768	10.90.2.30	--	180 seconds	9.2.33-1	2.4.17-3	04/14/2017 at 03:46:28 (GMT+0)

Define Amazon EC2 API Proxy settings in Qualys UI

This step is required if you have defined Proxy Server in User Data field during the pre-authorized scanner deployment. Your EC2 scan won't work if you do not perform this step.

Go to Scans > Appliances - Edit your EC2 Virtual Scanner Appliance. Go to the Proxy Settings tab, select the Amazon EC2 API Proxy check box and tell us about your proxy server (i.e. hostname and/or IP address, port and proxy credentials (if required by the proxy server)).

Good to Know - The settings you enter here allow the Virtual Appliance to connect to your Amazon EC2 API endpoints. The Virtual Appliance makes API calls to the AWS Gateway through the proxy server that you specify. For example, it calls the `DescribeInstance` API to get the current IP address for each EC2 instance you want to scan.

Sample Scanner Appliance Proxy Settings

You can view all proxy settings on the Scanner Appliance Information page. Just go to Scans > Appliances hover over your appliance and choose Info from the Quick Actions menu. Click Edit to make changes to the Amazon EC2 API Proxy settings.

The Scanner Proxy section shows Proxy Server info currently defined in AWS AMI settings (credentials are masked with ****) during its deployment.

Add Proxy Info for Amazon EC2 API

View Proxy Info Defined in AWS (Cannot be edited in Qualys)

Proxy Settings

Scanner Proxy
Allow the scanner to connect to Qualys Platform through a proxy server. Proxy details provided in AWS.

Proxy Server	10.90.2.28
Port	3129
Authentication	*****

Amazon EC2 API Proxy
Allow the scanner to connect to your Amazon EC2 API endpoints through a proxy server.

Tell us about your proxy server. Enter the hostname or IP address (or both) and the port number. The proxy username and password are required when the proxy server requires authentication.

Protocol	HTTP
Proxy Server*	Enter the hostname or IP address (or both) Hostname: <input type="text"/> IP Address: <input type="text" value="10.90.2.28"/>
Port*	<input type="text" value="3129"/>
Authentication	Username: <input type="text" value="scanner"/> Password: <input type="password"/> Confirm Password: <input type="text"/>

Cancel **Save**

You must allow the EC2 Region endpoints to be accessible via the proxy.

Identify the URL to an endpoint from here -

http://docs.aws.amazon.com/general/latest/gr/rande.html#ec2_region

Check EC2 Assets are activated

Go to Assets > Host Assets or Qualys AssetView (AV) - Check that your EC2 hosts are activated. Activated assets are assigned the EC2 tracking method.

The screenshot shows the Qualys AssetView interface under the 'Assets' tab. The 'Host Assets' section displays two EC2 instances:

- IP: 172.31.47.228, DNS: ip-172-31-47-228.us-east-2.compute.internal, Tracking: EC2
- IP: 172.31.30.195, DNS: ip-172-31-30-195.us-gov-west-1.compute.internal, Tracking: EC2

Configure security groups for the EC2 instances to be scanned

In AWS, you must associate a security group that allows inbound access on all ports for the IP address of the scanner appliance or the security group of the scanner appliance.

Here is the sample security group assigned to EC2 instance allowing inbound access on all the ports for the security group of Qualys Virtual Scanner Appliance.

The screenshot shows the AWS Security Groups interface for the security group 'sg-4a6df822'. An inbound rule is configured with the following parameters:

Type	Protocol	Port Range	Source	Description
All traffic	All	All	sg-584c1430 (Qualys Virtual Scanner Appliance)	Qualys Scanner Sec...

Configure OS Authentication

Using host OS authentication (trusted scanning) allows our service to log in to each target system during scanning. Running authenticated scans gives you the most accurate results with fewer false positives.


Go to Scans > Option Profiles. Edit the profile Initial Options, use Save As to save a copy with another name. In your new profile enable the authentication types you'll need.

Authentication

Authentication enables the scanner to log into hosts at scan time to extend detection capabilities. See the online help to learn how to configure this option.

Windows
 Unix/Cisco
 Oracle
 Oracle Listener
 SNMP
 VMware
 DB2
 HTTP
 MySQL

Go to Scans > Authentication. Add authentication records for the EC2 instances you'll be scanning - Unix and/or Windows. In the record you'll need to add credentials for the account to be used for authentication - this is an account for OS user (not the AIM user). We recommend you create a dedicated account for authentication on target systems.



The screenshot shows the Qualys Vulnerability Management interface. The top navigation bar includes 'Vulnerability Management', 'Dashboard', 'Scans' (which is the active tab), 'Assets', 'KnowledgeBase', and 'Users'. Below the navigation is a search bar and a 'Remediation' section with tabs for 'Schedules', 'Appliances', 'Option Profiles', and 'Authentication' (which is highlighted with a blue border). A sidebar on the left titled 'Overview' displays a 'Credentials Breakdown' with counts for various systems: Windows (4), Unix (3), Oracle (2), and MySQL (1). At the bottom of the sidebar is a 'New' button. The main content area shows a summary of authentication records: Used 3, Passing 1, Failing 0, Problematic 0, and In Vault 0. A small chart indicates 1 Windows record.

Sample Unix Record

1) Login Credentials - Provide OS user name and select Skip Password

Edit Unix Record

Authentication

Provide login credentials to use for authenticated scanning. You have the option to get the login password from a vault available in your account.

Username*:

Get password from vault

Skip Password

Password:

Clear Text Password

Confirm Password*:

2) Private Keys - Key authentication recommended. Select key type (RSA, DSA, ECDSA, ED25519) and enter your private key content.

Edit Unix Record

Private Keys / Certificates

Add private keys and/or certificates to be used for authentication - as many as you'd like. Any combination of private keys (RSA, DSA, ECDSA, ED25519) and certificate types (X.509, OpenSSH) can be added.

Private Key / Certificate

Set private key / certificate for your Unix record

Get private key from vault:

Private Key Type:

Private Key Content:

```
***** Private Key Installed *****
```

Paste the private-key content into the space provided. See [Help](#) for more details.

Close **Save**

3) IPs - Select Unix IP addresses/ranges of your EC2 instances for this record. Credentials in this record will be used to scan these assets.

Edit Unix Record

IPs

Add IPs to your Unix record.

Enter or Select IPs/Ranges:

Select IPs/Ranges | Select Asset Group | Remove | Clear

Display each IP/Range on new line

Sample Windows Record

- 1) Login Credentials - Provide OS user name and select Skip Password

Edit Windows Record

Login Credentials

Windows Authentication

Local
 Domain

Login

Use the basic login credential or choose to use authentication vault for authenticated scanning.

Basic authentication Authentication Vault

User Name: * admin

Password: *****

Confirm Password:

Choose Authentication Protocols
We'll attempt authentication to target hosts using the authentication protocols you select below, in the order listed.

NTLMv2
 NTLMv1

- 2) IPs - Select Windows IP addresses/ranges of your EC2 instances for this record. Credentials in this record will be used to scan these assets.

Edit Windows Record

IPs

Add IPs to your Windows record.

Enter or Select IPs/Ranges: [Select IPs/Ranges](#) | [Select Asset Group](#) | [Remove](#) | [Clear](#)

10.1.0.133, 10.1.1.108

Learn more about OS authentication

Online help within the authentication record workflows provides detailed instructions and guidance on all available options. These documents are good resources

[Qualys Windows Authentication Guide \(pdf\)](#)

[Qualys Unix Authentication Guide \(pdf\)](#)

Have Qualys Defined Networks? Move your Virtual Appliance

This step is recommended if you've defined custom networks in your Qualys account.

By default a new Virtual Scanner Appliance is placed in the Global Default Network and when a scan is performed host scan data is added to that network. We recommend you move this Virtual Appliance to the desired network before scanning - the Global EC2 Network or a custom network.

Go to Assets > Networks, edit the network you want to move the Virtual Appliance to and add the appliance to that network.

Scan Using Pre-authorized Virtual Scanner Appliance

Scanning with pre-authorized scanner appliance involves following sequence of steps.

EC2 Scan workflow

Qualys provides a special EC2 Scan (and Schedule EC2 Scan) workflow which only works in collaboration with an instance of the Pre-Authorized Scanning virtual appliance AMI. This solution allows on-demand and scheduled scanning in Amazon EC2-Classic and EC2-VPC, without the need for the customer to manually request scanning permission from AWS.

Qualys Community: [AWS Acceptable Use Guidance For Scanning](#)

The screenshot shows the Qualys Enterprise interface with the 'Vulnerability Management' tab selected. The 'Scans' tab is active. A dropdown menu is open over a list of scans, with 'EC2 Scan' highlighted. The list includes:

Title	Targets
Scan	10.10.10.11, 10.10.10.37, 10.10.10.40-10.10.1...
EC2 Scan	10.10.10.10-10.10.10.100
Scan for 10.10.10.10	10.10.10.10-10.10.10.100
Schedule Scan	10.10.10.10-10.10.10.100
Schedule EC2 Scan	10.10.10.10-10.10.10.100
Host	10.10.10.10-10.10.10.100
Asset Group...	10.10.10.10-10.10.10.100
Option Profile...	10.10.10.10-10.10.10.100
Download...	
April 29th	10.10.10.10-10.10.10.100
April 29th	10.10.10.10-10.10.10.100
April 29th	10.10.10.10-10.10.10.100
April 29th scan for 8.9.6 VM	10.10.10.10-10.10.10.100

Provide scan settings:

- 1) Give your scan a title and select the option profile you configured with authentication (required for vulnerability scan).
- 2) Select the EC2 connector name you configured.
- 3) For Platform choose one of EC2 Classic, EC2 VPC (All VPCs in region) or EC2 VPC (Selected VPC). Based on your selection you'll select region(s).
- 4) Select asset tags - these are assets activated for your connector.

General Information

Title: My EC2 Scan

Option Profile: * My Option Profile [Select](#) **1**

Processing Priority: 0 - No Priority

Target Hosts

Connector: connector-us-east-1 **2**

Platform: EC2-Classic (Selected Region) EC2-VPC (All VPCs in Region) EC2-VPC (Selected VPC) **3**

Available Regions: Select a region... **4**

Include hosts that have Any of the tags below. Add Tag
(no tags selected)

Do not include hosts that have Any of the tags below. Add Tag
(no tags selected)

Scan agent hosts in my target

- 5) Choose the Virtual Scanner Appliance AMI you've launched in Amazon EC2.

Scanner Appliances

Be sure the scanner appliances you pick can reach the target EC2 instances, i.e. within the region on the EC2 Classic or in the same VPC, or a connected VPC. You must select appliances with the same EC2 proxy settings.
Don't see the Scanner in the list? Click the Show All link next to the Scanner Appliance drop-down.

Scanner Appliance: * [Select Appliance...](#) [View](#) [Show All](#) **5**

Notification

Send notification when this scan is finished

[Launch](#) [Cancel](#)

Click Launch and start scanning and securing your Amazon EC2 infrastructure.

Before you launch the scan, the EC2 Vulnerability Scan Preview lists all the instances (including terminated instances). However, during the scan all such terminated instances will be ignored from the scan.

Tracking	IP	DNS	NetBIOS
EC2	10.0.0.73	i-039964258f5139569	
EC2	10.0.1.53	i-0e768e483a8449a56	WIN-QIVIU00GJPQ
EC2	10.0.0.47		
EC2	172.31.27.213		
EC2	172.31.1.203		

1 - 5 of 5

Launch

Scanning EC2 Classic instances

Choose **EC2 Classic (Selected Region)** to scan EC2 classic hosts in a region. When selected we'll only scan EC2 Classic instances in the region.

Target Hosts

Connector:	connector-us-east-1
Platform:	<input checked="" type="radio"/> EC2-Classic (Selected Region) <input type="radio"/> EC2-VPC (All VPCs in Region) <input type="radio"/> EC2-VPC (Selected VPC)
Available Regions:	US East (N. Virginia)

Scanning VPC instances

Choose **EC2-VPC (Selected VPC)** to scan only a VPC you select.

Target Hosts

Connector:	connector-us-east-1
Platform:	<input type="radio"/> EC2-Classic (Selected Region) <input checked="" type="radio"/> EC2-VPC (All VPCs in Region) <input type="radio"/> EC2-VPC (Selected VPC) With this option there must be peering between all the VPCs in the selected region.
Available Regions:	US East (N. Virginia)

Scanning instances using VPC Peering

Choose **EC2-VPC (All VPCs in Region)** to scan all VPCs in a region. Select this option ONLY if there is peering between all the VPCs in the region, or you could end up with Host not found errors for instances where your Virtual Scanner Appliances cannot reach them.

Target Hosts

Connector:	connector-us-east-1
Platform:	<input type="radio"/> EC2-Classic (Selected Region) <input type="radio"/> EC2-VPC (All VPCs in Region) <input checked="" type="radio"/> EC2-VPC (Selected VPC)
Available VPC Zones:	vpc-1e37cd76

Scanning EC2 Instances in GovCloud

Follow the instructions below to get started with securing your AWS GovCloud using Qualys Virtual Scanner Appliance (qVSA).

- 1) Contact your Qualys TAM or Qualys Support requesting access to a) GovCloud Feature and b) Qualys Scanner Appliance Pre-Authorized AMI.
- 2) Include your AWS Account ID under which you would be running the scanner, access to the AMI is enabled by Qualys support for specific Account IDs.
- 3) Qualys Support will send you a mail with approval and access information.
- 4) Create a Qualys Virtual Scanner Instance with the “qVSA”AMI, which will now be available under MyImages section in the Create Instance wizard. (If you need to search, use the keyword “qVSA” to find the Qualys scanner).
- 5) Configure the Virtual Scanner Instance as described in [Scanner Deployment](#)
- 6) You’re ready to start scanning! Just follow the steps in [Scan Using Pre-authorized Virtual Scanner Appliance](#)

Internal Network Scanning using Qualys Cloud Agent

Using our revolutionary Qualys Cloud Agent platform you can deploy lightweight cloud agents to continuously assess your AWS infrastructure for security and compliance.

Cloud Agent features

- Communicates to the Qualys Cloud Platform over port 443 and supports Proxy configurations.
- Deployable directly on the EC2 instances or embed in the AMIs. Works well for cloud burst and ephemeral instances
- Supports scanning a range of Linux and Windows OS versions
- Supports scanning EC2 instance OS vulnerabilities

Get Started

Navigate to the Cloud Agent (CA) app and install the Cloud Agent in minutes

The screenshot shows the Qualys Cloud Agent interface. At the top, there's a navigation bar with a logo and the text "Qualys Enterprise". Below it, a dropdown menu shows "Cloud Agent". The main area has tabs: "Dashboard" (disabled), "Agent Management" (selected), "Agents", "Activation Keys", and "Configuration Profiles".

On the left, there's a sidebar with buttons for "Actions (0)", "Install New Agent", and "Activation Jobs". A callout box points to this sidebar with the text "Install New Agent to deploy directly on the instance or embed into the AMIs".

The main content area has a title "New Activation Key" with a sub-instruction "Create a new activation key". It includes a note: "An activation key is used to install agents. This provides a way to group agents and better manage your account. B this key is unlimited - it allows you to add any number of agents at any time." There's a "Title" field containing "AWSEC2AGENT" and a "Select | Create" button. Below this is a "Provision Key for these applications" section with checkboxes for "VM" (checked) and "PC" (checked). The VM section shows "Vulnerability Management" with "10 Licenses Remaining". The PC section shows "Policy Compliance" with "10 Licenses Remaining".

A callout box points to the "VM" checkbox with the text "Assign key and activate for applications (VM, PC, etc)".

We recommend these resources

[Qualys Cloud Platform](#)

[Qualys Cloud Agent Getting Started Guide](#)

Perimeter Scanning using Qualys Scanners

Qualys Scanners (Internet Remote Scanners), located at the Qualys Cloud Platform, may be used for Perimeter Scanning of EC2 instances.

For subscriptions on Private Cloud Platforms, your account may be configured to allow internal scanners to be used.

These are DNS-based scans launched using the public DNS of the target EC2 instances.

Requirements

You'll get Cloud Perimeter Scanning when these features are enabled for your account:

- 1) EC2 Scanning and 2) Scan by Hostname.


Your account must have a Manager or Unit Manager role with following permissions assigned to your account.

- Enable Cloud Perimeter Scans (to launch scan using external scanners).
- Enable Internal Scanners for Cloud Perimeter Scans (to launch scan using internal scanners).

Get Started

All cloud perimeter scans are scheduled - either for "now" (a one-time scan job) or "recurring". Once saved, you'll see the scan job on the Schedules list. When the scan job starts it will appear on your Scans list.

Go to VM for a vulnerability scan (or PC for a compliance scan) and choose New > Cloud Perimeter Scan. You'll also see this option on the Schedules tab.



The first thing you'll do is select the EC2 connector you've configured.

New Cloud Perimeter (EC2) Scan

Turn help tips: On | Off

Cloud Information

Provider:

Connector*: conn1

Service:

Cloud Information >

Scan Details >

Target Hosts >

Scanner >

Schedule & Notification >

Review >

Give your scan a title and select the option profile you configured with authentication. You can launch either unauthenticated or authenticated Cloud Perimeter scans.

New Cloud Perimeter (EC2) Scan

Turn help tips: On | Off

Scan Details

Give your scan a name, select a scan profile (a default is selected for you with recommended settings), and choose a scanner Scanner Appliance menu for internal scans, if visible.

Title*: AWS EC2 Perimeter Scan 20180330

Option Profile*: Auth-Profile [Select](#)

Processing Priority: 0 - No Priority

Scan Job Status: Deactivate this task

Cloud Information >

Scan Details >

Target Hosts >

Scanner >

Schedule & Notification >

Review >

Now it's time to pick your target hosts.

- 1) Choose a platform option: EC2 Classic, EC2 VPC (All VPCs in region) or EC2 VPC (Selected VPC). Based on your selection you'll select region(s).
- 2) Select asset tags - these are assets activated for your connector.

3) (Optional) Click Add to enter the DNS names for your load balancers to also include them in the scan.

New Cloud Perimeter (EC2) Scan

Turn help tips: On | Off | Launch Help

Target Hosts

Platform*: EC2-Classic (Selected Region) EC2-VPC (All VPCs in Region) EC2-VPC (Selected VPC)
With this option there must be peering between all the VPCs in the selected region.

Available Regions: US East (N. Virginia)

Select Asset Tags*
We'll include the instances that match your tags and your platform/region.

Include hosts that have of the tags below.

Do not include hosts that have of the tags below.
(no tags selected)

Load Balancer DNS Names
(Optional) Tell us the DNS names for your Internet facing load balancers.

test.com
abc.com

DNS-based scans

This feature needs to be turned ON for your subscription. Please contact Qualys Support if you would like to enable this feature.

How DNS-based scans work: Users submit scans on the DNS for ELB and the rest. The IPs are resolved in realtime and then scanned for.

By default cloud perimeter scans use Qualys External Scanners.

New Cloud Perimeter (EC2) Scan

Turn help tips: On | Off | Launch Help

Scanner

We use Qualys Internet Scanners for Cloud Perimeter Scans. Please Continue.

Selected Platform: EC2-VPC (All VPCs in Region)

Selected Region: US East (N. Virginia)

Scanner Appliance:

For Private Cloud Platforms - Your subscription may be configured to allow scanner appliances to be used for cloud perimeter scan jobs. In this case, choose one or more scanner appliances from the list (use the Build my list option).

Tell us when you want the scan to run - Now or Recurring.

Note that when you choose Now your scan may not start immediately. We'll check for new scan requests every few minutes. If a scanner is available and you haven't reached your concurrent scan limit then we'll launch the scan. If scanners are not available or you have reached your limit then the scan will be launched at the next opportunity.

When you choose Recurring you'll also set scheduling and notification options. These are the same settings as other scan schedules so they should look familiar.

We'll identify the assets to scan based on your settings.

New Cloud Perimeter (EC2) Scan

Please review the information and Schedule the scan

Cloud Information

Provider: AWS
Connector*: conn1
Service: EC2

Scan Details

Title*: AWS EC2 Perimeter Scan 20180330
Option Profile*: Auth-Profile
Scan Priority: 0 - No Priority

Target Hosts

Platform*: EC2-VPC (All VPCs in Region)
Region*: US East (N. Virginia)
Tags Included*: Any of the following tag(s): EC2 Tag
Load balancers DNS list: test.com, abc.com

Assets Identified/Synced from Connector:

Assets Qualified for scan:

Assets Submitted to scan:

Resolving targets to Scan...

You'll see these asset counts:

Assets Identified / Synced - The number of assets discovered by the connector that you selected for this scan job.

Assets Qualified for scan - The number of assets discovered by the connector that also match the selected platform, region, asset tags. We'll remove the Terminated instances.

Assets Submitted to scan - The number of assets that we'll submit in the scan job. We start with the qualified assets (previous count) and filter out assets that are not activated for VM (for vulnerability scan) or not activated for PC (for compliance scan).

When you're ready, click Submit Scan Job.

What Happens Next

Your new scan job will appear on the Schedules list.

Schedules						
Type	Title	Targets	Scanner	Assigned User	Next Launch	Modified
⌚	AWS EC2 Perimeter Scan 20180404	Asset Tags Included	External Scanner	Jie Zhang	04/05/2018 at 03:33:00 (GMT-0700) 04/04/2018 at 05:03:42 (GMT-0700) Not Available	Previous Duration
⌚	AWS EC2 Perimeter Scan MN	Asset Tags Included	External Scanner	Jie Zhang	04/05/2018 at 02:04:00 (GMT-0700) 04/04/2018 at 03:39:13 (GMT-0700) 00:00:45	

When your scan starts it will appear on the Scans list. Like with other scans you can take actions like cancel or pause the scan, view the scan status and download the results.

Want to run the scan again? Choose New Scan Job from the Quick Actions menu. We'll retain certain scan settings from the original scan job and schedule the scan to run "Now".


The screenshot shows the Qualys Scan Assets interface. The top navigation bar includes tabs for Scans, Maps, Schedules, Appliances, Option Profiles, Authentication, Search Lists, and Setup. The Scans tab is active. Below the navigation is a toolbar with buttons for Actions (1), New, Search, and Filters. The main area is a table with columns: Title, Targets, Option Profile, User, Reference, Date, and Status. There are three rows of data:

Title	Targets	Option Profile	User	Reference	Date	Status
AWS EC2 Perimeter Scan MN	9.compute... m, ec...	Initial Options	Jie Zhang	scan/1522821961.57768	04/03/2018	Finished [3]
AWS EC2 Perimeter Scan MN	Download New Scan Job	Initial Options	Jie Zhang	scan/1522668818.52704	04/02/2018	Finished [3]
AWS EC2 Perimeter Scan UM	Pause/Resume Cancel	Initial Options	Vikram Tarase	scan/1522653132.51735	04/02/2018	Finished [3]

A context menu is open over the first row, listing options: Quick Actions, View, Download, New Scan Job, Pause/Resume, and Cancel. The 'New Scan Job' option is highlighted and has a red box drawn around it.

Securing Web Applications

Using Qualys you can secure Applications using Application Scanning and Firewall solutions.



Qualys WAS

Qualys Web Application Scanning (WAS) provides automated crawling and testing of custom web applications to identify application and RESTAPI vulnerabilities including cross site scripting (XSS) and SQL injection. To get started install the Qualys Virtual Scanner Appliance that's pre-authorized by AWS. This is the same appliance used to scan for vulnerabilities and compliance checks.

How do I get started?

- Follow the steps in [Scanner Deployment](#)
- Then review instructions in [Qualys Web Application Scanning Getting Started Guide](#).

Qualys WAF

Protect applications with firewall rules and instant virtual patches using Qualys Web Application Firewall (WAF).

How do I get started?

- Install the Web Application Firewall Appliance available on the AWS Marketplace
- Then review instructions in [Qualys Web Application Firewall Getting Started Guide](#).

Qualys Cloud Platform Web Application Firewall Appliance (HVM) on AWS Marketplace

The screenshot shows the AWS Marketplace product page for the Qualys Cloud Platform Web Application Firewall Appliance (HVM). The product is sold by Qualys, Inc. and is described as a virtual appliance that extends security and compliance SaaS applications into internal networks of both Amazon VPC and classic EC2 by providing seamless security to resources hosted within AWS. An important note states that this AMI should not be used with 1-Click Launch, as additional configuration input is required when creating a new instance. The page includes sections for Customer Rating (0 reviews), Latest Version (Qualys-WAF-AWS-1.2.0), Operating System (Linux/Unix, CentOS 6.5), Delivery Method (64-bit Amazon Machine Image (AMI)), Support (See details below), and Pricing Information (using a Region dropdown selector to see software and infrastructure pricing information for the chosen AWS region). A 'Continue' button is visible at the top right of the main content area.

Analyze, Report & Remediate

In this section we will cover how to query assets, build widgets and dashboards, and then how to generate reports on AWS hosts in vulnerability management.

How to Query EC2 Assets

Our search capabilities give you the ability to quickly find all about your assets all in one place. Go to Assets tab in AssetView app. Start typing AWS and we'll show you the asset properties you can search like accountId, instanceType, hostname, etc. Select the one you're interested in.

Save Query

You can easily save your searches for reuse and share them with other users.

Download and export results

It just takes a minute to export search results. Select Download from the Tools menu. Next, choose an export format and click Download. You can export results in multiple formats (CSV, XML, PDF, DOC, HTML, etc).

The screenshot shows the AssetView interface with the 'Assets' tab selected. A search bar at the top contains the query 'aws.ec2.instanceState:"RUNNING"'. Below the search bar, there is a table with columns: Asset Name, OS, Modules, Last Logged-In User, Activity, Sources, and Tags. One asset row is visible, showing 'Jessica_ML-regression-VPC...' and 'Linux'. To the right of the table, a large number '254' indicates the total count of assets. A red arrow points to the 'Download...' button in a dropdown menu that appears when hovering over a gear icon in the top right corner of the modal window.

Datalist Download

Select Download Format (*) REQUIRED FIELDS

Select the download format, then click the Download button. Once the data is available, the download will begin automatically.

- Comma-Separated Value (CSV)
- Extensible Markup Language (XML)
- Portable Document Format (PDF)
- Microsoft Word (DOC)
- Compressed HTML pages (ZIP)
- Web Archive (HTML) - For Internet Explorer > 7 or any modern browser

Select the timezone to use for dates included in the report

(GMT 05:30) India Standard Time (IST Asia/Colombo)

Create widget

Run a query for your assets to create a widget and add it to your dashboard. For example, search for AWS assets that are in running state and have not been scanned for a month. Type your query and click Create a widget. Then add the widget to your dashboard.

The screenshot shows the AssetView interface with the 'Assets' tab selected. A search bar at the top contains the query: `aws.ec2.instanceState:"RUNNING" AND NOT lastVmScanDate: [now-30d..now-1s]`. Below the search bar, there is a button labeled "Click to create a new widget". A red arrow points from this button to the "create widget" button in the top right corner of the modal window. The modal window has a title "Add a new widget to your dashboard". It contains sections for "Select data for your widget using the form below" and "Customize the way that your widget looks". On the left, there is a list of asset names: "Asset Name", "sada-360testvpc-withinterne...", "sada-360testvpc-NoNet-don...", and "San_Windows". On the right, a preview of the widget is shown, displaying a count of 29, a trend of 0.0%, and a graph showing data from today. A red arrow points from the "Quickly add it to your Dashboard" button to the "Add to Dashboard" button at the bottom right of the modal. Other buttons visible include "Cancel", "Previous", and "Next".

Dynamic Tagging Using EC2 Attributes

Create dynamic tags using EC2 metadata attributes for assets as collected by the EC2 connector. Then use dynamic tags as the scope for your EC2 scans. Go to AssetView > Assets > Tags and create a tag using the Cloud Asset Search (AWS EC2 Instances) tag rule.

The screenshot shows the "Tag Creation" interface, specifically Step 2 of 3. The left sidebar shows the steps: 1. Tag details (completed), 2. Tag Rule (selected), and 3. Review And Confirm. The main area is titled "Set the tag type and rules". It includes a "Rule Engine" dropdown set to "Cloud Asset Search (AWS EC2 Instances)" and a "Query" field containing the query: `aws.ec2.instanceState:"RUNNING" and aws.ec2.region.name:"US East (N. Virginia)"`. Below this is a "Test Rule Applicability on Selected Assets" section with a dropdown for "Add Asset" and a "Test Applicability" button. At the bottom are "Cancel", "Previous", and "Continue" buttons. A red arrow points from the "Quickly add it to your Dashboard" button to the "Add to Dashboard" button in the "Review And Confirm" step.

Generate Reports

You can create a report to identify the vulnerability of your EC2 assets. Simply go to Reports > Reports > New > Scan Report. You can then choose a pre-configured template or customized template.

Give the report a title, choose the template, report format, hosts (IP address or tags) and then generate the report.

Depending on your template customization, your report could include graphs, charts depicting vulnerability information and EC2 instance information such as Image Id, VPC Id, Instance state and type so on. You could use the instance information for remediation and fix the vulnerability on the host.

Here is the sample of report on EC2 assets.

10.90.0.188 (i-a5d043c0, i-a5d043c0, IP-0A5A00BC)
CRM-27891Net

Windows 2008 Service Pack 2

Host Identification Information	
IPs	
Asset Id	
EC2 related Information	
Public DNS Name	
Image Id	ami-c91ccba0
VPC Id	vpc-1e37cd76
Instance State	RUNNING
Private DNS Name	ip-10-90-0-188.ec2.internal
Instance Type	m1.medium

Associated Tags: CRM-27891, QCon1, Set1, TagPOR7098, set4;

Vulnerabilities Total	10 (0) -	Security Risk	3.1
by Status			
Status	Confirmed	Potential	Total
New	0	-	0
Active	10	-	10
Re-Opened	0	-	0
Total	10	-	10
Fixed	0	-	0
Changed	0	-	0

Manage Assets using Qualys

Here's some best practices and tips for organizing assets to help you secure AWS EC2 infrastructure using Qualys.

Setting up Qualys configurations

Asset Groups - Organize assets into meaningful groups and assign them to sub-users. Asset groups are required when you have multiple users i.e. Scanner, Reader, Unit Manager (if business units are defined). The same IP address can be included in multiple asset groups.

The screenshot shows the 'Assets' tab selected in the navigation bar. Below it, the 'Asset Groups' tab is active. A table lists two asset groups:

Title	IPs	Domains	Appliances	Business Impact	User	Modified
My Asset Group	10.10.10.4-10.10.10.255	0	High	Jason Kim	02/10/2017	
Windows 2003 Server Asset Group	10.10.25.12	0	High	Victor Smith	02/12/2014	

Business Units - Organize users and assets into business units in a way that matches your organization. This gives Managers the ability to grant users role-based permissions in the context of their assigned business unit. The same IP address can be included in multiple business units.

The screenshot shows the 'Users' tab selected in the navigation bar. Below it, the 'Business Units' tab is active. A table lists two business units:

Title	Primary Contact	Users	Modified
Asia	Carla Ming	5	08/26/2016
Europe	Eric Conrad	2	05/07/2009

Networks - Organize discrete private IP networks to keep overlapping IP blocks separate. When configured Qualys tracks IPs by network and IP address. Keep in mind... An IP address must be unique to your subscription or a single network.

The screenshot shows the 'Assets' tab selected in the navigation bar. Below it, the 'Networks' tab is active. A table lists two networks:

Title	Created By	Created	Updated
My Custom Network	Jason Kim (quays_ak12)	04/13/2017	04/13/2017
Global Default Network (default)	System	01/24/2014	01/24/2014

Removing Terminated Instances - You can remove terminated instances from your Qualys account. Go to Vulnerability Management or Policy Compliance > Hosts > Asset Search and select the assets with tracking method as EC2. You could also add more parameters to refine your search such as Last Scan Data not within x days and so on.

The screenshot shows the Qualys Asset Management interface under 'Assets'. In the 'With the following attributes' section, the 'Tracking Method' dropdown is set to 'EC2' and the 'EC2 Instance status' dropdown is set to 'TERMINATED'. Both of these dropdowns are highlighted with a red box. Other filter options like 'DNS Hostname', 'EC2 Instance ID', and 'NetBIOS Hostname' are also present but not selected.

Click Search and then from the Actions menu, select Purge. This results in removal of assets along with its associated data from the module.

The screenshot shows the 'Asset Search Report' page. In the 'Actions' dropdown menu, the 'Purge' option is highlighted with a red box and a red arrow points from the previous screenshot to this one, indicating the step to take. Other actions like 'Edit' and 'Edit All' are also listed in the menu.

Consider a scenario where you have deployed cloud agents on your EC2 assets and you want to uninstall agents not checked-in for last N days, you can use the API call.

Request:

```
curl -u "USERNAME:PASSWORD" -X "POST" -H "Content-Type: text/xml"  
-H  
"Cache-Control: no-cache" --data-binary  
@uninstall_agents_not_checkedin.xml  
"https://qualysapi.qualys.com/qps/rest/2.0/uninstall/am/asset/"
```

Contents of uninstall_agents_not_checkedin.xml:


```
<?xml version="1.0" encoding="UTF-8" ?>  
<ServiceRequest>  
<filters>  
<Criteria field="tagName" operator="EQUALS">Cloud Agent</Criteria>  
<Criteria field="updated" operator="LESSER">2016-08-  
25T00:00:01Z</Criteria>  
</filters>  
</ServiceRequest>
```

For more information on Cloud Agent APIs, refer to our [Cloud Agent API User Guide](#).

Use Cases for scanning your AWS environment

Use Case 1 - Scanning multiple VPCs with No Overlapping IPs


- Need to define Asset Groups, Business Units are optional
- When defined business Units restrict user access to assets within their own business unit. Users in Business Unit A can't access assets in Business Unit B.
- Solution for when there's no overlapping IP addresses in groups AG1, AG2, AG7, AG8.



Use Case 2 - Scanning multiple VPCs with Overlapping IPs

- Need to define Networks, Business Units, Asset Groups
- Business Units restrict user access to assets within their own business unit. Users in Business Unit A can't access assets in Business Unit B.
- Solution for when there's overlapping IP addresses in Network A (asset groups AG1, AG2) and Network B (AG7, AG8)


Note: The networks can also be within the same business unit.



Use Case 3 - Automate scanning into DevOps process to harden the AMI

In AWS, it is a best practice to create your own custom AMI using the publicly available AMI. You can then customize the pre-configured OS & software to run your application. However, you should comprehensively test such custom AMI before using it for production workload. You should also run a vulnerability scan against the AMI to assess applications for vulnerabilities or deviations from the best practices. Qualys provides out-of-box API's to integrate into your DevOps process for scanning the AMI images.

For example here are the typical steps involved in AMI creation and how Qualys APIs can be used for hardening the AMI.



For detailed information on using Qualys APIs related to AWS, see the [Asset Management and Tagging API v2 User Guide](#).

Common Questions

Queries	Solutions
Scan Results and EC2 Instance ID	EC2 scan results are indexed by EC2 Instance ID. This way we continue to track your assets even when IP address changes occur. When an IP address change is found during a scan you'll see the new IP address in your scan results, scan reports and in your AssetView asset inventory, once scan results are processed.
How does EC2 scan job handle Terminated EC2 instances?	We'll automatically filter out all EC2 instances with a Terminated status from EC2 scans, launched from Qualys VM or Qualys PC. This way we don't attempt to scan dead EC2 instances. Note that the Launch EC2 Scan Preview, which appears after you launch an on demand EC2 scan, will list Terminated instances since the filtering happens after the scan job is submitted to the Scanner Appliance.
What User Permissions are needed for EC2 Scans?	Managers and Unit Managers can start, schedule and manage EC2 scans using Qualys VM and Qualys PC as per their Qualys license.
<p>Qualys VM</p> <ul style="list-style-type: none"> -Perform vulnerability scans on EC2 assets -Configure Virtual Scanner Appliance (AMI instance) -Create/manage EC2 connectors using Qualys AssetView (AV) <p>Qualys PC</p> <ul style="list-style-type: none"> -Perform compliance scans on EC2 assets -Configure Virtual Scanner Appliance (AMI instance) -Create/manage EC2 connectors using Qualys AssetView (AV) <p>Unit Manager requirements: IPs for the EC2 environment must be added to the Unit Manager's business unit by a Manager via asset group. An appliance configured by a Unit Manager must be added to at asset group in the Unit Manager's business unit by a Manager.</p>	
How to view platform provider info on virtual scanner appliances?	You'll see the platform provider info for a virtual scanner appliance that's been deployed on Amazon EC2 (or another cloud platform) within your Qualys account. You'll see this info in the General Information section when you view or edit the appliance (from Scans > Appliances).

Queries	Solutions
Troubleshooting connectivity	<p>Qualys Scanner Appliance must make regular connections to the Qualys Cloud Platform over HTTPS. Please be sure to resolve connectivity issues to ensure proper functioning of your appliance.</p> <p>The Communication Failure message appears if there is a network breakdown between the scanner and the Qualys Cloud Platform. The communication failure may be due to one of these reasons: the local network goes down, Internet connectivity is lost for some reason, or any of the network devices between the scanner and the Qualys Cloud Platform goes down.</p> <p>The Network Error message indicates the Scanner Appliance attempted to connect to the Qualys Cloud Platform and failed. You'll see an error code and description to help you with troubleshooting. Errors can be related to the proxy server and connection errors with Qualys Cloud Platform.</p> <p>The Qualys Cloud Platform logs results of connectivity checks and overall personalization process on the Amazon EC2 System Console.</p> <p>If you see "No connectivity to qualysguard.qualys.com - please fix." messages, please verify that your VPN Network ACLs and Security Groups allow outbound HTTPS (TCP port 443) access. If you are using a proxy server, ensure that the scanner can reach the proxy server, and that the proxy server can access the Qualys cloud platform.</p>