

From	To	Conductor	Color	Size
C1.15/30	C2.1	CBL1.Red-VCC	<div></div>	4 mm ²
C1.31	RT2	CBL1.Black-GND	<div></div>	4 mm ²

TitleTrailer 3 Pin DIN 9680		Part NumberDIN 9680 Cable		Revision1.0	
Description					

	Name	Date	<div>rapidHARNESS</div> <div>This document contains confidential and proprietary information that cannot be reproduced or divulged, in whole or in part, without written authorization.</div>
Drawn By	----	----	
Eng Approved	Vygora	16/12/2025	
Mfg Approved	----	----	
QA	----	----	

Title:	----
Part Number:	DIN 9680 Cable
Description:	



Rev.	Date	Author	Description

Title:	----
Part Number:	DIN 9680 Cable
Description:	






Flag	Quantity	Note

Title:	----
Part Number:	DIN 9680 Cable
Description:	

Id	Type	Manufacturer	Part Number	Description	Quantity	Usage
1	Connector		DIN 9680	Trailer 3 Pin	1	C1
2	Connector		Portafusivel		1	C2
3	Cable		Battery 4mm		≥ 4.3 m	CBL1
4	Ring Terminal		Ring Terminal		2	RT1, RT2
5	Cable		4mm Red			CBL2

Title:	----
Part Number:	DIN 9680 Cable
Description:	

From	To	Conductor	Conductor PN	Twisted With	Size	Length	From Contact PN	Notes
C1.15/30	C2.1	 CBL1.Red-VCC	Battery 4mm		4 mm ²	≥ 4.3 m		
C1.31	RT2	 CBL1.Black-GND	Battery 4mm		4 mm ²	≥ 4.3 m		
C2.2	RT1	 CBL2.Red-VCC	4mm Red		4 mm ²			

Title:	----
Part Number:	DIN 9680 Cable
Description:	

#	Type	Reference Designator	Manufacturer	Part Number	Color	Size	From Strip	To Strip	Length	Twisted With	Notes
1	Cable	CBL1		Battery 4mm	 Black	4 mm ²			≥ 4.3 m	N/A	
2	Cable	CBL2		4mm Red	 Red	4 mm ²				N/A	

Title:	----
Part Number:	DIN 9680 Cable
Description:	



#	Manufacturer	Part Number	Description	Label Text