ECN369: Health Economics
Final Written Assignment
Student Name: Mai Vy (Valerie) Le
Student Number: 240788953

Addressing the Growing Burden of Mental Health Disorders: Policy Recommendations for the Department of Health in the United Kingdom

Mental health disorders represent one of the most pressing healthcare challenges globally, with substantial implications for individuals, families, and society. Worldwide, the World Health Organization (WHO, 2022) reports that approximately one in every eight individuals experiences a mental health disorder. Low- and middle-income countries (LAMIC) bear a disproportionate burden, with nearly 75% of individuals with mental health disorders lacking access to adequate treatment (WHO, 2024). Comparative data reveal stark contrasts: while high-income countries allocate about 5% of their healthcare funding to mental health, countries with lower incomes devote under 1%, exacerbating disparities in care (Saxena et al., 2003). For example, in sub-Saharan Africa, there is less than one mental health professional for every 100,000 people (Akiba et al., 2019), compared to over 70 in parts of Europe (Irish Hospital Consultants Association [IHCA], 2021). Figure 1 illustrates the stark disparities in mental health worker availability across regions. These disparities underscore the urgent necessity for international cooperation and investment in mental health care to reduce the human and economic toll of these disorders.



Figure 1: The count of mental health professionals per 100,000 people by global region as of 2020.

(Source: Statista, 2021)

In the United Kingdom, where the National Health Service (NHS) ensures universal health coverage, addressing mental health has become increasingly urgent. Recent statistics from the NHS (2023) reveal that one out of every four adults in the UK experiences a mental health condition annually, and the economic cost of mental health problems is estimated to exceed £100 billion each year (McDaid, 2022). Despite these alarming figures, mental health care continues to be underfunded and stigmatized, leaving significant gaps in treatment and care. This report uses the Grossman model to contextualize mental health care as both a consumption and investment good and evaluates policies using tools such as randomized controlled trials (RCTs) and cost-effectiveness analysis. It explores the issue of mental health disorders, synthesizes evidence from empirical research, and applies relevant health economic theories to propose effective policy interventions for the Department of Health in the United Kingdom. The goal is to provide evidence-based recommendations to enhance mental health outcomes and alleviate the associated economic burden.

According to WHO (2022), mental health disorders encompass various conditions such as depression, anxiety, bipolar disorder, and schizophrenia, affecting individuals' quality of life, productivity, and overall well-being. The impact of mental health disorders is disproportionately high among vulnerable populations, such as low-income individuals, ethnic minorities, and young adults. For instance, data from NHS Digital (2022) indicates that young adults aged 17–24 are particularly at risk, with a significant proportion reporting severe psychological distress. Additionally, social stigma and inadequate availability of mental health services exacerbate the problem, leading to delayed treatment and worsened outcomes. The urgency of addressing mental health stems not only from its human cost but also from its economic ramifications, including lost productivity, increased healthcare expenditures, and strain on social welfare systems. Studies suggest that untreated mental health conditions result in reduced workplace productivity, absenteeism, and even long-term unemployment, further compounding their societal impact.



Figure 2: The occurrence of common mental disorders across different age groups and genders. *(Source: NHS Digital, Adult Psychiatric Morbidity Survey 2014)*

The NHS Long Term Plan has allocated additional funding to mental health services, aiming to provide better community-based care and increased access to psychological therapies. However, significant gaps remain in its implementation. A 2023 report by the UK Parliament found that rural areas in England face a shortage of mental health professionals, while urban centers often experience long waiting lists, highlighting geographic disparities. Ethnic minorities often face cultural obstacles and mistrust of the healthcare system, which lowers their chances of obtaining mental health care. For example, Black adults in the UK have a higher likelihood of being detained under the Mental Health Act but less likely to receive preventative mental health care. These inequities necessitate targeted interventions to ensure equitable access across demographics and regions (Public Health England, 2018).

The Grossman model of health demand offers a useful theoretical framework for understanding the factors increasing the need for mental health services. According to this model, health is both a consumption and investment good. Individuals derive utility directly from improved mental health (consumption) and benefit indirectly as it enhances their productivity and earnings potential (investment). The model underscores the importance of factors such as income, education, and time in influencing health-related decisions. For instance, individuals with higher income levels may allocate more resources to mental health care, while those with greater educational attainment are likely to seek timely and effective treatment. The application of the Grossman model to mental health highlights the unique challenges posed by intangible factors such as stigma and the episodic nature of mental health conditions. Unlike physical health issues, mental health disorders often involve complex social and emotional dynamics, making them harder to quantify and address through traditional economic models. Additionally, early interventions targeting children's mental health can be framed as investments with substantial future productivity benefits. By enhancing human capital development, these interventions yield measurable returns in terms of quality-adjusted life years (QALYs) and societal economic gains.

Empirical research further illuminates the dynamics of mental health and its broader implications. For example, Currie and Stabile (2009) examined the impact of childhood mental health problems on

cognitive achievements and future socioeconomic outcomes. Their findings highlighted the long-term effects of untreated mental health issues, underscoring the need for early intervention. Similarly, Bos et al. (2023) investigated the consequences of mental illness diagnoses among young adults, revealing the dual-edged impact of diagnosis on access to treatment and potential stigmatization. These studies, among others, demonstrate the complex interplay between mental health, human capital, and economic productivity. A compelling study by Bleakley (2007) on the eradication of hookworm disease provides further insights into the economic returns of health interventions. Although focused on a physical health issue, the findings highlight parallels in the value of addressing health challenges early to boost educational attainment and economic potential, lessons that are highly relevant to mental health.

Other evidence highlights the challenges specific to the UK. NHS pilot programs for mental health support in schools have shown promising outcomes, including reductions in anxiety and depression rates among children (Department for Education, 2017). However, limited funding and uneven geographic distribution restrict these programs' scalability. Public Health England (2019) reports that individuals in underserved regions face twice the risk of mental health issues, yet they have limited access to timely care. These findings align with studies like Fortson (2011) and Almond (2006), which emphasize the broader societal and economic benefits of early health interventions, including those focused on mental health.

A critical barrier to effective mental health care is the inequitable access to services. Geographic disparities, socioeconomic inequalities, and cultural stigma contribute to the underutilization of mental health resources. For instance, remote areas in the UK often face a lack of mental health specialists, while urban centers often experience long waiting lists for treatment (Punton et al., 2022). Additionally, ethnic minorities frequently encounter cultural barriers and mistrust of the healthcare system, further deterring them from seeking care (Bansal et al., 2022). These inequities exacerbate the already significant challenges faced by individuals with mental health disorders. Policymakers must consider a multi-faceted approach to address these challenges, including increasing service availability, reducing stigma, and integrating mental health into primary care settings. Evidence from Bjorkman and Svensson (2013) demonstrates the efficacy of community-based interventions in improving health outcomes, suggesting that localized and participatory approaches could be particularly effective for mental health care.

Policy options to address mental health disorders in the UK must be evaluated for feasibility, cost-effectiveness, and societal impact. The first proposed policy involves expanding funding for mental health services within the NHS, particularly for early intervention programs. Empirical evidence supports the economic rationale for early intervention. For instance, studies on the impact of childhood mental health interventions show significant long-term benefits, including improved educational attainment and reduced reliance on social welfare programs (van Poortvliet, 2024). By allocating resources to early intervention, the NHS can mitigate the progression of mental health disorders and reduce their societal costs. Additionally, research by Currie and Stabile (2009) highlights the intergenerational benefits of addressing mental health issues in childhood, as healthier parents are better equipped to support their children's development.

A second policy recommendation is the implementation of mental health education campaigns to combat stigma and promote awareness. Public health campaigns have been effective in addressing other health issues, such as smoking cessation and obesity prevention (Public Health England, 2017). A targeted mental health campaign could leverage social media, community outreach, and educational institutions to change public attitudes and encourage help-seeking behavior. Research by Cohen and Dupas (2010) underscores the importance of cost-sharing in health interventions. While the campaign's initial costs may be substantial, the long-term benefits of increased service utilization and reduced stigma are likely to outweigh the investment. Moreover, the campaign could collaborate with influential figures and organizations to amplify its impact, creating a societal shift in perceptions of mental health.

A third potential policy involves integrating digital mental health tools into the NHS's service offerings. The COVID-19 pandemic expedited the use of telemedicine, emphasizing the capacity of digital solutions to address healthcare access challenges (Valdes et al., 2022). Digital mental health platforms, such as app-based therapy and virtual counseling, can bridge the gap for individuals in underserved areas. Studies have shown that digital interventions can be cost-effective and scalable, particularly for mild to moderate mental health conditions. For example, a randomized controlled trial (RCT) on app-based cognitive behavioral therapy demonstrated significant reductions in depressive symptoms among users (Renn et al., 2025). However, issues surrounding digital literacy and data privacy need to be resolved to guarantee fair access for all. Additionally, integrating digital tools with traditional care models could enhance their effectiveness by providing a seamless continuum of care. To address inequalities, these digital tools must also be tailored to account for demographic and cultural

diversity. For instance, language-specific interfaces and culturally sensitive content can improve engagement among minority populations. Furthermore, partnerships with community organizations can facilitate trust and adoption of digital platforms, ensuring their success across a broad spectrum of users.

Assessing the impact of these policies requires rigorous empirical techniques. Randomized controlled trials (RCTs) are considered the benchmark for assessing healthcare treatments. For instance, an RCT could be employed to measure the effectiveness of early intervention programs in decreasing the prevalence of severe mental health disorders. Cost-benefit analysis (CBA) and cost-effectiveness analysis (CEA) are also critical tools for comparing the economic and health outcomes of different policy options. By quantifying benefits in terms of quality-adjusted life years (QALYs) and productivity gains, policymakers can make informed decisions about resource allocation. Furthermore, leveraging big data analytics and machine learning algorithms could improve the precision and efficiency of impact assessments, providing deeper understanding of the effectiveness of mental health policies.

The incorporation of patient-reported outcomes in these assessments can also provide a holistic understanding of policy impacts. Surveys capturing improvements in quality of life, self-reported mental health, and satisfaction with services can complement traditional quantitative metrics, offering a more comprehensive evaluation framework. For example, an RCT for early intervention programs could include control groups, pre-and post-intervention surveys, and longitudinal follow-ups to track both short-term and long-term impacts on participants.

Based on the analysis, this report recommends a phased approach to addressing mental health disorders in the UK. The first step is to prioritize early intervention by increasing funding for mental health programs targeting children and adolescents. This policy aligns with evidence from Currie and Stabile (2009), which highlights the long-term advantages of tackling mental health concerns promptly. Simultaneously, a national mental health education campaign should be launched to reduce stigma and promote awareness. The campaign should focus on dismantling cultural barriers and fostering inclusivity, ensuring that all demographic groups feel empowered to seek care. Finally, the integration of digital mental health tools within the NHS should be explored, with pilot programs to assess feasibility and effectiveness. These pilot programs could serve as a foundation for scaling up digital interventions nationwide, providing equitable and accessible care for all.

In conclusion, mental health disorders pose a significant challenge to the UK's healthcare system and society at large. By leveraging insights from health economics theories and empirical research, this report provides actionable recommendations to improve mental health outcomes and reduce the associated economic burden. A comprehensive strategy encompassing early intervention, stigma reduction, and digital innovation offers the best path forward. These recommendations are not only cost-effective but also have the potential to address broader economic inequalities, improve productivity, and align with global mental health goals, such as the WHO Mental Health Action Plan. With sustained commitment and investment, the UK can lead the way in addressing mental health challenges and fostering a healthier, more equitable society. This multi-pronged approach not only addresses the immediate needs of individuals with mental health disorders but also paves the way for a more resilient and inclusive healthcare system.

(2175 words)

Bibliography

Akiba, C.F., Go, V., Mwapasa, V., Hosseinipour, M., Gaynes, B.N., Amberbir, A., Udedi, M. and Pence, B.W., (2019). The Sub-Saharan Africa Regional Partnership (SHARP) for Mental Health Capacity Building: a program protocol for building implementation science and mental health research and policymaking capacity in Malawi and Tanzania. *International Journal of Mental Health Systems,* 13, p. 70. doi: 10.1186/s13033-019-0327-2. Available at:

https://pmc.ncbi.nlm.nih.gov/articles/PMC6842238/ [Accessed 20 December 2024].

Almond, D., 2006. Is the 1918 influenza pandemic over? Long-term effects of in utero influenza exposure in the post-1940 US population. *Journal of Political Economy*, 114(4), pp. 672–712.

Bansal, N., Karlsen, S., Sashidharan, S.P., Cohen, R., Chew-Graham, C.A. and Malpass, A., 2022. Understanding ethnic inequalities in mental healthcare in the UK: A meta-ethnography. *PLoS Medicine*, 19(12), p. e1004139. Available at: https://pmc.ncbi.nlm.nih.gov/articles/PMC9746991/ [Accessed 19 December 2024].

Bjorkman, M. and Svensson, J., 2013. Power to the people: Evidence from a randomized field experiment on community-based monitoring in Uganda. *Quarterly Journal of Economics*, 124(2), pp. 735–769.

Bleakley, H., 2007. Disease and development: Evidence from hookworm eradication in the American South. *Quarterly Journal of Economics*, 122(1), pp. 73–117.

Bos, M., Hertzberg, A. and Liberman, A., 2023. The effects of diagnosing a young adult with a mental illness: Evidence from randomly assigned doctors. *Journal of Health Economics*, 87, p. 102678.

Cohen, J. and Dupas, P., 2010. Free distribution or cost-sharing? Evidence from a randomized malaria prevention experiment. *Quarterly Journal of Economics*, 125(1), pp. 1–45.

Currie, J. and Stabile, M., 2009. Mental health in childhood and human capital. In: J. Gruber, ed. *The problems of disadvantaged youth: An economic perspective*. Chicago: University of Chicago Press, pp. 115–148.

Department for Education, 2017. Mental health services and schools link pilots: Evaluation brief. Available at:

https://assets.publishing.service.gov.uk/media/5a817dfaed915d74e33fe812/Evaluation_of_the_MH_services_and_schools_link_pilots-RB.pdf [Accessed 19 December 2024].

Fortson, J., 2011. Mortality risk and human capital investment: The impact of HIV/AIDS in Sub-Saharan Africa. *The Review of Economics and Statistics*, 93(1), pp. 1–15.

Grossman, M., 1972. On the concept of health capital and the demand for health. *Journal of Political Economy*, 80(2), pp. 223–255.

Irish Hospital Consultants Association (IHCA), 2021. Resource-scarce Ireland: An "outlier" in psychiatric care, but increased beds and fully staffed mental healthcare teams will improve patient outcomes. Available at:

https://www.ihca.ie/news-and-publications/resource-scarce-ireland-an-%E2%80%9Coutlier%E2%80%9D-in-psychiatric-care-but-increased-beds-and-fully-staffed-mental-healthcare-teams-will-improve-patient-outcomes [Accessed 19 December 2024].

McDaid, D. (2022). Mental health problems cost UK economy at least £118 billion a year - new research. *London School of Economics and Political Science (LSE)*. Available at: https://www.lse.ac.uk/News/Latest-news-from-LSE/2022/c-Mar-22/Mental-health-problems-cost-UK-economy-at-least-118-billion-a-year-new-research#:~:text=Mental%20health%20problems%20cost%20the,and%20Political%20Science%20(LSE) [Accessed 20 December 2024].

NHS Digital, 2022. Mental health of children and young people in England 2022 - wave 3 follow-up to the 2017 survey. *Official Statistics*. Available at:

https://digital.nhs.uk/data-and-information/publications/statistical/mental-health-of-children-and-young-people-in-england/2022-follow-up-to-the-2017-survey [Accessed 19 December 2024].

NHS Digital, 2023. Mental health of children and young people in England. Available at: https://digital.nhs.uk/data-and-information/publications [Accessed 19 December 2024].

NHS England, n.d. Adult and older adult mental health. Available at: https://www.england.nhs.uk/mental-health/adults/ [Accessed 19 December 2024].

Project HOPE, 2024. The global mental health crisis: 10 numbers to note. Available at: https://www.projecthope.org/news-stories/story/the-global-mental-health-crisis-10-numbers-to-note/ [Accessed 19 December 2024].

Public Health England (PHE), 2017. Social marketing strategy 2017 to 2020. Available at: https://assets.publishing.service.gov.uk/media/5a821b04ed915d74e6235d04/public_health_england_marketing_strategy_2017_to_2020.pdf [Accessed 19 December 2024].

Public Health England (PHE), 2018. Health matters: Reducing health inequalities in mental illness. Available at:

https://www.gov.uk/government/publications/health-matters-reducing-health-inequalities-in-mental-illness/health-matters-reducing-health-inequalities-in-mental-illness [Accessed 19 December 2024].

Public Health England (PHE), 2019. Mental health: Environmental factors. Available at: https://www.gov.uk/government/publications/better-mental-health-jsna-toolkit/2-understanding-place#:~:text=People%20who%20live%20in%20deprived%20areas%20are,is%20about%20more%20than%20lack%20of%20money [Accessed 19 December 2024].

Punton, G., Dodd, A.L. and McNeill, A., 2022. "You're on the waiting list": An interpretive phenomenological analysis of young adults' experiences of waiting lists within mental health services in the UK. *PLoS One*, 17(3), p. e0265542. Available at:

https://pmc.ncbi.nlm.nih.gov/articles/PMC8932552/#:~:text=Lengthy%20waits%20of%20up%20to%2018%20weeks,of%20such%20delays%20within%20mental%20health%20services [Accessed 19 December 2024].

Renn, B.N., Walker, T.J., Edds, B., Roots, M. and Raue, P.J., 2025. Naturalistic use of a digital mental health intervention for depression and anxiety: A randomized clinical trial. *Journal of Affective Disorders*, 368, pp. 429–438. Available at: https://www.sciencedirect.com/science/article/abs/pii/S0165032724015969 [Accessed 19 December 2024].

Saxena, S., Sharan, P. and Saraceno, B., 2003. Budget and financing of mental health services: Baseline information on 89 countries from WHO's Project Atlas. *The Journal of Mental Health Policy and Economics*, 6(3), pp. 135–143.

Semrau, M., Evans-Lacko, S., Koschorke, M., Ashenafi, L. and Thornicroft, G., 2019. Stigma and discrimination related to mental illness in low- and middle-income countries. *International Journal of Mental Health Systems*, 13(2).

Statista, 2021. Median mental health workers density by region. Available at: https://www.statista.com/statistics/452857/median-mental-health-workers-density-by-region/ [Accessed 19 December 2024].

UK Parliament, 2023. Rural mental health – Report summary. Available at: https://publications.parliament.uk/pa/cm5803/cmselect/cmenvfru/248/summary.html#:~:text=The%20available%20picture%20of%20rural,to%20poor%20mental%20well%2Dbeing [Accessed 19 December 2024].

UK Parliament, (2024). Mental health statistics: prevalence, services and funding in England. Research Briefing. Available at: https://commonslibrary.parliament.uk/research-briefings/sn06988/ [Accessed 20 December 2024].

University of North Carolina, (2024). A path for scaling mental health treatment in low-income countries: results from the SHARP trial. Available at:

https://globalhealth.unc.edu/2024/04/a-path-for-scaling-mental-health-treatment-in-low-income-countries-results-from-the-sharp-trial/ [Accessed 20 December 2024].

Valdes, D., Alqazlan, L., Procter, R. and Dale, J., 2022. Global evidence on the rapid adoption of telemedicine in primary care during the first 2 years of the COVID-19 pandemic: A scoping review protocol. *Systematic Reviews*, 11, p. 124. Available at: https://pmc.ncbi.nlm.nih.gov/articles/PMC9206865/ [Accessed 19 December 2024].

van Poortvliet, M., 2024. Child mental health and educational attainment: Longitudinal evidence from the UK. *SSM - Mental Health*, 5, p. 100294. Available at: https://www.sciencedirect.com/science/article/pii/S2666560323001093 [Accessed 19 December 2024].

World Health Organization (WHO), 2022. Mental disorders. Available at: https://www.who.int/news-room/fact-sheets/detail/mental-disorders [Accessed 19 December 2024].