AI STARTUPS, VISUALIZED · PROMPT

Lovable, explained.

Lovable lets you describe an app in plain language and builds a working web app as editable code. Here is the loop the reel showed, step by step, in the words of Lovable's own documentation, plus a checklist for before you launch.

EVERY QUOTE BELOW IS FROM LOVABLE'S DOCS, CHECKED 18 OCT 2026. DOCS CHANGE, SO RE-CHECK BEFORE RELYING ON A DETAIL.

The problem

Even a simple team tool may need an interface, a database and sign-in. Built by hand, that can mean many tools and handoffs before anyone clicks anything.

The loop

01 Describe

Say what you want in plain language.

> "You describe what you want to build, and Lovable generates a working application that includes frontend, backend, database, authentication, and integrations, all backed by editable code."

✓ LOVABLE DOCS · D1

02 Plan (for bigger changes)

Plan mode writes a plan first; you review, edit and approve it.

> "Plan mode investigates your project and writes a structured plan you can review, edit, and approve before any code is written." · "Lovable builds only what you approve."

✓ LOVABLE DOCS · D3

03 Point and adjust

Edit from the live preview: point at the part you want changed and describe it.

> “choose a toolbar mode, point at what you want to change, and describe the update in plain language.”

✓ LOVABLE DOCS · D4

04 Roll back

Every change is saved as a version. Reverting restores code, not database data.

> “Reverting restores your project’s code only … It does not restore or roll back your database data.”

✓ LOVABLE DOCS · D5

05 Publish and scan

A quick security scan runs every time you publish. It helps, but it is not a guarantee.

> “These tools help identify common security issues, but they cannot guarantee complete security.”

✓ LOVABLE DOCS · D6

The starter from the docs

A team equipment tracker

“Build an internal tool for tracking my team's equipment: a searchable table of items with name, owner, status, and return date, plus a form to add new items. Use realistic sample data. No login or database yet.”

Why no login or database at first? Per the docs, a first version without them “means there is less to go wrong, and you can add both later with a single prompt.” (D2)

The honest part

Scans help, but they are not a guarantee. Lovable’s docs say: “You are responsible for ensuring that your app meets the security requirements appropriate for its use case”, and recommend this order: “run the security scanners first, fix what they surface, then validate with a pentest before a major release.” (D6)

Pre-launch check

- [ ] Start small: sample data first, no sign-in or database yet
- [ ] Add sign-in and a database in a follow-up message once the core works
- [ ] Use Plan mode for larger or riskier changes, and read the plan before approving
- [ ] Test the app yourself before publishing
- [ ] Bookmark a stable version before big edits (reverting is code only, not data)
- [ ] Read every scan finding: Critical, Warning, Info
- [ ] Fix what the scan surfaces, then rescan
- [ ] Before a major release, validate independently (a pentest or a professional review)

TICKS LIVE ON THIS PAGE ONLY AND RESET WHEN YOU RELOAD IT.

DOWNLOAD THE PRINTABLE PDF

Sources

Lovable documentation, fetched 18 Oct 2026:
D1 · Welcome to Lovable
D2 · Quick start
D3 · Plan mode
D4 · Edit from the preview
D5 · Version history
D6 · Security overview
D7 · Lovable Cloud

No revenue, valuation or growth figures are used in the reel or on this page.

Independent concept, not affiliated with or endorsed by Lovable. Lovable is a trademark of its owner. Vynema Studio is a code-generated film studio; the reel and this page were made with code and AI tools; AI voice.
@VYNEMASTUDIO