

## Table of Contents:

[Login User](#)  
[Register User](#)  
[Display Main Menu](#)  
[List Item for Sale](#)  
[Display Search Result](#)  
[Item Bidding](#)  
[View Ratings](#)  
[Edit Item Description](#)  
[Display Auction Results](#)  
[Display Item Results](#)  
[Item Rating Submission](#)  
[Display Category Information](#)  
[Display User Information](#)  
[Display Top Rated Items](#)  
[Display Auction Statistics](#)  
[Display Canceled Auction Details](#)

## Login User

### Abstract Code

- User enters *Username* (\$username), *Password* (\$password) input fields.
- If data validation is successful for both username and password input fields, then when **Login** button is clicked:
  - System queries the **User** table for the user's input of username(\$username) and password (\$password):

```
SELECT `password` FROM `User` WHERE username = '$username';
```

- If a valid entry is found in User table, then:
  - Store username as session variable '\$Username'
  - The system then queries if the user is an administrative user by validating his/her (\$username) in the **AdministrativeUser** table

```
SELECT username FROM AdministrativeUser WHERE username = '$username';
```

- If the query result is successful, then:
  - Store user type session variable as '\$UserType' with value as 'AdminUser'
- Else if the query is not found:
  - Store user type session variable as '\$UserType' with value as 'RegularUser'
- Go the **Main Menu** form
- Else If the user's record is found but **User.password** != '\$password'.
  - Go back to the **Login** form, with an error message.
- If *Username* and *Password* inputs are invalid, display **Login** form, with error message.

## Register User

### Abstract Code

- User enters *FirstName* (\$first\_name), *LastName* (\$last\_name), *Username* (\$username), *Password* (\$password) and *ConfirmPassword*(\$confirm\_password) input fields in **Register** form.
- If data validation is successful for \$username, \$password and \$confirm\_password values, then when **Register** button is clicked,
  - Check an existing record with same username is found in User table:

```
SELECT username from `User` WHERE username = '$username';
```

- If an existing record with same **\$username** is found
    - Go back to the **Register** form, with the error message.
  - Else
    - System inserts the value of user's input for username(**\$username**), first\_name(**\$first\_name**), last\_name (**\$last\_name**) and password(**\$password**) to **User** table
- ```
INSERT INTO `User` (username, first_name, last_name, password)
VALUES ('$username', '$first_name', '$last_name', '$password');
```
- Store username as session variable '**\$Username**'
  - Go to the **Main Menu** form.
  - Else if any input fields are invalid, display **Register** form, with error message.
  - If the database administrator would need to consider this user as administrative user, below query can be used to insert user's username(**\$username**) and position(**\$position**) into **AdministrativeUser** table

```
INSERT INTO AdministrativeUser (username, position) VALUES ('$username', '$position');
```

## Display Main Menu

### Abstract Code

- System queries the **User** table to get the **\$first\_name** and **\$last\_name** of the current user using the session variable '**\$UserId**'

```
SELECT first_name, last_name from User WHERE username = '$Username';
```

- Display the **\$first\_name** and **\$last\_name** of the current user
- If the variable '**\$UserType**' belongs to an AdministrativeUser, then:
  - System queries the position from **AdministrativeUser** table

```
SELECT position from AdministrativeUser WHERE username = '$username';
```

- Display the position of Admin user
- If the variable '**\$UserType**' value is 'RegularUser', show Auction Options only with below links:
  - **"Search for Items"**, **"List Item"** and **"View Auction Results"**
- Else If '**\$UserType**' value is 'AdminUser', show all the above Auction Options and include the links to Reports below:
  - **"Category Report"**, **"User Report"**, **"Top Rated Items"**, **"Auction Statistics"** and **"Canceled Auction Details"**

- Upon clicking:
  - **Search for Items** button - Jump to the **Display Search Result** task.
  - **List Item** button - Jump to the **List Items for Sale** task.
  - **View Auction Results** button - Jump to the **Display Auction Results** task.
  - **Category Report** button - Jump to the **Display Category Information** task.
  - **User Report** button - Jump to the **Display User Information** task.
  - **Top Rated Items** button - Jump to the **Display Top Rated Items** task.
  - **Auction Statistics** button - Jump to the **Display Auction Statistics** task.
  - **Canceled Auction Details** button - Jump to the **Display Canceled Auction Details** task

## List Item for Sale

### Abstract Code

- User clicked on the **List Item** button from the **Main Menu** form.
  - Query for the list of available categories from the **Category** table

```
SELECT category_name from Category;
```
  - Display the **New Item for Auction** form:
    - Input fields for *Item Name*, *Description*, *start auction bidding at*, *Minimum sale price*, *Get it Now price*.
    - Dropdown with query result for **Category**
    - Dropdown for **Condition** with values as New, Very Good, Good, Fair and Poor.
    - Dropdown with values of 1,3,5 and 7 days for **Auction ends in**.
    - Checkbox for *Returns Accepted?*
    - Buttons for **Cancel** and **List My Item**
  - User enters item details in all the input fields and selects value from the dropdown: *Item Name* (**\$item\_name**), *Description* (**\$item\_description**), *Category* (**\$category\_name**), *Start auction bidding at* (**\$starting\_bid**), *Minimum sale price* (**\$min\_sale\_price**), *Auction ends in* (**\$auction\_length**), *Get It Now price* (**\$get\_it\_now\_price**), and *Return Accepted* (**\$returnable**)
  - If data validations are successful for all input fields:
    - When the **List My Item** button is clicked, add a new record in the **Item** table with all details from the input fields.

```
INSERT INTO Item (item_name, item_description, item_condition, returnable,
starting_bid, min_sale_price, auction_end_time, get_it_now_price, listeduser,
category_name, cancelled_username, cancelled_reason)
VALUES ('$item_name', '$item_description', '$category_name', '$item_condition',
$returnable, $starting_bid, $min_sale_price, DATE_ADD(NOW(), INTERVAL
$auction_length DAY), $get_it_now_price,
'$listeduser', '$category_name', '$cancelled_username', '$cancelled_reason');
```

- Go to the **Main Menu** form
- When **Cancel** button is clicked:
  - Go back to the **Main Menu** form.
- Else if any of the input fields are invalid, display the **List Item for Sale** form, with the error message.

## Display Search Result

### Abstract Code

- User click on **Search for Items** button from **Main Menu** page
- Run the **Display Search Result** task: query for items matching the search criteria and display the results.
  - Find the list of available categories from the Category table

```
SELECT category_name from Category;
```

- Display the **Item Search** form with user's input value of:
    - Keyword (\$keyword) , Minimum Price(\$min\_price) and Maximum Price(\$max\_price) into input fields
    - Category dropdown with values from the category select query result and a blank value
    - Condition at least dropdown with values including "New", "Very Good", "Good", "Fair", "Poor" and a blank value.
    - **Cancel** and **Search** buttons.
  - If data validation is successful for \$keyword, \$min\_price, \$max\_price, \$category and \$condition values to accept either float values or blank, then:
    - When the **Search** button is clicked: build a search query based on the values from the **Item Search** form and run the consolidated query on the **Item** and **Bid** table to get the matched list of items.

```

SELECT
    i1.itemID AS ID,
    i1.item_name AS 'Item Name',
    b1.bid_amount AS 'Current Bid',
    b1.username AS 'High Bidder',
    i1.get_it_now_price AS 'Get It Now Price',
    i1.auction_end_time AS 'Auction Ends'
FROM
    Item i1
LEFT JOIN (
    SELECT b.itemID, b.bid_amount, b.username
    FROM Bid b
    INNER JOIN (
        SELECT itemID, MAX(bid_amount) AS MaxBid
        FROM Bid
        GROUP BY itemID
    ) AS MaxBids ON b.itemID = MaxBids.itemID AND b.bid_amount = MaxBids.MaxBid
) AS b1 ON i1.itemID = b1.itemID
WHERE
    i1.itemID IN (
        SELECT i.itemID
        FROM Item i
        LEFT JOIN Bid ON i.itemID = Bid.itemID
        WHERE
            ('$keyword' IS NULL OR BINARY item_name LIKE CONCAT('%', '$keyword', '%') OR BINARY
            item_description LIKE CONCAT('%', '$keyword', '%'))
            AND ('$category' IS NULL OR category_name = '$category')
            AND ($min_price IS NULL OR (SELECT MAX(bid_amount) FROM Bid WHERE Item.itemID =
            Bid.itemID) >= $min_price OR starting_bid >= $min_price)
            AND ($max_price IS NULL OR (SELECT MAX(bid_amount) FROM Bid WHERE Item.itemID =
            Bid.itemID) <= $max_price OR starting_bid <= $max_price)
            AND ('$condition' IS NULL OR item_condition >= '$condition')
        GROUP BY i.itemID
    )
    AND i1.cancelled_username IS NULL AND i1.auction_end_time > NOW()
ORDER BY i1.auction_end_time DESC;

```

- If the query has output from [Item](#) table, then:
  - Display **View Search Results Listing** form that displays the query result
    - ***Back to Search*** button
  - When any one of the item names is clicked:
    - Store the corresponding `$itemID` as session variable '`$ItemId`'
    - Store the `$item_name` as session variable '`$ItemName`'
    - Go to the **Item for Sale** form.
  - When ***Back to Search*** button is clicked:
    - Go back to **Item Search** form.
- Else if the search query returned no output:
  - Go back to **Item Search** form, with an error message.
- When the Cancel button is clicked, go to the **Main Menu** form.
- Else *Minimum Price* and *Maximum Price* input fields are invalid, display the **Item Search** form, with error message.

## Item Bidding

### Abstract Code

- User clicked on one of Item Name from **View Search Results Listing** form.
- Run the **Item Bidding** task: query the **Item** table for information about the item where the session variable '\$ItemID' is the ID of the item, display information about the item including the latest four bids and write to **Bid** & **Auction** based on the details input from the user.
  - Run the **Item Lookup** subtask to query item details:

```
SELECT itemID, item_name, item_description, category_name, item_condition,
returnable, get_it_now_price, auction_end_time FROM Item WHERE itemID=$ItemID;
```

- Display the **Item for Sale** form:
  - Display the '\$itemID', '\$item\_name', '\$item\_description', '\$category\_name', '\$item\_condition'.
  - If \$returnable has value of true, then:
    - Display Returns Accepted with a *checkbox ticked*.
  - Else:
    - Display Returns Accepted with a *checkbox not ticked*.
  - If \$get\_it\_now\_price is not NULL, then:
    - Display the GetItNowPrice value
    - Display a **Get It Now!** Button
  - Display Auction Ended with the \$auction\_end\_time value
  - Find the latest four bids of current Item that is highest and most recent from **Bid**:

```
SELECT bid_amount AS `Bid Amount`,time_of_bid AS `Time of Bid`,
username AS `Username`
FROM Bid WHERE itemID=$itemID
ORDER BY bid_amount DESC LIMIT 4;
```

- Display the query result with bid information.
- Display *Your Bid* input field
  - Find the highest bid of the current item

```
SELECT MAX(bid_amount) AS 'MaxBid' FROM Bid WHERE itemID=$itemID GROUP BY itemID;
```

- Calculate the acceptable minimum bid as MaxBid+1

- Display the minimum bid as informational text below input field.
- Find the user who listed the item from the Item table.

```
SELECT listeduser FROM Item WHERE itemID=$itemID;
```

- If the session variable '\$Username' is not equal to '\$listeduser':
  - Display **Bid on this Item** and **Close** buttons.
  - Display link to **View Ratings** form.
- Else if '\$Username' is equal to '\$listeduser', then:
  - Display links to **View Ratings** and **Edit Description** forms
  - Display **Close** button only.
- If '\$UserType' value is 'AdminUser', then:
  - Display all the above buttons and form links along with:
    - **Cancel This Item** button.
- When the **Get It Now!** Button is clicked:
  - Run the **Bid Creation** subtask to create a new entry in Bid with GetItNowPrice value as BidAmount

```
INSERT INTO Bid (itemID, username,time_of_bid,bid_amount)  
VALUES ($itemID, '$Username', NOW(), $get_it_now_price);
```

- Update the current system time as AuctionEndTime in the Item table.

```
UPDATE Item SET auction_end_time=NOW() WHERE itemID=$itemID;
```

- When user enters value in *Your Bid* input field and click on **Bid on this Item** button:
  - If data validation is successful for input field (\$bid\_amount) to accept a float value greater than or equal to minimum acceptable bid and less than \$get\_it\_now\_price, then:
    - Run the **Bid Creation** subtask to create a new entry in Bid

```
INSERT INTO Bid (itemID, username,time_of_bid,bid_amount)  
VALUES ($itemID, '$Username', NOW(), $bid_amount);
```

- Else *Your Bid* input field is invalid, display **Item for Sale** form with error message.
- When **Cancel This Item** button is clicked:
  - Display a popup with one input field to get the \$cancelled\_reason



- Run the Cancel Auction subtask to get the mark the item as canceled in [Item](#):

```
UPDATE Item
SET auction_end_time=NOW(),
    cancelled_username='$Username',
    cancelled_reason='$cancelled_reason'
WHERE itemID=$itemID;
```

- Upon clicking:
  - **View Ratings** form link – Jump to **View Item Ratings** task.
  - **Edit Description** form link – Jump to **Edit Item Description** task.
  - **Close** button – Go back to the **View Search Results Listing** screen.

## View Rating

### Abstract Code

- User clicked on **View Ratings** link from **Item for Sale** form
- Run the **View Ratings** task to query all ratings related to the current item and display:
  - Display the Item ID as the value from session variable '\$itemID'.
  - Display the Item Name as the value from session variable '\$itemName'.
  - Run the query against [Rating](#) table to find the average star rating of all ratings with identical name and display the value

```
SELECT
    ROUND(AVG(r.star), 1) AS `Average Rating`
FROM Rating r
INNER JOIN Item i ON r.itemID = i.itemID
WHERE BINARY i.item_name='$itemName'
```

- Find all ratings from [Rating](#) where item name is same as session variable '\$itemName'.
  - Find the “Rated By” user by calculating winner of each item in [Rating](#)

```
SELECT r1.itemID, r2.Winner AS 'Rated By', r1. rating_date_time AS 'Date', r1.star
AS 'Star', r1.`comment` AS 'Comment' FROM (
SELECT r.itemID, r.rating_date_time, r.star, r.`comment`
FROM Rating r INNER JOIN Item i ON r.itemID = i.itemID
WHERE BINARY i.item_name='$itemName') r1
INNER JOIN
(SELECT i1.itemID,
CASE
WHEN i1.cancelled_username IS NULL THEN b1.username
ELSE NULL
END AS 'Winner'
FROM Item i1 INNER JOIN (
SELECT b2.itemID, b2.username, b2.bid_amount FROM Bid b2 INNER JOIN (
SELECT itemID, MAX(bid_amount) AS MaxBid FROM Bid GROUP BY
itemID
) AS MaxBids ON b2.itemID = MaxBids.itemID AND b2.bid_amount =
MaxBids.MaxBid
) b1 ON i1.itemID = b1.itemID
WHERE i1.auction_end_time<= NOW() AND b1.bid_amount >= i1.min_sale_price) r2
ON r1.itemID=r2.itemID
ORDER BY r1.rating_date_time DESC;
```

- For each Rating from the sorted result:
  - Display the value of \$Ratedby, \$Date \$Comment.
  - Display 5 Stars and color the number of stars equal to the value of \$Star.
  - If the session variable '\$UserType' value is 'AdminUser' then:
    - Display **Delete** link alongside the rating information.
  - Display **Close** button
- When Delete button is clicked against an item rating:
  - Run the **Delete Rating** subtask:
    - Delete the corresponding rating entry with \$itemID from result

```
DELETE FROM Rating WHERE itemID= $itemID
```

- Re-run the **View Item Ratings** task.
- When the **Close** button is clicked, go back to the **Item for Sale** form.

## Edit Item Description

### Abstract Code

- User clicked on the **Edit Description** link from the **Item for Sale** form.
- Display a popup window with:
  - *Add description* input field for adding new description ('\$new\_description') for the item.
  - **Save** and **Cancel** buttons.
- When **Save** button is clicked:

- Store the text from the *Add description* input field as *\$new\_description* of the Item that matches the session variable '*\$ItemID*'.

```
UPDATE Item SET item_description = '$new_description'
WHERE itemID = '$ItemID'
```

- Go back to the **Item for Sale** form.
- When the **Cancel** button is clicked, go to the **Item for Sale** form.

## Display Auction Results

### Abstract Code

- Before trigger to generate auction result, proceed **Search Item** for any auction that does not have a declared winner but has already ended (based on the current time), then update those winners.
- User clicked on the **View Auction Results** button from the **Main Menu** form.
- Run the **View Auction Results** task: query for items whose auction has ended and display the results.

```
SELECT
    i.itemID AS 'ID',
    i.item_name AS 'Item Name',
    CASE
        WHEN i.cancelled_username IS NULL THEN b.bid_amount
        ELSE ''
    END AS 'Sale Price',
    CASE
        WHEN i.cancelled_username IS NULL THEN b.username
        ELSE 'Cancelled'
    END AS 'Winner',
    i.auction_end_time AS 'Auction Ended'
FROM Item i
LEFT JOIN (
    SELECT b1.itemID, b1.username, b1.bid_amount
    FROM Bid b1
    INNER JOIN (
        SELECT itemID, MAX(bid_amount) AS MaxBid
        FROM Bid
        GROUP BY itemID
    ) AS MaxBids ON b1.itemID = MaxBids.itemID AND b1.bid_amount = MaxBids.MaxBid
) b ON i.itemID = b.itemID
WHERE i.auction_end_time <= NOW() AND b.bid_amount >= i.min_sale_price OR b.bid_amount IS NULL
ORDER BY i.auction_end_time DESC;
```

- When any one of the item names is clicked:
  - Store the corresponding *\$itemID* as session variable *\$ItemID*
  - Store the *\$item\_name* as session variable '*\$ItemName*'
  - Go to the **Display Item Results** form.
- When the **Done** button is clicked, go to the **Main Menu** form.

## Display Item Results

### Abstract Code

- User clicked on one of the *Item Name* link from the **Auction Results** form.
- Run the **View Item Results** task: query for details about the current item using the session variable `$ItemId` and display the results.

```
SELECT itemID, item_name, item_description, category_name, item_condition, returnable,  
get_it_now_price, auction_end_time FROM Item WHERE itemID=$ItemId;
```

- Enable link for proceeding with *View Ratings*
- Run the **View Bid** task: query for latest four bids for the current item
  - Displayed with *BidAmount*, *TimeOfBid*, *Username*

```
(SELECT 'Cancelled' AS 'Bid Amount', auction_end_time AS 'Time of Bid',  
'Administrator' AS 'Username' FROM Item WHERE itemID=$ItemId AND  
cancelled_username IS NOT NULL)  
UNION ALL  
(SELECT CAST(bid_amount AS CHAR) AS 'Bid Amount', time_of_bid AS 'Time  
of Bid', username AS 'Username' FROM Bid WHERE itemID=$ItemId ORDER  
BY bid_amount DESC LIMIT 4)  
LIMIT 4;
```

- When the *Cancel* button is clicked, go to the **Auction Results** form.

## Item Rating Submission

### Abstract Code

- User clicked on the *View Ratings* link from the **Item Results** form.
- Run the **View Ratings** task to query all ratings related to current item:
  - Display the rating summary with `$ItemId`, `$ItemName` and Average Rating calculated using the below query:

```
SELECT  
    ROUND(AVG(r.star), 1) AS 'Average Rating'  
FROM Rating r  
INNER JOIN Item i ON r.itemID = i.itemID  
WHERE BINARY i.item_name='$ItemName'
```

- Display each rating comments and rated by user with below query:

```
SELECT r1.itemID, r2.Winner AS 'Rated By', r1. rating_date_time AS 'Date', r1.star
AS 'Star', r1.`comment` AS 'Comment' FROM (
SELECT r.itemID, r.rating_date_time, r.star, r.`comment`
FROM Rating r INNER JOIN Item i ON r.itemID = i.itemID
WHERE BINARY i.item_name='$itemName') r1
INNER JOIN
(SELECT i1.itemID,
CASE
WHEN i1.cancelled_username IS NULL THEN b1.username
ELSE NULL
END AS 'Winner'
FROM Item i1 INNER JOIN (
SELECT b2.itemID, b2.username, b2.bid_amount FROM Bid b2 INNER JOIN (
SELECT itemID, MAX(bid_amount) AS MaxBid FROM Bid GROUP BY
itemID
) AS MaxBids ON b2.itemID = MaxBids.itemID AND b2.bid_amount =
MaxBids.MaxBid
) b1 ON i1.itemID = b1.itemID
WHERE i1.auction_end_time<= NOW() AND b1.bid_amount >= i1.min_sale_price) r2
ON r1.itemID=r2.itemID
ORDER BY r1.rating_date_time DESC;
```

- Display **Close** button.
- If the ratings result has a rating where ItemId value is same as the session variable '\$ItemId':
  - Display **Delete My Rating** link against rating that was rated by the current user.
- Else there are no ratings added by the current user for the item won:
  - Run the **Add Item Ratings** task to add a new rating for the item won, display:
    - *My Rating* field with 5 empty Stars and an option to color any number of them (\$star)
    - *Comments* input field for adding a new rating (\$comment) for the item.
    - Display **Close** and **Rate this Item** buttons.
  - When **Rate this Item** button is clicked:
    - If the data validation is successful for *Comments* input field, then add a new entry in **Rating** with all details from input fields:

```
INSERT INTO Rating (itemID, rating_date_time, star, `comment`)
VALUES ($ItemId, NOW(), $star, '$comment');
```

- Else *Comments* has invalid data, displaying **Rate Item** form with error message.
  - When **Delete My Rating** button is clicked:
    - Run the **Delete Rating** task to delete the entry from **Rating**.

```
DELETE FROM Rating WHERE itemID= $ItemId
```

- When the **Close** button is clicked, go back to the **Item Results** form.

## Display Category Information

### Abstract Code

- Admin User clicked on the Category Reports button from the **Main Menu**.
- Run the Display Category Information task: Query the information from the [Item](#) and [Category](#)

```
SELECT
  c.category_name AS 'Category',
  COUNT(i.itemID) AS 'Total Items',
  MIN(CASE WHEN i.get_it_now_price IS NOT NULL THEN i.get_it_now_price END) as 'Min Price',
  MAX(CASE WHEN i.get_it_now_price IS NOT NULL THEN i.get_it_now_price END) as 'Max Price',
  ROUND(AVG(CASE WHEN i.get_it_now_price IS NOT NULL THEN i.get_it_now_price END), 2) as 'Average Price'
FROM Category c LEFT JOIN Item i ON c.category_name = i.category_name
WHERE i.cancelled_username IS NULL
GROUP BY c.category_name
ORDER BY c.category_name ASC;
```

- Show **Done** Button.
- If the Admin user click on the **Done** button:
  - Return the Admin user to the **Main Menu**.

## Display User Information

### Abstract Code

- Admin User clicked on the User Report button from the Main Menu
- Run the View User Reports task: Query the information from the [User](#) table, [Items](#) table, and the [Rating](#) table
  - Query
    - For all the users, count the listed Items and display as “Listed”.
    - Total items sold by the user: For all the users, for each of the listed items with the winner in Auctions, count the items in Auction as “Sold”.
    - Total items won by the user: For all the users listed as Winners in Auction, count the items, and display as “Won”.
    - Total number of items user rated: For all the users, count the items with ratings provided and display as “Rated”.
    - Most Frequent Condition:
      - For all the users and their listed items, Identify the max of count of the Condition of items
      - In the event of a tie, the lowest quality condition should be used.
      - If the user has no listings, should display as N/A
  - Show:
    - Buttons for **Done**.
    - If the Admin user click on **Done** button:
      - Return the Admin user to the **Main Menu**.

```
SELECT
    u.username AS 'Username',
    COUNT(DISTINCT i.itemID) AS 'Listed',
    COUNT(DISTINCT CASE WHEN i.auction_end_time <= NOW()
        AND (i.get_it_now_price IS NOT NULL AND b.bid_amount = i.get_it_now_price OR
        b.bid_amount = max_bid.bid_amount)
        THEN i.itemID END) AS 'Sold',
    COUNT(DISTINCT CASE WHEN (i.get_it_now_price IS NOT NULL AND b.bid_amount =
    i.get_it_now_price) OR b.bid_amount = max_bid.bid_amount THEN b.itemID END) AS 'Won',
    COUNT(DISTINCT r.itemID) AS 'Rated',
    COALESCE((
        SELECT i1.item_condition
        FROM Item i1
        WHERE i1.listeduser = u.username
        GROUP BY i1.item_condition
        ORDER BY COUNT(*) DESC,
            FIELD(i1.item_condition, 'Poor', 'Fair', 'Good', 'Very Good', 'New') ASC
        LIMIT 1
    ), 'N/A') AS 'Most Frequent Condition'
FROM User u
LEFT JOIN Item i ON u.username = i.listeduser
LEFT JOIN Bid b ON i.itemID = b.itemID
LEFT JOIN Rating r ON i.itemID = r.itemID
LEFT JOIN (
    SELECT itemID, MAX(bid_amount) AS bid_amount
    FROM Bid
    GROUP BY itemID
) AS max_bid ON i.itemID = max_bid.itemID
GROUP BY u.username;
```

## Display Top Rated Items

### Abstract Code

- Admin User clicked on the **Top Rated Items** hyperlink from the **Main Menu** form.
- Run the Display Top Rated Items task:
  - Query the information from the **Item** and **Rating** table.
    - Find the Items and the associated Ratings.
    - For each item in the result:
      - Display Item Name.
      - Find the average value of Star (rounded by one place) from the ratings for the current Item name and display as Average Rating.
      - Display count of ratings for the current Item name as Rating Count.
    - Sort the result by Average Rating in descending order.
    - List only top 10 Average Rating items.



```
SELECT
    i.item_name AS 'Item Name',
    ROUND(AVG(r.star), 1) AS 'Average Rating',
    COUNT(*) AS 'Rating Count'
FROM Item i
LEFT JOIN Rating r ON i.itemID = r.itemID
WHERE r.star IS NOT NULL
GROUP BY item_name
ORDER BY 'Average Rating' DESC, item_name ASC
LIMIT 10;
```

- Show **Done** Button.
- If the Admin user click on **Done** button:
  - Return the Admin user to the **Main Menu** form

## Display Auction Statistics

### Abstract Code

- Admin User clicked on the **Auction Statistics** hyperlink from the **Main Menu** form.
- Run Display Auction Statistics task: Query information from **Item**, **Rating** and **Bid** tables

```
SELECT
    COUNT(CASE WHEN auction_end_time > NOW() AND cancelled_username IS NULL THEN 1 END) AS 'Auctions Active',
    (SELECT COUNT(auction_end_time) FROM Item i1 WHERE i1.auction_end_time <= NOW() AND i1.cancelled_username
    IS NULL) AS 'Auctions Finished',
    (SELECT COUNT(DISTINCT i2.itemID) FROM Item i2 JOIN Bid b2 ON i2.itemID = b2.itemID WHERE i2.auction_end_time
    <= NOW() AND i2.get_it_now_price <= b2.bid_amount AND i2.cancelled_username IS NULL) AS 'Auctions Won',
    COUNT(CASE WHEN cancelled_username IS NOT NULL THEN 1 END) AS 'Auctions Cancelled',
    COUNT(DISTINCT r.itemID) AS 'Items Rated',
    COUNT(DISTINCT CASE WHEN i.itemID NOT IN (SELECT DISTINCT itemID FROM Rating) THEN i.itemID END) AS
    'Items Not Rated'
FROM Item i
LEFT JOIN Bid b ON i.itemID = b.itemID
LEFT JOIN Rating r ON i.itemID = r.itemID;
```

- Show:
  - Buttons for **Done**.
  - If the Admin user click on **Done** button:
    - Return the Admin user to the **Main Menu** form



## Display Canceled Auction Details

### Abstract Code

- Admin User clicked on the ***Canceled Auctions*** hyperlink from the **Main Menu**.
- Run the View Auction Statistics task: Query the information from the [Item](#) table
  - Query: upon clicking:
    - ID: Display the id of canceled items from the [Item](#)
    - Listed by: Display the user who listed the canceled auction items
    - Canceled Date: Display the auction canceled date
    - Reason : Display the reason for the auction cancellation
  - Show:
    - Buttons for ***Done***.
    - If the Admin user click on ***Done*** button:
      - Return the Admin user to the **Main Menu** form.

```
SELECT
    COUNT(DISTINCT itemID) as 'ID',
    listeduser as 'Listed by',
    auction_end_time as 'Cancelled Date' ,
    cancelled_reason as 'Reason'
FROM Item
WHERE cancelled_username IS NOT NULL
GROUP BY itemID
ORDER BY itemID DESC;
```