Git

નિયમીત વાંચન-વ્યાયામ
ઈશ્વર સ્મરણ
DATE: / /20
PAGE:

→ version control system is a tools that helps to track changes in code.

→ Git is a version control system. It is.
popular
free & open source
fast & scalable

→ Git is used for
→ track the history
→ collaborate (team work)

GitHUb

→ website that allows developers to store and manage their code using Git.
https://github.com

Setting UP Git

visual Studio Code
windows (Git Bash)
mac (Terminal)

નિયમીત વાંચન-વ્યાયામ
ઈશ્વર સ્મરણ
DATE: / /20
PAGE:

Configuring Git

→ git config --global user.name "my name"
git config --global user.email "someone@gmail.com"
git config --list .

There are total two types of configuration.

(i) global
(ii) local

→ ~ → if it shows in terminal it describe that you are in root directory (main directory).

Clone & status

clone - cloning a repository on our local machine.
git clone <some link>.

status - displays the state of the code
git status

નિયમીત વાંચન-વ્યાયામ
ઈશ્વર સ્મરણ

DATE: / /20
PAGE:

→ cd => change directory
ls => list file

=> There are total 4 types of status :-
(i) untracked.
→ new files that git doesn't yet track

(ii) modified
→ changed.

(iii) staged
→ file is ready to be committed.

(iv) unmodified
→ unchanged.

Add & commit.

add - adds new or changed files in your working directory to the git staging area.
git add <-file name->
↳ git add . → add all the file.

commit - it is the record of change
git commit -m "some message"

નિયમીત વાંચન-વ્યાયામ
ઈશ્વર સ્મરણ

DATE: / /20
PAGE:

If we commit then the message shows -
Your branch is ahead of 'origin/main' by 1 commit.

4. means whatever change we completed it will not show in our github repo. so we need to use git PUSH

PUSH command

PUSH - Upload local repo to remote repo
git push origin main

→ git push -u origin main


નિયમીત વાંચન-વ્યાયામ
ઈશ્વર સ્મરણ
DATE: / /20
PAGE:

WORK-FLOW.

Local Git :-

Github repo → clone → changes → add → commit → push.

Git Branches:-



Branch commands.

git branch (to check branch)

git branch -m main (to rename branch)

git checkout <-branch name-> (to navigate)

git checkout -b <-new branch name->
(to create new branch)

git branch -d <-branch name->
(to delete branch)

નિયમીત વાંચન-વ્યાયામ
ઈશ્વર સ્મરણ

DATE: / /20
PAGE:

merging code

way 1 :-

→ git diff <-branch name->
(to compare commits, branches, files & more)

→ git merge <-branch name->
(to merge 2 branches)

way 2 :- Pull Request

create a PR →

⇒ **Pull Request :-**

It lets you tell others about changes you've pushed to a branch in a repository on Git Hub.

→ if you want to see the changes in vs code on your main branch simply run command :-
git pull origin main

નિયમીત વાંચન-વ્યાયામ
ઈશ્વર સ્મરણ
DATE: / /20
PAGE:

-> Resolving merge conflicts

→ An event that takes place when Git is unable to automatically resolve difference in code between two commit.

undoing changes

case 1: staged changes.
git reset <-file name->
git reset.

case 2: commited changes (for one commit)
git reset ~~HE~~ HEAD~1

case 3: commited changes (for many commits)
git reset <-commit hush->

⇒ you can simply write git log to see all the commit.

⇒ you can write. git reset --hard. to undo your code.

નિયમીત વાંચન-વ્યાયામ
ઈશ્વર સ્મરણ

DATE: / /20
PAGE:

=> **Fork :-**

A fork is a new repository that shared code and visiblity settings with the original "upstream" repository.

fork is rough copy.