

EXPLORER ...

VIDEO 112

- > node_modules
- > public
- src
 - > assets
 - App.css
 - App.jsx
 - index.css
 - main.jsx
- .eslintrc.cjs
- .gitignore
- index.html
- package-lock.json
- package.json
- README.md
- vite.config.js

OUTLINE

TIMELINE

TASK EXPLORER

App.jsx x index.css

src > App.jsx > App

```
1 import { useState } from 'react'
2 import reactLogo from './assets/react.svg'
3 import viteLogo from '/vite.svg'
4 import './App.css'

5
6 function App() {
7   const [count, setCount] = useState(0)
8   // const [name, setName] = useState("Harry")
9   const [form, setForm] = useState({email: "", phone: ""}) ← 1

10  const handleClick = () => {
11    alert("Hey I am clicked")
12  }

13  const handleMouseOver = () => {
14    alert("Hey I am a mouse over")
15  }

16  const handleChange = (e) => {
17    // setName(e.target.value)
18    setForm({...form, [e.target.name]: e.target.value}) ← 2
19    console.log(form)
20  }

21  return (
22    <>
23      <div className="button">
24        <button onClick={handleClick}>Click me</button>
```

Ln 9, Col 37 Spaces: 2 UTF-8 LF {} JavaScript JSX

12°C Clear

Search

1

Event listeners

Subscribe 2118 Wed

EXPLORER ...

VIDEO 112

- > node_modules
- > public
- src
 - > assets
 - App.css
 - App.jsx
 - index.css
 - main.jsx
- .eslintrc.cjs
- .gitignore
- index.html
- package-lock.json
- package.json
- README.md
- vite.config.js

OUTLINE


TIMELINE

TASK EXPLORER

App.jsx x index.css

src > App.jsx > App

```
15  const handleMouseOver = () => {
16    alert("Hey I am a mouse over")
17  }
18
19  const handleChange = (e) => {
20    // setName(e.target.value)
21    setForm({...form, [e.target.name]:e.target.value})
22    console.log(form)
23  }
24
25  return (
26    <>
27      <div className="button">
28        <button onClick={handleClick}>Click me</button>
29      </div>
30
31      {/* <div className="red" onMouseOver={handleMouseOver}>
32        I am a red div
33      </div> */}
34
35      <input type="text" name='email' value={form.email} onChange={handleChange} />
36      <input type="text" name='phone' value={form.phone} onChange={handleChange} />
37    </>
38  )
39}
40
41 export default App
```



EXPLORER ...

VIDEO 112

- > node_modules
- > public
- src
 - > assets
 - App.css
 - App.jsx
 - index.css
 - main.jsx
- .eslintrc.cjs
- .gitignore
- index.html
- package-lock.json
- package.json
- README.md
- vite.config.js

OUTLINE

TIMELINE

TASK EXPLORER

App.jsx x index.css

```
src > App.jsx > App
1 import { useState } from 'react'
2 import reactLogo from './assets/react.svg'
3 import viteLogo from '/vite.svg'
4 import './App.css'

5
6 function App() {
7   const [count, setCount] = useState(0)
8   // const [name, setName] = useState("Harry")
9   const [form, setForm] = useState({}) ← 2

10
11   const handleClick = () => {
12     alert("Hey I am clicked")
13   }

14
15   const handleMouseOver = () => {
16     alert("Hey I am a mouse over")
17   }

18
19   const handleChange = (e) => {
20     // setName(e.target.value)
21     setForm({...form, [e.target.name]: e.target.value})
22     console.log(form)
23   }

24
25   return (
26     <>
27       <div className="button">
28         <button onClick={handleClick}>Click me</button>
```

Ln 9, Col 37 Spaces: 2 UTF-8 LF {} JavaScript JSX



Click me

Elements Console Sources Network Performance Security Memory Application Lighthouse Recorder ▾ > ✘ 1 📈 2 ⚙️ ⋮ X
Filter Default levels ▾ | 2 Issues: 📈 2 | 2 hidden ⚙️

Download the React DevTools for a better development experience: <https://reactjs.org/link/react-devtools> react-dom_client.js?v=ad6d33fa:21534

▶ {}
✖ Warning: A component is changing an uncontrolled input to be controlled. This is likely caused by the value react-dom_client.js?v=ad6d33fa:519 changing from undefined to a defined value, which should not happen. Decide between using a controlled or uncontrolled input element for the lifetime of the component. More info: <https://reactjs.org/link/controlled-components>
at input
at App (<http://localhost:5173/src/App.jsx?t=1707320927287:24:29>)

▶ {email: 's'}
▶ {email: 'sd'}
▶ {email: 'sdf'}
▶ {email: 'sdfd'}



EXPLORER ...

VIDEO 112

- > node_modules
- > public
- src
 - > assets
 - App.css
 - App.jsx
 - index.css
 - main.jsx
- .eslintrc.cjs
- .gitignore
- index.html
- package-lock.json
- package.json
- README.md
- vite.config.js

OUTLINE

TIMELINE

TASK EXPLORER

App.jsx x index.css

```
src > App.jsx > App
19  const handleChange = (e) => {
20    // setName(e.target.value)
21    setForm({...form, [e.target.name]:e.target.value})
22    console.log(form)
23  }
24
25  return (
26    <>
27      <div className="button">
28        <button onClick={handleClick}>Click me</button>
29      </div>
30
31      {/* <div className="red" onMouseOver={handleMouseOver}>
32        I am a red div
33      </div> */}
34
35      <input type="text" name='email' value={form?.email} onChange={handleChange} />
36      <input type="text" name='phone' value={form?.phone} onChange={handleChange} />
37    </>
38  )
39}
40
41 export default App
42
```

2.1





