





## Add authentication in minutes!

```
Server
                                                   /pages/api/auth/[...nextauth].js[
import NextAuth from 'next-auth'
import AppleProvider from 'next-auth/providers/apple'
import FacebookProvider from 'next-auth/providers/facebook'
import GoogleProvider from 'next-auth/providers/google'
import EmailProvider from 'next-auth/providers/email'
export default NextAuth({
 providers: [
    AppleProvider({
     clientId: process.env.APPLE_ID,
      clientSecret: process.env.APPLE_SECRET
    FacebookProvider({
      clientId: process.env.FACEBOOK_ID,
      clientSecret: process.env.FACEBOOK SECRET
    GoogleProvider({
     clientId: process.env.GOOGLE_ID,
      clientSecret: process.env.GOOGLE_SECRET
    EmailProvider({
      server: process env.MAIL_SERVER,
      from: 'NextAuth.js <no-reply@example.com>'
```

```
Client (App)
                                                                /pages/_app.jsx
import { SessionProvider } from "next-auth/react"
export default function App({
 Component, pageProps: { session, ...pageProps }
 return (
   <SessionProvider session={session}>
     <Component {...pageProps}/>
    </SessionProvider>
Client (Page)
                                                                /pages/index.js
import { useSession, signIn, signOut } from "next-auth/react"
export default function Component() {
 const { data: session } = useSession()
 if(session) {
     Signed in as {session.user.email} <br/>
      <button onClick={() => signOut()}>Sign out</button>
   Not signed in <br/>
   <button onClick={() => signIn()}>Sign in</button>
```





NextAuth.is Documentation Tutorials FAO Security



























v4 ▼ □□□□ (Sarch □□□)











