


# Sevarebench Measurement Results

MP-Slice Scalable Search

Various Measurements


January 29, 2023

## MP-Slice Runtimes Datatype Fixed Input: 4096 -d d8 (char)




- Ref.Problem: Scalable Search
- Library: MP-Slice - Fixed Input: 4096 -d d8 (char)
- Metric: Datatype - runtime
- Switches: Preprocessing: 0, Split Roles: 0, Pack Bool: 0, Optimize Sharing: 1
- Specs: D-1518(2.2GHz) 32GiB 1Gbits

## MP-Slice Runtimes Input Size Protocol -s 3 (Astra)




- Ref.Problem: Scalable Search
- Library: MP-Slice - Protocol -s 3 (Astra)
- Metric: Input Size - runtime
- Switches: Preprocessing: 0, Split Roles: 0, Pack Bool: 0, Optimize Sharing: 1
- Specs: D-1518(2.2GHz) 32GiB 1Gbits

## MP-Slice Runtimes Input Size Protocol -s 2 (Replicated)




- Ref.Problem: Scalable Search
- Library: MP-Slice - Protocol -s 2 (Replicated)
- Metric: Input Size - runtime
- Switches: Preprocessing: 0, Split Roles: 0, Pack Bool: 0, Optimize Sharing: 1
- Specs: D-1518(2.2GHz) 32GiB 1Gbits

## MP-Slice Runtimes Input Size Protocol -s 1 (Sharemind)




- Ref.Problem: Scalable Search
- Library: MP-Slice - Protocol -s 1 (Sharemind)
- Metric: Input Size - runtime
- Switches: Preprocessing: 0, Split Roles: 0, Pack Bool: 0, Optimize Sharing: 1
- Specs: D-1518(2.2GHz) 32GiB 1Gbits

## MP-Slice Runtimes Input Size Protocol -s 6 (TTP)




- Ref.Problem: Scalable Search
- Library: MP-Slice - Protocol -s 6 (TTP)
- Metric: Input Size - runtime
- Switches: Preprocessing: 0, Split Roles: 0, Pack Bool: 0, Optimize Sharing: 1
- Specs: D-1518(2.2GHz) 32GiB 1Gbits

## MP-Slice Runtimes Input Size Protocol -s 5 (OEC REP)



- Ref.Problem: Scalable Search
- Library: MP-Slice - Protocol -s 5 (OEC REP)
- Metric: Input Size - runtime
- Switches: Preprocessing: 0, Split Roles: 0, Pack Bool: 0, Optimize Sharing: 1
- Specs: D-1518(2.2GHz) 32GiB 1Gbits


## MP-Slice Runtimes Input Size Datatype -d d8 (char)



- Ref.Problem: Scalable Search
- Library: MP-Slice - Datatype -d d8 (char)
- Metric: Input Size - runtime
- Switches: Preprocessing: 0, Split Roles: 0, Pack Bool: 0, Optimize Sharing: 1
- Specs: D-1518(2.2GHz) 32GiB 1Gbits




## MP-Slice Runtimes Input Size Datatype -d d1 (bool)



- Ref.Problem: Scalable Search
- Library: MP-Slice - Datatype -d d1 (bool)
- Metric: Input Size - runtime
- Switches: Preprocessing: 0, Split Roles: 0, Pack Bool: 0, Optimize Sharing: 1
- Specs: D-1518(2.2GHz) 32GiB 1Gbits

## MP-Slice Runtimes Input Size Protocol -s 4 (OEC DUP)



- Ref.Problem: Scalable Search
- Library: MP-Slice - Protocol -s 4 (OEC DUP)
- Metric: Input Size - runtime
- Switches: Preprocessing: 0, Split Roles: 0, Pack Bool: 0, Optimize Sharing: 1
- Specs: D-1518(2.2GHz) 32GiB 1Gbits