

2. Make the above web application responsive web application using Bootstrap framework.

INPUT

INDEX PAGE

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>E-BOOK MANAGEMENT SYSTEM</title>
```

```
<!-- Bootstrap CSS -->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"
```

```
    rel="stylesheet">
```

```
</head>
```

```
<body>
```

```
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
```

```
<div class="container">
```

```
    <a class="navbar-brand fw-bold" href="index.html">
```

```
         BVRITH E-LIBRARY STORE
```

```
    </a>
```

```
<button class="navbar-toggler"
```

```
    type="button"
```

```
    data-bs-toggle="collapse"
```

```
    data-bs-target="#navbarNav">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarNav">
```

```
<ul class="navbar-nav ms-auto">
```

```
<li class="nav-item">
```

```
<a class="nav-link active" href="index.html">
```

```
HOME</a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="catalog.html">
```

```
CATALOG </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="login.html">
```

```
LOGIN </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="register.html">
```

```
REGISTER </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="cart.html">
```

```
CART  </a> </li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<section class="bg-light py-5">
```

```
<div class="container">
```

```
<div class="row align-items-center">
```

```
<div class="col-12 col-md-6">
```

```
<h1 class="display-5 fw-bold">
```

```
    BVRIT HYDERABAD<br>E-LIBRARY STORE</br>
```

```
</h1>
```

```
<p class="lead">
```

```
    Discover and explore a wide collection of  
    technology and programming e-books.
```

```
</p>
```

```
<a href="catalog.html"
```

```
    class="btn btn-primary btn-lg">
```

```
    Browse Books
```

```
</a>
```

```
</div>
```

```
<div class="col-12 col-md-6 text-center mt-4 mt-md-0">
```

```
<div class="display-1">
```

```

```

```
</div>
```

```
<h3>
```

```
    Learn. Read. Grow.
```

```
</h3>
```

</div>

</div>

</div>

</section>

<!-- FEATURES -->

<section class="py-5">

<div class="container">

<h2 class="text-center mb-4">

Why Choose Our E-Book Store?

</h2>

<div class="row g-4">

<div class="col-12 col-md-4">

<div class="card h-100 text-center shadow-sm">

<div class="card-body">

<div class="display-5 mb-3">

</div>

<h5 class="card-title">

Large Collection

</h5>

<p class="card-text">

Explore books covering HTML, CSS,

JavaScript, Java and programming.

</p>

</div>

</div>

</div>

<div class="col-12 col-md-4">

<div class="card h-100 text-center shadow-sm">

<div class="card-body">

<div class="display-5 mb-3">



</div>

<h5 class="card-title">

Learn Anywhere

</h5>

<p class="card-text">

Access learning resources from

desktop, tablet and mobile devices.

</p>

</div>

</div>

</div>

<div class="col-12 col-md-4">

```
<div class="card h-100 text-center shadow-sm">
```

<div class="card-body">

<div class="display-5 mb-3">

```

```



</div>

<h5 class="card-title">

Easy Shopping

<p class="card-text">

Select your favourite books and

add them to your shopping cart.

</div>

</div>

</div>

</div>

</div>

</section>

<!-- ===== FOOTER ===== -->

<footer class="bg-dark text-white text-center p-3">

<p class="mb-0">

© 2026 E-Book Management System | V.VYSHNAVI 25WH1A05N0.

</p>

</footer>

<!-- Bootstrap JavaScript -->

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js">

</script>

</body>

</html>

LOGIN PAGE

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport"

    content="width=device-width, initial-scale=1.0">

<title>LOGIN - E-LIBRARY</title>

<!-- Bootstrap CSS -->

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"

    rel="stylesheet">

</head>

<body>

<nav class="navbar navbar-expand-lg navbar-dark bg-dark">

<div class="container">

    <a class="navbar-brand fw-bold"

        href="index.html">

         E-Book Store

    </a>

    <button class="navbar-toggler"

        type="button"

        data-bs-toggle="collapse"

        data-bs-target="#navbarNav">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse"
```

```
id="navbarNav">
```

```
<ul class="navbar-nav ms-auto">
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="index.html">
```

```
HOME </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="catalog.html">
```

```
CATALOG </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link active"
```

```
href="login.html">
```

```
LOGIN </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="register.html">
```

```
REGISTER </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="cart.html">
```

```
CART  </a> </li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<div class="container my-5">
```

```
<div class="row justify-content-center">
```

```
<div class="col-12 col-sm-10 col-md-6 col-lg-4">
```

```
<div class="card shadow">
```

```
<div class="card-body p-4">
```

```
<h2 class="text-center mb-4">
```

```
  Login
```

```
</h2>
```

```
<form>
```

```
<div class="mb-3">
```

```
<label for="email"
```

```
  class="form-label">
```

```
    Email Address
```

```
</label>
```

```
<input type="email"
```

```
  id="email"
```

```
  class="form-control"
```

```
        placeholder="Enter your email"

        required>
</div>

<div class="mb-3">

    <label for="password"

        class="form-label">

            Password

        </label>

        <input type="password"

            id="password"

            class="form-control"

            placeholder="Enter your password"

            required>

    </div>

<div class="form-check mb-3">

    <input class="form-check-input"

        type="checkbox"

        id="remember">

    <label class="form-check-label"

        for="remember">

        Remember Me

    </label>

</div>
```

```
<button type="submit"
        class="btn btn-primary w-100">
```

```
    Login
```

```
</button>
```

```
</form>
```

```
<p class="text-center mt-3">
```

```
    New user?
```

```
    <a href="register.html">
```

```
        Create an account
```

```
    </a> </p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<footer class="bg-dark text-white text-center p-3">
```

```
<p class="mb-0">
```

```
    © 2026 E-Book Management System | V.VYSHNAVI 25WH1A05N0 </p>
```

```
</footer>
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js">
```

```
</script>
```

```
</body>
```

```
</html>
```

REGISTRATION PAGE

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport"

    content="width=device-width, initial-scale=1.0">

<title>REGISTRATION - E-LIBRARY</title>

<!-- Bootstrap CSS -->

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"

    rel="stylesheet">

</head>

<body>

<!-- ===== NAVBAR ===== -->

<nav class="navbar navbar-expand-lg navbar-dark bg-dark">

<div class="container">

    <a class="navbar-brand fw-bold"

        href="index.html">

         E-Book Store

    </a>

    <button class="navbar-toggler"

        type="button"

        data-bs-toggle="collapse"
```

```
data-bs-target="#navbarNav">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse"
```

```
id="navbarNav">
```

```
<ul class="navbar-nav ms-auto">
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="index.html">
```

```
HOME </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="catalog.html">
```

```
CATALOG </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="login.html">
```

```
LOGIN </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link active"
```

```
href="register.html">
```

```
REGISTER </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="cart.html">
```

```
CART  </a> </li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!-- ===== REGISTRATION ===== -->
```

```
<div class="container my-5">
```

```
<div class="row justify-content-center">
```

```
<div class="col-12 col-md-10 col-lg-8">
```

```
<div class="card shadow">
```

```
<div class="card-body p-4">
```

```
<h2 class="text-center mb-4">
```

```
Create Account
```

```
</h2>
```

```
<form>
```

```
<!-- Name -->
```

```
<div class="row">
```

```
<div class="col-12 col-md-6 mb-3">
```

```
<label for="firstName"
```

```
class="form-label">
```

```
First Name
```

</label>

<input type="text"

id="firstName"

class="form-control"

placeholder="Enter first name"

required>

</div>

<div class="col-12 col-md-6 mb-3">

<label for="lastName"

class="form-label">

Last Name

</label>

<input type="text"

id="lastName"

class="form-control"

placeholder="Enter last name"

required>

</div>

</div>

<!-- Email -->

<div class="mb-3">

<label for="email"

class="form-label">

Email Address

</label>

<input type="email"

id="email"

class="form-control"

placeholder="Enter email"

required>

</div>

<!-- Mobile -->

<div class="mb-3">

<label for="mobile"

class="form-label">

Mobile Number

</label>

<input type="tel"

id="mobile"

class="form-control"

placeholder="Enter mobile number"

required>

</div>

<!-- Gender -->

<div class="mb-3">

<label class="form-label">

Gender

</label>

<div>

<div class="form-check form-check-inline">

<input class="form-check-input"

type="radio"

name="gender"

id="male"

value="male">

<label class="form-check-label"

for="male">

Male

</label>

</div>

<div class="form-check form-check-inline">

<input class="form-check-input"

type="radio"

name="gender"

id="female"

value="female">

<label class="form-check-label"

for="female">

Female

</label>

</div>

<div class="form-check form-check-inline">

<input class="form-check-input"

type="radio"

name="gender"

id="other"

value="other">

<label class="form-check-label"

for="other">

Other

</label>

</div>

</div>

</div>

<!-- Date of Birth -->

<div class="mb-3">

<label for="dob"

class="form-label">

Date of Birth

</label>

<input type="date"

id="dob"

```
        class="form-control">

</div>

<!-- Course -->

<div class="mb-3">

    <label for="course"

        class="form-label">

            Course

    </label>

    <select id="course"

        class="form-select">

        <option selected> Select Course </option>

        <option> B.Tech </option>

        <option> M.Tech </option>

        <option> MCA </option>

        <option> MBA </option>

    </select>

</div>

<!-- Password -->

<div class="row">

    <div class="col-12 col-md-6 mb-3">

        <label for="password"

            class="form-label">

                Password
```

</label>

<input type="password"

id="password"

class="form-control"

placeholder="Enter password"

required>

</div>

<div class="col-12 col-md-6 mb-3">

<label for="confirmPassword"

class="form-label">

Confirm Password

</label>

<input type="password"

id="confirmPassword"

class="form-control"

placeholder="Confirm password"

required>

</div>

</div>

<!-- Terms -->

<div class="form-check mb-3">

<input class="form-check-input"

type="checkbox"

id="terms"

required>

<label class="form-check-label"

for="terms">

I agree to the terms and conditions.

</label>

</div>

<button type="submit"

class="btn btn-success w-100">

Register

</button>

</form>

<p class="text-center mt-3">

Already have an account?

Login here </p>

</div>

</div>

</div>

</div>

</div>

<footer class="bg-dark text-white text-center p-3">

<p class="mb-0">

CATALOG PAGE

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport"

    content="width=device-width, initial-scale=1.0">

<title>CATALOG - E-LIBRARY</title>

<!-- Bootstrap CSS -->

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"

    rel="stylesheet">

</head>

<body>

<!-- ===== NAVBAR ===== -->

<nav class="navbar navbar-expand-lg navbar-dark bg-dark">

<div class="container">

    <a class="navbar-brand fw-bold"

        href="index.html">

         E-Book Store

    </a>

    <button class="navbar-toggler"

        type="button"

        data-bs-toggle="collapse"
```

```
data-bs-target="#navbarNav">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse"
```

```
id="navbarNav">
```

```
<ul class="navbar-nav ms-auto">
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="index.html">
```

```
HOME </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link active"
```

```
href="catalog.html">
```

```
CATALOG </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="login.html">
```

```
LOGIN </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="register.html">
```

```
REGISTER </a> </li>
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="cart.html">
```

```
CART  </a> </li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!-- ===== CATALOG ===== -->
```

```
<div class="container my-5">
```

```
<h1 class="text-center mb-2">
```

```
E-Book Catalog
```

```
</h1>
```

```
<p class="text-center text-muted mb-5">
```

```
Explore our collection of programming and
```

```
technology books.
```

```
</p>
```

```
<!-- ===== BOOK GRID ===== -->
```

```
<div class="row g-4">
```

```
<!-- BOOK 1 -->
```

```
<div class="col-12 col-sm-6 col-lg-4 col-xl-3">
```

```
<div class="card h-100 shadow-sm">
```

```


<div class="card-body d-flex flex-column">

<h5 class="card-title">

HTML & CSS

</h5>

<p class="card-text">

Learn the fundamentals of

HTML5 and CSS3 for web development.

</p>

<h5 class="text-primary">

₹399

</h5>

<button class="btn btn-primary mt-auto">

Add to Cart

</button>

</div>

</div>

</div>

<!-- BOOK 2 -->

<div class="col-12 col-sm-6 col-lg-4 col-xl-3">

<div class="card h-100 shadow-sm">



<div class="card-body d-flex flex-column">

<h5 class="card-title">

C-Language

</h5>

<p class="card-text">

Basic programming language for

basic desktop development

</p>

<h5 class="text-primary">

₹499

</h5>

<button class="btn btn-primary mt-auto">

Add to Cart

</button>

</div>

</div>

</div>

<!-- BOOK 3 -->

<div class="col-12 col-sm-6 col-lg-4 col-xl-3">

<div class="card h-100 shadow-sm">



<div class="card-body d-flex flex-column">

<h5 class="card-title">

Java Programming

</h5>

<p class="card-text">

Learn object-oriented programming

using Java.

</p>

<h5 class="text-primary">

₹599

</h5>

<button class="btn btn-primary mt-auto">

Add to Cart

</button>

</div>

</div>

</div>

<!-- BOOK 4 -->

<div class="col-12 col-sm-6 col-lg-4 col-xl-3">

<div class="card h-100 shadow-sm">



<div class="card-body d-flex flex-column">

<h5 class="card-title">

Python Programming

</h5>

<p class="card-text">

Learn Python programming

from basics to advanced concepts.

</p>

<h5 class="text-primary">

₹549

</h5>

<button class="btn btn-primary mt-auto">

Add to Cart

</button>

</div>

</div>

</div>

</div>

</div>

<!-- ===== FOOTER ===== -->

<footer class="bg-dark text-white text-center p-3">

<p class="mb-0">

© 2026 E-Book Management System | V.VYSHNAVI 25WH1A05N0.</p>

</footer>

<!-- Bootstrap JavaScript -->

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js">

</script>

</body>

</html>

## CART PAGE

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport"

 content="width=device-width, initial-scale=1.0">

<title>SHOPPING CART - E-LIBRARY</title>

<!-- Bootstrap CSS -->

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"

 rel="stylesheet">

</head>

<body>

<!-- ===== NAVBAR ===== -->

<nav class="navbar navbar-expand-lg navbar-dark bg-dark">

<div class="container">

 <a class="navbar-brand fw-bold"

 href="index.html">

  E-Book Store

 <button class="navbar-toggler"

 type="button"

 data-bs-toggle="collapse"
```

```
data-bs-target="#navbarNav">
```

```

```

```
</button>
```

```
<div class="collapse navbar-collapse"
```

```
id="navbarNav">
```

```
<ul class="navbar-nav ms-auto">
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="index.html">
```

```
HOME
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="catalog.html">
```

```
CATALOG
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="login.html">
```

```
LOGIN
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="register.html">
```

```
REGISTER
```

```
<li class="nav-item">
```

```
<a class="nav-link active"
```

```
href="cart.html">
```

```
CART 
```

```

```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!-- ===== CART ===== -->
```

```
<div class="container my-5">
```

```
<h1 class="text-center mb-5">
```

```
SHOPPING CART
```

```
</h1>
```

```
<div class="row g-4">
```

```
<!-- ===== CART TABLE ===== -->
```

```
<div class="col-12 col-lg-8">
```

```
<div class="card shadow-sm">
```

```
<div class="card-body">
```

```
<h4 class="mb-4">
```

```
Selected Books
```

```
</h4>
```

```
<div class="table-responsive">
```

```
<table class="table table-bordered
```

```
table-hover align-middle">
```

```
<thead class="table-dark">

 <tr> <th> Book </th>

 <th> Price </th>

 <th> Quantity </th>

 <th> Total </th> </tr>

</thead> <tbody>

 <tr> <td> HTML & CSS </td>

 <td> ₹399 </td>

 <td> 1 </td>

 <td> ₹399 </td> </tr>

 <tr> <td> JavaScript </td>

 <td> ₹499 </td>

 <td> 2 </td>

 <td> ₹998 </td> </tr>

 <tr> <td> Python Programming </td>

 <td> ₹549 </td>

 <td> 1 </td>

 <td> ₹549 </td> </tr> </tbody>

</table>

</div>

</div>

</div>

</div>
```

<!-- ===== ORDER SUMMARY ===== -->

<div class="col-12 col-lg-4">

<div class="card shadow-sm">

<div class="card-body">

<h4 class="card-title mb-4">

Order Summary

</h4>

<div class="d-flex justify-content-between mb-2">

<span>

Subtotal

</span>

<span>

₹1,946

</span>

</div>

<div class="d-flex justify-content-between mb-2">

<span>

Discount

</span>

<span class="text-success">

- ₹100

</span>

</div>

<hr>

<div class="d-flex justify-content-between">

<strong>

Total

</strong>

<strong>

₹1,846

</strong>

</div>

<button class="btn btn-success w-100 mt-4">

Proceed to Checkout

</button>

<a href="catalog.html"

class="btn btn-outline-primary w-100 mt-2">

Continue Shopping

</a>

</div>

</div>

</div>

</div>

</div>

<!-- ===== FOOTER ===== -->

<footer class="bg-dark text-white text-center p-3">

<p class="mb-0">

© 2026 E-Book Management System | V.VYSHNAVI 25WH1A05N0.</p>

</footer>

<!-- Bootstrap JavaScript -->



<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js">

</script>

</body>

</html>

OUTPUT



REGISTRATION - E-LIBRARY

Ask Gemini

C:/Users/vyshnavi/OneDrive/Desktop/NODE%20JS/exp2/register.html

School

First Name

Enter first name

Last Name

Enter last name

Email Address

Enter email

Mobile Number

Enter mobile number

Gender

☐ Male ☐ Female ☐ Other

Date of Birth

dd-mm-yyyy

Course

Select Course

Password

Enter password

Confirm Password

Confirm password

☐ I agree to the terms and conditions.

Register

Already have an account? [Login here](#)

CATALOG - E-LIBRARY


Ask Gemini

C:/Users/vyshnavi/OneDrive/Desktop/NODE%20JS/exp2/catalog.html

School

## E-Book Catalog

Explore our collection of programming and technology books.




**HTML5**  
Covers CSS3, JavaScript, XML, XHTML, AJAX, PHP and jQuery  
**Black Book**

**HTML & CSS**

Learn the fundamentals of HTML5 and CSS3 for web development.

₹399

Add to Cart



**THE C PROGRAMMING LANGUAGE**  
Brian W. Kernighan • Dennis M. Ritchie

**C-Language**

Basic programming language for basic desktop development

₹499

Add to Cart




**JAVA PROGRAMMING Simplified**  
From Novice to Professional, Start to the Beginning and Learn the World of Java

**Java Programming**

Learn object-oriented programming using Java.

₹599

Add to Cart



**PYTHON PROGRAMMING**  
Beginners Guide

# SHOPPING CART

## Selected Books

Book	Price	Quantity	Total
HTML & CSS	₹399	1	₹399
JavaScript	₹499	2	₹998
Python Programming	₹549	1	₹549

## Order Summary

Subtotal	₹1,946
Discount	- ₹100
Total	₹1,846

Proceed to Checkout

Continue Shopping





