1. Given a list of 24-hour clock time points in "HH:MM" format, return the minimum minutes difference between any two time-points in the list.

Example 1:
Input: timePoints = ["23:59","00:00"]
Output: 1

Example 2:
Input: timePoints = ["00:00","23:59","00:00"]
Output: 0

2. Given a string expression representing an expression of fraction addition and subtraction, return the calculation result in string format. The final result should be an irreducible fraction. If your final result is an integer, change it to the format of a fraction that has a denominator 1. So in this case, 2 should be converted to 2/1.

Example 1:
Input: expression = "-1/2+1/2"
Output: "0/1"

Example 2:
Input: expression = "-1/2+1/2+1/3"
Output: "1/3"

Example 3:
Input: expression = "1/3-1/2"
Output: "-1/6"

3. You are given an encoded string s. To decode the string to a tape, the encoded string is read one character at a time and the following steps are taken: If the character read is a letter, that letter is written onto the tape. If the character read is a digit d, the entire current tape is repeatedly written d - 1 more times in total. Given an integer k, return the kth letter (1-indexed) in the decoded string.

Example 1:
Input: s = "zoho2corp3", k = 10
Output: "o"
Explanation: The decoded string is "zohozohocorpzohozohocorpzohozohocorp".
The 10th letter in the string is "o".

Example 2:
Input: s = "ha22", k = 5
Output: "h"

Example 3:
Input: s = "a2345678999999999999999", k = 1
Output: "a"

4. Given an array of strings words and an integer k, return the k most frequent strings. Return the answer sorted by the frequency from highest to lowest. Sort the words with the same frequency by their lexicographical order.

Example 1:
Input: words = ["i","love","leetcode","i","love","coding"], k = 2
Output: ["i","love"]
Explanation: "i" and "love" are the two most frequent words.

Example 2:
Input: words = ["the","day","is","sunny","the","the","the","sunny","is","is"], k = 4
Output: ["the","is","sunny","day"]

5. Given an integer array arr, and an integer target, return the number of tuples i, j, k such that i < j < k and arr[i] + arr[j] + arr[k] == target. As the answer can be very large, return it modulo 109 + 7.

Example 1:
Input: arr = [1,1,2,2,3,3,4,4,5,5], target = 8
Output: 20
Explanation:
Enumerating by the values (arr[i], arr[j], arr[k]):
(1, 2, 5) occurs 8 times;
(1, 3, 4) occurs 8 times;
(2, 2, 4) occurs 2 times;
(2, 3, 3) occurs 2 times.

Example 2:
Input: arr = [1,1,2,2,2,2], target = 5
Output: 12

Example 3:
Input: arr = [2,1,3], target = 6
Output: 1