

**Міністерство освіти і науки України**  
**Національний технічний університет «Дніпровська політехніка»**



**КАФЕДРА СИСТЕМНОГО АНАЛІЗУ ТА УПРАВЛІННЯ**

**ЗВІТ**  
**про виконання практичної роботи №4**

**з дисципліни**  
**“Аналіз програмного забезпечення”**

Виконав студент: гр. 121-22-3  
Замковий Владислав Валерійович

Прийняв: асистент Шевченко Юлія Олександрівна

Дніпро  
2025

Хід роботи

Реєстрація в AWS:

## Sign up for AWS

Root user email address

Used for account recovery and as described in the [AWS Privacy Notice](#)

vvzamkovyi2004@gmail.com

AWS account name

Choose a name for your account. You can change this name in your account settings after you sign up.

Vladyslav

[Verify email address](#)

OR

[Sign in to an existing AWS account](#)

This site uses essential cookies. See our [Cookie Notice](#) for more information.

Створення бакету:

## General configuration

### AWS Region

US East (N. Virginia) us-east-1

### Bucket type Info

#### General purpose

Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

#### Directory

Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

### Bucket name Info

vladyslav-zamkovyi

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn more](#) L2

### Copy settings from existing bucket - optional

Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

Format: s3://bucket/prefix

## Object Ownership Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

### Object Ownership

#### ACLs disabled (recommended)

All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

#### ACLs enabled

Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Веб-сторінка та налаштування хостингу:

```
<!DOCTYPE html>
<html lang="uk">
<head>
    <meta charset= "UTF-8">
    <title>Моя сторінка</title>
</head>
<body>
    <h1>Замковий Владислав Валерійович</h1><br />
    <p>121-22-3</p>
</body>
</html>
```

## Files and folders (1 total, 834.0 B)

All files and folders in this table will be uploaded.

[Remove](#)

[Add files](#)

[Add folder](#)

Find by name

< 1 >

Name

Folder

Type

Size

index.html

-

text/html

834.0 B

### Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

#### Static website hosting

- Disable  
 Enable

#### Hosting type

- Host a static website  
    Use the bucket endpoint as the web address. [Learn more](#)  
 Redirect requests for an object  
    Redirect requests to another bucket or domain. [Learn more](#)


For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

#### Index document

Specify the home or default page of the website.

index.html

Результат:



← → C ⚙ vladyslav-zamkovi-apz.s3.us-east-1.amazonaws.co

# Замковий Владислав Валерійович

121-22-3

Висновок: Створив бакет та налаштовував його.