

# MVC 5 (Model-View-Controller)


# Kreiranje projekta i objekata




## Kreiranje projekta



### 1. File -> New -> Project




### 2. Odaberite ASP.NET Web Application






#### 3. Odaberite MVC




#### 4. Odaberite - No Authentication






#### 3. Odaberite MVC



#### 4. Odaberite - No Authentication



VISOKO UČILIŠTE




## Kreiranje glavnih objekata

Add

Cancel

**TestController** 







c.Address = "Address1" til Add View.
return c;

Ordinate
Congress Usings
Generate Sequence Dagram.
St. Show on Code Map
Pind AR References on Code Map
Find AR References on Code Map
Find AR References on Code Map

Find AR References on Code Map

The Code Code Map

St. Show Related terms on Code Map

The Code Code Map

To Surround With.


Only Code Code Science

Rest Definition

AR-FE2



## Kreiranje Viewa



```
■ WebApplication1

    Properties
  ▶ ■■ References
    App_Data
   App_Start
    Content
  b C* HomeController.cs
    D C* TestController.cs
  fonts
    Models
  Scripts
  Views
    b # Home
    Shared
    Test
         MyView.cshtml
       [@] _ViewStart.cshtml

√ Web.config

    favicon.ico
  ▶ Æ Global.asax
```

```
@{
    Layout = null;
}
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width" />
<title>MyView</title>
</head>
<body>
```

## Dijeljeni View-ovi

Unutar direktorija Shared se kreiraju View-ovi koje koristi cijela aplikacija:

