The Altorabi brand book

Everything needed to make something that looks like it belongs — a deck, a site, a dashboard, a one-pager. Every rule here carries the measurement that produced it, so you can check the work rather than take it on faith.

VERSION 3.0 ENGLISH & العربية LIGHT & DARK WCAG 2.2 AA

CONTENTS

01 The mark
02 Colour
03 Typography — including the STC question
04 Arabic & right-to-left
05 Space, shape, elevation
06 Components
07 Data & charts
08 The accessibility contract
09 Voice
10 Tokens
11 Assets & what's still missing

How to use this book

Three kinds of reader open this, and they need different things from it. Find yourself below and start there.

YOU ARE	READ	THEN
A designer deck, poster, social, print	§01 mark, §02 colour, §03 type, §05 space	Work in the light palette. The green is a fill, never text. Ask for the vector mark before going to print.
A developer site or web app	§10 tokens first, then §04 RTL, §06 components, §08 accessibility	Paste the token block, wire the RTL rules on day one, then build. Retrofitting Arabic later is a rewrite.
An AI agent generating or reviewing	The **Agent directive** block that closes every section	Those blocks are the machine-readable contract. They restate each section as instructions with no prose around them.

note **What this book is not**

It is not a style suggestion. The colour values were generated at fixed OKLCH coordinates and run through a colourblindness validator; the contrast figures were measured, not estimated. Where a rule says *never*, a measurement failed. Section 11 lists honestly what the system still does not have.

AGENT DIRECTIVE

- Treat this document as the single source of truth for the Altorabi visual system. Where it conflicts with your defaults, this wins.
- Never invent a colour, a typeface, a radius or a spacing value. Every one you need is in **§10 Tokens**. If a value you need is genuinely absent, say so rather than inventing it.
- Build every interface bilingual (English LTR / Arabic RTL) from the first line of code, even if only English is asked for.
- The three rules broken most often, in order: green used as text, `letter-spacing` applied to Arabic, and status shown by colour alone.

01 The mark

A geometric face built from a small number of strokes, set beside the name. It reads at a badge and at a billboard, and it is deliberately Latin in both languages.




Horizontal lockup · light grounds



Horizontal lockup · dark grounds



Face mark · avatar, favicon, corner stamp



Face mark · dark grounds

01.1 Clear space and minimum size

> **Clear space is the height of the face mark, on all four sides.** Nothing enters it — no text, no rule, no image edge, no other logo. In a partner lockup this space is what separates the marks.

USE	MINIMUM WIDTH	WHICH ASSET
Print	28 mm	Horizontal lockup
Screen	110 px	Horizontal lockup
Below that	24 px	Face mark alone — never a shrunken lockup
Favicon / avatar	16–512 px	Face mark, centred, 12% padding

01.2 Grounds

The lockup is supplied pre-composited for two grounds. Use the one that matches, rather than recolouring — the night asset sits on `#1A1B21` and the dark-deck asset on `#2A2A33`, and putting one on the other's ground leaves a visible rectangle.

> **This has actually happened twice.** A lockup composited on `#2A2A33` placed on a `#1A1B21` hero showed a lighter box behind the wordmark in the shipped PDF. Match the asset to the ground, or ask for a transparent vector.

01.3 Rules

✓ ALWAYS

- Use a supplied asset at its native aspect ratio.
- Keep the mark Latin in Arabic layouts. This is settled, not an oversight.
- Place the face mark alone when space is tight.
- Sit the lockup on brand charcoal, night, white, or the mist surface.

× NEVER

- Mirror it in RTL. A mirrored wordmark is a broken wordmark.
- Recolour it, add a gradient, outline, shadow or glow.
- Stretch, condense, rotate or arch it.
- Place it on a photograph without a solid plate behind it.
- Rebuild the wordmark by typing the name in a font.
- Typeset an Arabic wordmark. Ask first — this needs a type designer.

AGENT DIRECTIVE

- Use only supplied logo files. **Never** recreate the wordmark in a typeface and never apply CSS filters to it.
- In RTL, the logo does **not** mirror. Exclude it from any global flip: `[dir="rtl"] .logo{transform:none}`
- Pick the asset by ground: light lockup on white/mist, night lockup on `#1A1B21`, dark lockup on `#2A2A33`.
- Below 110px wide, switch to the face mark rather than scaling the lockup down.
- Always give the logo an `alt` of "Altorabi" — never "logo".

02 Colour

One green, one charcoal, a green-biased neutral ramp, and four status hues that are reserved for status. Every value below was generated in OKLCH at a fixed lightness and chroma, then measured. The ratios are printed so you can check them.

02.1 Brand

#64C379	#1F7346	#2A2A33	#1A1B21
Brand green	**Green ink**	**Charcoal**	**Night**
`--green · fills only`	`--green-ink · 5.83:1`	`--char · decks, plates`	`--night · web dark ground`

#E6F3EA

Green wash
`--green-wash · tints`

#F1F4F2

Mist
`--surface · cards on white`

02.2 The three green laws

The brand green is a fill, never text on a light ground. `#64C379 on #FFFFFF = 2.18:1` — against a 4.5:1 requirement. It is not "a bit low"; it is less than half. Text that should feel green uses Green Ink at `5.83:1`. On dark grounds the brand green becomes legible again `#64C379 on #1A1B21 = 7.87:1` and may be used as text there.

The focus ring is never the brand green. Focus indicators need 3:1 against their background. At `2.18:1` on white the ring would be legally invisible. Use `--focus` : Green Ink on light, `#7FD094 at 9.88:1` on dark.

Green is identity, not success. It appears on primary buttons whether or not anything passed. If the same green also meant "passed", every primary button would read as a success message. Success is its own darker step at `#0A7E3A · 5.17:1`.

The corollary: **text on brand green is always dark.** `#2A2A33 on #64C379 = 6.51:1`, while white on the same green is `2.18:1`.

02.3 Neutrals

The greys carry a slight green bias so they sit with the brand rather than beside it.
Three text weights, and no more — a fourth invites a value nobody can justify.

TOKEN	LIGHT	ON WHITE	DARK	ON NIGHT	USE
`--ink`	`#1E2320`	15.95:1	`#E9EFE9`	15.66:1	Body, headings
`--ink-2`	`#4F5A54`	7.18:1	`#AAB5AE`	8.64:1	Secondary, descriptions
`--ink-3`	`#66716B`	5.07:1	`#8B968F`	5.97:1	Labels, captions, metadata
`--ground`	`#FFFFFF`	—	`#131519`	—	Page
`--surface`	`#F1F4F2`	—	`#1D2024`	—	Cards, wells
`--rule`	`#E1E7E2`	—	`#2B2F31`	—	Hairlines, dividers

02.4 Status

Four hues, reserved. They never decorate, never become a chart series, and never appear without a word or an icon alongside them.

#0A7E3A	#935B00	#AF4803	#B32228
Success	**Warning**	**Serious**	**Critical**
5.17:1 · dark 9.68:1	5.62:1 · dark 9.57:1	5.60:1 · dark 8.11:1	6.61:1 · dark 6.88:1

> **Status is never colour alone.** Roughly one man in twelve cannot separate the amber from the green. Every status carries an icon and a word:

✓ Cap table reconciled against the share register.

! GOSI certificate expires in 21 days.

▲ Three employment contracts are unsigned.

✕ No IP assignment on record for two contributors.

AGENT DIRECTIVE

- `#64C379` is a **background/fill value only** on light grounds. Never `color:`, never a border on white, never the focus ring. For green text use `--green-ink`.
- Text on `#64C379` is `#2A2A33`, never white.
- Success ≠ brand green. Use `--success`.
- Every status needs an icon or word beside the colour. A bare coloured dot or a coloured row is a defect.
- Never introduce a colour that is not in §10. No new greys, no opacity-faded text — use `--ink-2` / `--ink-3`.

03 Typography

One display face with a wide, confident set; one body face that works from a caption to a paragraph; a matching Arabic; and a mono for anything numeric. All four are open-licence, load from Google Fonts, and cost nothing to hand a freelancer.

Archivo 800 · display · tracking −0.028em

Get the room ready before the term sheet.

IBM Plex Sans Arabic 700 · Arabic display · no tracking, looser leading

جهّز غرفة البيانات قبل خطاب النوايا

IBM Plex Sans 400 · Latin body · 15.5px / 1.55

A data room is not a folder of files. It is the argument for your company, made in documents, and the order you put it in is the order an investor will form an opinion in.

IBM Plex Sans Arabic 400 · Arabic body · 16.5px / 1.75

غرفة البيانات ليست مجلداً من الملفات. إنها الحجة التي تقدّمها عن شركتك، مكتوبةً في مستندات، والترتيب الذي تضعها فيه هو الترتيب الذي سيكوّن به المستثمر رأيه.

03.1 The stack

ROLE	ENGLISH	ARABIC	ARABIC DELTA
Display	Archivo 700–800, tracking −0.025em	IBM Plex Sans Arabic 700, tracking 0	–
Body	IBM Plex Sans 400 · 15.5px / 1.55	IBM Plex Sans Arabic 400 · 16.5px / 1.75	+1px / +0.20
UI / labels	IBM Plex Sans 500–600	IBM Plex Sans Arabic 500–600	+1px
Data, code, IDs	IBM Plex Mono 400–500	IBM Plex Mono — Western digits	–

```
/* one line, both scripts */
<link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Archivo:wght@600;700;800
```

03.2 Scale

STEP	SIZE	LINE	FACE & WEIGHT	TRACKING
Display	44–60	1.02	Archivo 800	−0.03em
H1	32	1.10	Archivo 800	−0.028em
H2	24	1.15	Archivo 700	−0.022em
H3	18	1.25	Archivo 700	−0.015em
Body large	17	1.60	Plex Sans 400	0
Body	15.5	1.55	Plex Sans 400	0
Small	13.5	1.50	Plex Sans 400	0
Label	11	1.35	Plex Sans 600, uppercase	+0.07em
Mono	12–13	1.65	Plex Mono 400–500	0

Running text stops at about 68 characters. Wider and the eye loses the line return. Set `max-width:68ch` on prose containers rather than letting text run the width of a desktop screen.

03.3 On the STC typeface

Three STC font files were supplied for this book — Light, Regular and Bold. They have not been adopted, and the reason is worth setting down properly, because the question will come up again.

STC is another company's corporate typeface. It was drawn by Tarek Atrissi Design as the custom identity face for **stc — Saudi Telecom Group**. Custom corporate typefaces are commissioned works, exclusive to the company that paid for them; they are not licensed for third-party use, and there is no shop that sells one. The supplied files carry `Tarek Atrissi Design` in the manufacturer field and version dates of `October 2014`. One of the three also carries an Arabic download-site name in the designer field, which is the usual fingerprint of a free-font aggregator rather than an original release.

For a Saudi audience this is not a technicality. The stc face is recognised on sight in this market — a deck set in it reads as stc-adjacent, which is the opposite of what a personal advisory brand wants.

Setting the licence aside, the files themselves would not carry the system:

CHECKED	FOUND	CONSEQUENCE
Weights	`3 — 300 / 400 / 700`	No 500 or 600. The UI scale uses both.
Glyphs	372	Small. No small caps, no tabular figures.
Latin accents	**None at all**	"José", "Müller", "Zürich", "café" all render as missing-glyph boxes.
Currency	£ only — no €	Fails on a European term sheet.
Arabic coverage	Complete — plus پ چ ژ گ ڤ and both digit sets	Genuinely good.
Arabic mark positioning	`GPOS` covers `latn` only	Harakat and diacritics are not properly positioned.

Its Latin is also a soft, rounded, wide geometric — a friendly consumer-telecom voice. The brand this book describes is a credibility brand: investors, boards, regulators. Archivo's flatter, squarer geometry is doing deliberate work there.

03.4 If a single bilingual family is wanted

There is a real argument for one family across both scripts — it simplifies handoff and removes the Arabic/Latin weight-matching problem. Two open-licence families cover both scripts properly and are pre-vetted:

FAMILY	LICENCE	SCRIPTS	WEIGHTS	CHARACTER
Rubik	SIL OFL	Arabic, Latin, Latin-ext, Cyrillic, Hebrew	`300–900 var.`	Geometric with softened corners — the closest legal neighbour to STC's warmth
Tajawal	SIL OFL	Arabic, Latin	`200–900`	Geometric, cooler, more neutral

> **This is a decision to make once, by eye, and then not revisit.** Changing the type stack now means re-cutting the deck, both design-system documents and the Lovable build pack. The current stack is validated and shipped; treat these two as a considered swap, not a quick edit.

03.5 Rules

✓ ALWAYS

- Western numerals — 0 1 2 3 — in both languages.
- `font-variant-numeric: tabular-nums` wherever digits align in a column.
- Arabic at +1px and +0.2 line-height versus its Latin equivalent.
- Negative tracking on Archivo display sizes; none below 18px.

× NEVER

- Any `letter-spacing` on Arabic. Arabic letters join — tracking severs them and the words break apart.
- `text-transform: uppercase` on Arabic. Arabic has no case, so it silently does nothing and the hierarchy disappears.
- A fifth typeface. Four roles are enough.
- Faux bold or faux italic. Load the weight.
- Arabic-Indic digits ٠١٢٣ in interfaces — Saudi business and finance use Western digits and dashboards compare across locales.

AGENT DIRECTIVE

- Faces: **Archivo** display, **IBM Plex Sans** body, **IBM Plex Sans Arabic** Arabic, **IBM Plex Mono** data. Load from Google Fonts. Do not substitute Inter, Poppins or Space Grotesk.
- Do **not** use the STC typeface. It is stc's proprietary corporate face and cannot be licensed. If asked to use it, say so and offer Rubik or Tajawal.
- Apply the Arabic face by direction, not by a class: `[dir="rtl"]{font-family:var(--arabic); line-height:1.75}`
- Ship this global rule in every project: `[dir="rtl"] *{letter-spacing:normal !important}`
- Never apply `uppercase` or `tracking-*` to a string that can render in Arabic. Eyebrow labels are uppercase + tracked in English, and weight-600 in `--green-ink` with no transform in Arabic.
- Western digits in both languages, always.

04 Arabic & right-to-left

The panel below is one component, not two. The button sets `dir` and swaps strings — everything else falls into place because the CSS uses logical properties instead of left and right. That is the whole technique.

dir="ltr" · lang="en"

العربية ←

DATA ROOM

Readiness overview

Open the room

78%	21	3
Sections complete	Days to expiry	Blocking gaps

04 · Governance	✓ Complete
05 · People	! In review
07 · Regulatory	✕ Blocked

04.1 What mirrors and what does not

⇄ MIRRORS

- Page flow, navigation, sidebars, breadcrumbs.
- Back and forward arrows, chevrons, list indentation.
- Progress bars, sliders, steppers — they follow reading direction.
- Text alignment, table column order, form label position.

× NEVER MIRRORS

- The logo and the face mark. A mirrored wordmark is a broken wordmark.
- Clocks, and anything showing real-world direction.
- Media playback controls — play still points the same way.
- Checkmarks, and the numerals themselves.

Time-series charts stay left-to-right in both languages. This is a judgement call and worth stating plainly. A time axis is a continuous scale rather than a block of prose, and Arabic readers meet left-to-right timelines constantly in finance and analytics. Legends, labels, tooltips and category axes all follow RTL — only the direction of time is held. Category bar charts *do* mirror. Test this one with real users; it is the most contested RTL decision in dashboards.

04.2 Build it logical from day one

```
/* the base rules — ship these before the first screen */
[dir="rtl"]      { font-family: var(--arabic); line-height: 1.75; }
[dir="rtl"] *    { letter-spacing: normal !important; }

/* and then never write left or right again */
margin-left   → margin-inline-start     text-align: left  → start
padding-right → padding-inline-end       border-left       → border-inline-start
left: 0       → inset-inline-start: 0

/* Tailwind equivalents */
ml- me-  →  ms- me-      pl- pr-  →  ps- pe-
left- right- → start- end-   text-left → text-start
```

> **Doing this on day one is free. Retrofitting it is a rewrite.** Every hard-coded `left` in a finished codebase becomes a bug that only Arabic users see, and nobody on the team will notice it.


AGENT DIRECTIVE

- Every screen must work in **both** English LTR and Arabic RTL from the first commit, even when only English is requested.
- Never emit `ml-` `mr-` `pl-` `pr-` `left-` `right-` `text-left` `text-right` `border-l` `border-r`. Use the logical form every time.
- Every user-facing string goes through `t()` into `en.json` / `ar.json`. No hard-coded English anywhere, from the start.
- Exclude the logo from any RTL transform.
- Before reporting a screen done, render it in Arabic and confirm: sidebar moved, chevrons flipped, logo did not flip, no broken-apart Arabic words (that means tracking leaked in).
- Time axes stay LTR; category axes mirror.

05 Space, shape, elevation

A 4px base grid. Every gap, pad and inset is one of eight values — there are no arbitrary numbers in this system, and a 13px margin is a bug.

05.1 Spacing — 4 · 8 · 12 · 16 · 24 · 32 · 48 · 64



05.2 Radius and elevation

TOKEN	VALUE	APPLIES TO
`--r-sm`	6px	Buttons, inputs, chips, small controls
`--r-md`	10px	Cards, wells, alerts
`--r-lg`	14px	Panels, modals, large containers
`--r-pill`	999px	Status pills only
`--e-1`	–	Resting card. Barely there.
`--e-2`	–	Raised card, dropdown, popover.
`--e-3`	–	Modal, floating overlay. **There is no fourth level.**

> **Not everything is a card.** Border, fill, radius and shadow each announce "separate object". Spend them by role — lift the one thing that needs lifting. One radius and one shadow stamped on every block flattens the hierarchy instead of building it.

05.3 Breakpoints

NAME	WIDTH	LAYOUT
Mobile	< 640	One column, nav in a drawer, tables scroll in their own container
Tablet	640–1023	Two columns, nav collapses to icons
Desktop	1024–1439	Sidebar plus content, 12-column grid
Wide	≥ 1440	Content caps at 1280; sidebar stays fixed

AGENT DIRECTIVE

- Only these spacing values: **4 8 12 16 24 32 48 64**. In Tailwind that is `1 2 3 4 6 8 12 16`. Never an arbitrary value like `p-[13px]`.
- Radius by role: 6 controls, 10 cards, 14 panels, pill for status. Nothing else.
- Three elevation levels only. Do not invent a fourth.
- Lay siblings out with flex/grid and `gap`, not per-element margins.
- Wide content — tables, code, charts — gets `overflow-x:auto` on its own container. The page body never scrolls sideways.
- Touch targets ≥ 44×44px, icon-only buttons in dense tables included.

06 Components

The small set that most screens are actually built from. Each is defined by its tokens, so a component built correctly needs no brand review.

06.1 Buttons

Primary | Secondary | Tertiary | Destructive | Disabled

VARIANT	FILL	TEXT	USE
Primary	`--green-ink`	`--on-green-ink`	One per view. The single thing you want done.
Secondary	`--ground` + `--rule-strong` border	`--ink`	Everything else.
Tertiary	none	`--green-ink`	In-table and in-card actions.
Destructive	`--critical`	white	Deletes. Always behind a confirm.

The label says exactly what happens. "Publish", and then a toast that says "Published". Not "Submit", not "OK", never "Click here".

06.2 Status pills

✓ Complete | ! In review | ▲ At risk | ✕ Blocked | — Not started

06.3 Empty and loading states

An empty state says what belongs here and offers the action. Never a bare "No data" — that tells the reader they are missing something without telling them what. "No documents in Governance yet. Board resolutions, the bylaws and shareholder consents belong here." followed by the upload control.

Loading uses skeletons shaped like the content that is coming, so nothing jumps when it arrives. A centred spinner on a full page is a last resort.

06.4 Tables

✓ ALWAYS

- Sticky header on anything over ten rows.
- Numerals end-aligned and `tabular-nums`.
- Column order mirrors in RTL.
- Row actions revealed on hover *and* reachable by keyboard.
- `overflow-x:auto` on the wrapper, not the page.

× NEVER


- Zebra striping and borders together — choose one.
- A coloured row as the only signal of state.
- Truncation without a title or tooltip carrying the full value.
- More than seven columns before offering a column chooser.

AGENT DIRECTIVE

- One primary button per view. Primary is `--green-ink` fill with `--on-green-ink` text — **not** `#64C379`.
- Every status pill carries an icon **and** a word.
- Every empty state names what belongs there and offers the action. Never render a bare "No data".
- Skeletons, not spinners, for content-shaped loading.
- Icon-only buttons need an `aria-label` and a 44px hit area.
- Use shadcn/ui as the component base and re-skin through the tokens in §10. Do not hand-roll primitives.

07 Data & charts

Seven series hues, generated at fixed OKLCH coordinates and run through a colourblindness validator in both themes. Assigned in this order, always.



`--s1 #1B9247 · --s2 #4777D2 · --s3 #AC6900 · --s4 #8F5FC0 · --s5 #C24D5D · --s6 #0091A4 · --s7 #6C8700`

> **The order is warm–cool–warm–cool, and that is the whole trick.** Red-green colourblindness collapses green, olive, amber and rose toward one another. Interleaving them with blue, violet and teal means no two confusable hues ever land side by side. An earlier draft ordered these by taste and failed at `ΔE 0.9` — two adjacent series a deuteranopic reader could not tell apart at all. This order passes in both themes.

07.1 Chart rules

✓ ALWAYS

- Series assigned `--s1` → `--s7` in order, from the first series.
- A legend whenever there are two or more series.
- Every axis label names a value the chart actually reaches.
- Chart text takes theme text tokens, never the series colour.
- A "View as table" toggle beside every chart, for screen readers.
- Sequential data: one hue, light to dark. Diverging: two hues with a neutral grey midpoint.

× NEVER

- Two y-axes. Ever. Use two charts.
- Reorder or recycle series when a filter changes the count — series 3 keeps `--s3` when series 2 is hidden.
- An eighth hue. Fold rare categories into "Other" at `--ink-3`.
- A status colour as a series colour.
- A pie chart with more than five slices, or a 3D chart at all.
- A truncated y-axis on a bar chart.

AGENT DIRECTIVE

- Series colours come from `--s1` … `--s7` (or `--chart-1` … `--chart-7` in shadcn) **in fixed order**. Never generate a palette.
- Never two y-axes. Never an eighth series colour.
- Chart labels and legends use `--ink` / `--ink-2`, so they read in both themes.
- Every chart ships with a table equivalent behind a toggle.
- In RTL, mirror legends, labels, tooltips and category axes; keep the time axis left-to-right.
- In SVG, leave room in the `viewBox` for the outermost labels and give every shape an explicit fill.

08 The accessibility contract

WCAG 2.2 AA, treated as a build requirement rather than an audit at the end. Nine checks — if all nine pass, the work is done.

#	CHECK	THRESHOLD
1	Body text contrast	≥ 4.5:1
2	Large text (≥ 24px, or ≥ 19px bold)	≥ 3:1
3	Focus indicator and UI component boundaries	≥ 3:1
4	Visible `:focus-visible` ring on every interactive element	2px, 2px offset
5	Touch target	≥ 44×44px
6	Status never communicated by colour alone	Icon or word
7	Every icon-only control has an `aria-label`	—
8	Keyboard reaches everything a mouse reaches	—
9	`prefers-reduced-motion` respected	—

Three real defects were found this way, in material that had already shipped. A muted tone measuring `4.45:1` where it needed 4.5. Two chart series a colourblind reader could not separate. White text on the flipped dark-mode green at `1.85:1` — fixed at token level with a paired `--on-green-ink` that flips with it, rather than patched in one component. Measure, don't estimate.

AGENT DIRECTIVE

- Run all nine checks before reporting any screen complete, and say which ones you verified.
- Never remove a focus outline without replacing it with a visible one that measures 3:1.
- Never use `opacity` to make text quieter — that breaks the measured ratio. Use `--ink-2` / `--ink-3`.
- Never convey state with colour alone.
- Screenshot every route in four states: English light, English dark, Arabic light, Arabic dark.

09 Voice

The audience is founders, investors, boards and regulators — people who are short of time and allergic to being sold to. Everything written under this brand assumes the reader is clever and busy.

✓ SOUNDS LIKE US

- **Specific.** "Nine sections, roughly forty documents" — not "comprehensive coverage".
- **Evidence first.** The number, then the claim it supports.
- **Plain.** Short sentences. Ordinary words. Say the thing.
- **Practitioner, not commentator.** Written by someone who has done it, for someone about to.
- **Direct address.** "You", "your company".

× DOESN'T

- Hype: "revolutionary", "game-changing", "unlock", "supercharge", "leverage".
- Hedging: "we believe we may be able to help you consider".
- Credential-stacking as a substitute for a point.
- Exclamation marks. Emoji in professional material.
- Anglicised Arabic. Arabic is written as Arabic, not translated word-for-word from English.

Arabic is written, not translated. Modern Standard Arabic for anything written; the register of Saudi business, not of literature. Product and interface strings stay short, because Arabic runs longer than English and a translated button label will break the layout that fitted the English one. Names of institutions, funds and companies keep their registered form in both languages.

09.1 Interface copy

A control says what happens: **Publish** → **Published**. An error says what went wrong and how to fix it — no apology, no vagueness: "That file is 48 MB. The limit is 25 MB — try compressing it or splitting it in two." Name things the way a person recognises them: someone manages *notifications*, not *webhook configuration*.

AGENT DIRECTIVE

- Write plainly and specifically. Prefer a number to an adjective.
- Banned words in brand copy: revolutionary, game-changing, unlock, supercharge, leverage, seamless, cutting-edge, world-class.
- No exclamation marks, no emoji in professional material.
- Button labels are verbs naming the outcome. Errors state cause and fix.
- Arabic strings must be written in Arabic, not machine-translated, and kept short enough to fit the English layout.

10 Tokens

The whole system as values. Paste one of these two blocks and the rest of this book is enforced by the stylesheet rather than by memory. Do not edit the numbers — they

were generated in OKLCH and validated.

10.1 CSS custom properties

```
:root{
  /* brand */
  --green:#64C379; --green-ink:#1F7346; --green-wash:#E6F3EA; --on-green-ink:#FFFFFF;
  --char:#2A2A33; --night:#1A1B21; --slate:#24252D;
  /* surfaces */
  --ground:#FFFFFF; --surface:#F1F4F2; --surface-2:#E8ECEA;
  --rule:#E1E7E2; --rule-strong:#CBD4CE;
  /* text */
  --ink:#1E2320; --ink-2:#4F5A54; --ink-3:#66716B;
  --on-night:#E8EFE9; --on-night-2:#A7B3AC;
  /* status */
  --success:#0A7E3A; --warning:#935B00; --serious:#AF4803; --critical:#B32228;
  --success-bg:#E4F3E9; --warning-bg:#F8EFDC; --serious-bg:#FAEBE0; --critical-bg:#FAE7E7;
  --focus:#1F7346;
  /* data series — fixed order */
  --s1:#1B9247; --s2:#4777D2; --s3:#AC6900; --s4:#8F5FC0;
  --s5:#C24D5D; --s6:#0091A4; --s7:#6C8700;
  /* type */
  --display:"Archivo","Arial Black",Helvetica,sans-serif;
  --body:"IBM Plex Sans","Segoe UI",Helvetica,Arial,sans-serif;
  --arabic:"IBM Plex Sans Arabic","Segoe UI",Tahoma,sans-serif;
  --mono:"IBM Plex Mono",ui-monospace,SFMono-Regular,Menlo,monospace;
  /* space & shape */
  --s-1:4px; --s-2:8px; --s-3:12px; --s-4:16px;
  --s-5:24px; --s-6:32px; --s-7:48px; --s-8:64px;
  --r-sm:6px; --r-md:10px; --r-lg:14px; --r-pill:999px;
  --e-1:0 1px 2px rgba(30,35,32,.05);
  --e-2:0 1px 2px rgba(30,35,32,.04), 0 8px 24px rgba(30,35,32,.06);
  --e-3:0 2px 4px rgba(30,35,32,.06), 0 18px 44px rgba(30,35,32,.10);
}

/* dark — redefine tokens only, never component styles */
@media (prefers-color-scheme: dark){ :root:not([data-theme="light"]){
  --green-ink:#7FD094; --green-wash:#1D3227; --on-green-ink:#12200F;
  --ground:#131519; --surface:#1D2024; --surface-2:#262A2E;
  --rule:#2B2F31; --rule-strong:#3A4043;
  --ink:#E9EFE9; --ink-2:#AAB5AE; --ink-3:#8B968F;
  --success:#67D283; --warning:#F2AF48; --serious:#F99262; --critical:#F97770;
  --success-bg:#16301F; --warning-bg:#33270F; --serious-bg:#331F14; --critical-bg:#331717;
  --focus:#7FD094;
  --s1:#2C974F; --s2:#4E7DD6; --s3:#B17000; --s4:#9567C5;
  --s5:#C75664; --s6:#0097A9; --s7:#728D02;
  --e-1:0 1px 2px rgba(0,0,0,.35);
  --e-2:0 1px 2px rgba(0,0,0,.4), 0 8px 24px rgba(0,0,0,.3);
  --e-3:0 2px 4px rgba(0,0,0,.45), 0 18px 44px rgba(0,0,0,.4);
}}
/* repeat the same dark block under :root[data-theme="dark"] so an explicit
   toggle wins in both directions. Three theme states, not two. */
```

```
/* base rules — ship these in every project */
[dir="rtl"]{font-family:var(--arabic); line-height:1.75}
[dir="rtl"] *{letter-spacing:normal !important}
:focus-visible{outline:2px solid var(--focus); outline-offset:2px}
@media (prefers-reduced-motion:reduce){*{animation:none !important; transition:none !important
```

> **`--on-green-ink` flips with the theme, and that is the point.** In light mode the accent is dark green and its text is white. In dark mode the accent lightens to `#7FD094` — where white text would measure `1.85:1`. The paired token flips to near-black at `9.16:1`. Fix that pairing at token level; never patch it inside one component.

10.2 shadcn/ui — HSL triplets

For React + Tailwind + shadcn projects, including anything built in Lovable. Drop into `src/index.css`.

```
@layer base {
  :root {
    --background: 0 0% 100%;          --foreground: 144 8% 13%;
    --card: 140 12% 95%;              --card-foreground: 144 8% 13%;
    --popover: 0 0% 100%;             --popover-foreground: 144 8% 13%;
    --primary: 148 58% 29%;           --primary-foreground: 0 0% 100%;
    --secondary: 150 10% 92%;         --secondary-foreground: 144 8% 13%;
    --muted: 140 12% 95%;             --muted-foreground: 147 5% 42%;
    --accent: 133 44% 58%;            --accent-foreground: 240 10% 18%;
    --destructive: 358 68% 42%;       --destructive-foreground: 0 0% 100%;
    --border: 130 11% 89%;            --input: 140 9% 81%;
    --ring: 148 58% 29%;
    --success: 145 85% 27%; --warning: 37 100% 29%; --serious: 24 97% 35%;
    --chart-1: 142 69% 34%;  --chart-2: 219 61% 55%;  --chart-3: 37 100% 34%;
    --chart-4: 270 43% 56%;  --chart-5: 352 49% 53%;  --chart-6: 187 100% 32%;
    --chart-7: 72 100% 26%;
    --radius: 0.625rem;
  }
  .dark {
    --background: 220 14% 9%;         --foreground: 120 16% 93%;
    --card: 214 11% 13%;              --card-foreground: 120 16% 93%;
    --popover: 214 11% 13%;           --popover-foreground: 120 16% 93%;
    --primary: 136 46% 66%;           --primary-foreground: 109 36% 9%;
    --secondary: 210 10% 16%;         --secondary-foreground: 120 16% 93%;
    --muted: 214 11% 13%;             --muted-foreground: 142 5% 57%;
    --accent: 133 44% 58%;            --accent-foreground: 240 10% 18%;
    --destructive: 3 92% 71%;         --destructive-foreground: 231 12% 12%;
    --border: 200 7% 18%;             --input: 200 7% 25%;
    --ring: 136 46% 66%;
    --success: 136 54% 61%; --warning: 36 87% 62%; --serious: 19 93% 68%;
    --chart-1: 140 55% 38%;  --chart-2: 219 62% 57%;  --chart-3: 38 100% 35%;
    --chart-4: 269 45% 59%;  --chart-5: 353 50% 56%;  --chart-6: 186 100% 33%;
    --chart-7: 72 97% 28%;
  }
}
```

> **`--accent` is the brand green and `--primary` is Green Ink.** They are not interchangeable. In shadcn, `--primary` is what buttons and links wear, so it has to be the readable one. The brand green lives in `--accent`, used as a fill, with `--accent-foreground` — a dark charcoal — as its text.

AGENT DIRECTIVE

- Copy a block above verbatim. **Do not adjust any value**, even slightly — they were generated at fixed OKLCH coordinates and validated for contrast and colourblind separation.
- Define every token in the bare `:root` before any media or `[data-theme]` block redefines it. A colour that exists only inside a dark block renders one theme's text on the other theme's ground.
- Style components through tokens only. Never a literal hex in a component.
- Tailwind config: map `success`, `warning`, `serious` and `chart-1..7` to the variables; fontFamily `display` / `sans` / `arabic` / `mono`; borderRadius sm 6 / md 10 / lg 14.

11 Assets & what's still missing

What exists today, and — stated plainly rather than quietly omitted — what a designer will ask for that cannot yet be handed over.

11.1 Asset index

ASSET	FORMAT	FOR
Horizontal lockup — light	PNG	White and mist grounds
Horizontal lockup — night `#1A1B21`	PNG	Web dark, hero panels
Horizontal lockup — charcoal `#2A2A33`	PNG	Deck slides
Face mark — light / night / green	PNG	Avatar, favicon, corner stamp
Headshot	PNG	Speaker slides, bio blocks
LinkedIn QR	PNG	Print, slide corners — decode-verified

11.2 Gaps

> **There is no vector logo.** Everything above is raster. That is fine on screen and at the sizes used so far, but a printer, a signmaker or an embroiderer will ask for SVG or EPS and cannot proceed without it. This is the single most valuable thing to commission next.

MISSING	BITES WHEN	PRIORITY
Vector logo (SVG + EPS, transparent)	Any print, signage, merchandise or large-format work	**High**
Icon set — one family, one stroke weight	The first dashboard. Mixed icon sets are the fastest way to look unfinished.	**High**
Motion scale — durations and easing	Transitions arrive ad hoc and each screen animates differently	Medium
Hijri date handling	Any Saudi-facing product showing dates or expiries	Medium
Bilingual glossary — fixed Arabic for recurring business terms	Two translators render "data room" two different ways	Medium
Photography direction	The first time someone else sources an image	Low
Email & document templates	Proposals and decks drift off-system	Low

AGENT DIRECTIVE

- No vector logo exists. If a task needs one, say so — **do not trace, redraw or regenerate the mark.**
- No icon set is specified. Pick one family with a single stroke weight (Lucide is the shadcn default and a safe choice), use it consistently, and state which one you used.
- No motion scale is specified. Keep transitions at 150–200ms ease-out and flag that you chose it.
- Where this book does not cover something, say what you assumed rather than inventing a rule and presenting it as the system.

Altorabi brand book · version 3.0

Supersedes Brand System v1 and Product System v2, which it consolidates. Colour values generated in OKLCH and validated for contrast and colourblind separation in both themes; every ratio printed here was measured, not estimated.

Questions, or a rule that turns out to be wrong in practice — send it back and it gets fixed here rather than worked around in the file.