

Generated by [Power BI Helper](#) (Copyright © [RADACAD](#)).

Date: 5/20/2026 11:27:14 PM

```
-----*****Visualization*****-----
```

File: BItemperature.pbix

Path: C:\Users\biauser\OneDrive - Nova Scotia Community College\Desktop\BITemperature.pbix

List of Pages:

Display/Name	Name	Ordinal	Display/Options	Width	Height	Page/cols
Dashboard Summary	c559c9c30f29c3644c6	0		1280	720	0
Temperature	7f9145475d9d9915d80a1	1		1280	720	1
Coordinates	c6af659b73c9c3184040	2		1280	720	2
AQI_Atlantic/Stationlevel	11e688c737669741eb65	3		1280	720	3
Worst AQI_Atlantic	73bcb058c7eb681b48e2	4		1280	720	4
Non Atlantic AQI_Stationlevel	f7b7007f91e8b88c073	5		1280	720	5
Worst AQI_NonAtlantic	04d549911219907470	6		1280	720	6

Visuals in Dashbaord Summary:

[illegible]

Visuals in Temperature:

[illegible]

Visuals in Correlations:

Visual Type	Title	X	Y	Z	Width	Height	Name	tabOrder	VisualIndex	PageIndex
controlTable		0	380.104931794534	0	600.377754459601	339.811122770199	tab54b32080a44d4b685c	0	2	

2/20

List of all Columns/Fields/Measures/Expressions Used in Visuals:

file:///Users/yashaswitiwari/Desktop/BITemperature.htm

file:///Users/yashaswitiwari/Desktop/BITemperature.htm

[illegible]

6/20

BItemperature.htm

8/20

List of Measures:

file:///Users/yashaswitiwari/Desktop/BITemperature.htm 9/20

Rain to Precip Ratio	Fact_andTemp	DIVIDE([Arg Rainfall (mm)], [Arg Monthly Precipitation (mm)], 0)	►Measure: Rain to Precip Ratio	▼Measure: Rain to Precip Ratio
Arg Monthly Temp grad	Fact_andTemp	AVERAGE(VALUES(Fact_andTemp[Date]), CALCULATE(AVERAGE(Fact_andTemp[Month_Mean_Temp_C])))	►Measure: Arg Monthly Temp grad	▼Measure: Arg Monthly Temp grad
Arg Temperature	Data_Daily_temp_2015	CALCULATE(AVERAGE(Des_Daily_temp_2015[Mean_Temp_C]))	►Measure: Arg Temperature	▼Measure: Arg Temperature
Corr Temp vs Pollution	Data_Daily_temp_2015	VAR_MeanX = [Arg Temperature] VAR_MeanY = [Arg Pollution] VAR_T = SUMX(VALUES(Model_Calendar[Date]), ([Arg Temperature] - MeanX) * ([Arg Pollution] - MeanY)) VAR_Denominator = SUMX(VALUES(Model_Calendar[Date]), POWER([Arg Temperature] - MeanX, 2)) VAR_Denominator = SUMX(VALUES(Model_Calendar[Date]), POWER([Arg Pollution] - MeanY, 2)) RETURN DIVIDE(T, Denominator)	►Measure: Corr Temp vs Pollution	▼Measure: Corr Temp vs Pollution
Corr Temperature vs Pollution	Data_Daily_temp_2015	VAR_DesTemp = FILTER(ADDCOLUMNS(VALUES(Model_Calendar[Date]), -- IMPORTANT: use VALUES, not ALL, SELECTED "Temp", CALCULATE(Arg Temperature), "Pollution", CALCULATE(Arg Pollution)), NOT ISBLANK([Temp]) && NOT ISBLANK([Pollution])) VAR_MeanTemp = AVERAGE(DesTemp, [Temp]) VAR_MeanPollution = AVERAGE(DesTemp, [Pollution]) VAR_Numerator = SUMX(DesTemp, ([Temp] - MeanTemp) * ([Pollution] - MeanPollution)) VAR_Denominator = SUMX(DesTemp, POWER([Temp] - MeanTemp, 2) + POWER([Pollution] - MeanPollution, 2)) RETURN DIVIDE(Numerator, Denominator)	►Measure: Corr Temperature vs Pollution	▼Measure: Corr Temperature vs Pollution
Arg Station AQI	Fact_AQI	AVERAGE (Fact_AQI[Station_AQI])	►Measure: Arg Station AQI	▼Measure: Arg Station AQI
Max Station AQI	Fact_AQI	RETURN(MAXX(Fact_AQI[Station_AQI]), 1)	►Measure: Max Station AQI	▼Measure: Max Station AQI
Min Station AQI	Fact_AQI	MIN (Fact_AQI[Station_AQI])	►Measure: Min Station AQI	▼Measure: Min Station AQI
Arg Pollutant AQI	Fact_AQI	AVERAGE (Fact_AQI[Station_AQI])	►Measure: Arg Pollutant AQI	▼Measure: Arg Pollutant AQI
Arg Pollutant Concentration	Fact_AQI	AVERAGE (Fact_AQI[Station_AQI])	►Measure: Arg Pollutant Concentration	▼Measure: Arg Pollutant Concentration
Worst Pollutant AQI	Fact_AQI	MAX (Fact_AQI[Station_AQI])	►Measure: Worst Pollutant AQI	▼Measure: Worst Pollutant AQI
Dominant Pollutant Days	Fact_AQI	CALCULATE(DISTINCTCOUNT (Model_Calendar[Date]))	►Measure: Dominant Pollutant Days	▼Measure: Dominant Pollutant Days
Dominant Pollutant %	Fact_AQI	DIVIDE(COUNTROWS (Fact_AQI), CALCULATE (COUNTROWS (Fact_AQI , ALL (Fact_AQI [Dominant_Pollutant]))))	►Measure: Dominant Pollutant %	▼Measure: Dominant Pollutant %
Yearly Arg AQI	Fact_AQI	[Arg Station AQI] ALL (EXCEPT (Model_Calendar [Year]))	►Measure: Yearly Arg AQI	▼Measure: Yearly Arg AQI
MoM AQI Change	Fact_AQI	- CALCULATE ([Arg Station AQI]) DATEADD (Model_Calendar [Date], -1, MONTH)	►Measure: MoM AQI Change	▼Measure: MoM AQI Change
YoY AQI Change	Fact_AQI	[Arg Station AQI] CALCULATE ([Arg Station AQI]) SAMPLEPERIOD (LASTYEAR (Model_Calendar [Date]))	►Measure: YoY AQI Change	▼Measure: YoY AQI Change
AQI Station Category	Fact_AQI	VAR ArgAQI = [Arg Station AQI] RETURN IF(ISBLANK (ArgAQI), "No Data", SWITCH(TRUE(), ArgAQI < 50, "Good", ArgAQI < 100, "Moderate", ArgAQI < 150, "Unhealthy for Sensitive", ArgAQI < 200, "Unhealthy", ArgAQI < 300, "Very Unhealthy", "Extremely"))	►Measure: AQI Station Category	▼Measure: AQI Station Category
% Unhealthy Days	Fact_AQI	VAR StationDays = SUMMARIZE(Fact_AQI, Fact_AQI[Station ID], Fact_AQI[Date], "AQI", MAXX(Fact_AQI[Station_AQI])) VAR UnhealthyDays = FILTER(StationDays, [AQI] > 150)	►Measure: % Unhealthy Days	▼Measure: % Unhealthy Days

			} RETURN DIVIDE COUNTROWS(SelectAQDays), COUNTROWS(StationDays)		
% Unhealthy Days (Daily Avg)	Fact_AQI		DIVIDE Unhealthy AQI Days (Daily Avg), Total Days in Period, 0	►Measure: % Unhealthy Days (Daily Avg)	▼Measure: % Unhealthy Days (Daily Avg)
Unhealthy AQI Days (Daily Avg)	Fact_AQI		VAR Days = CALCULATE COUNTROWS (VALUES (Model Calendar[Date])), FILTER CALCULATE AVERAGE (Fact_AQI[Station_AQI])) > 100 RETURN COALESCE (Days, 0)	►Measure: Unhealthy AQI Days (Daily Avg)	▼Measure: Unhealthy AQI Days (Daily Avg) ▼
Max Dominant Pollutant Days	Fact_AQI		MAXX VALUES (Fact_AQI[Dominant_Pollutant]), {Dominant Pollutant Days}	►Measure: Max Dominant Pollutant Days	▼Measure: Max Dominant Pollutant Days
Top Pollutant	Fact_AQI		VAR TopAQI = CALCULATE SUMX SUMX Fact_AQI[Stations_ID], Fact_AQI[Date], SUMX SELECTEDVALUE(Fact_AQI[Dominant_Pollutant])), ALLSELECTED(Fact_AQI)) VAR CountTable = ADDCOLUMNS SUMX(SUMX(TopAQI, {DomPoll})), "Cat", COUNTROWS FILTER(DailyTable, {DomPoll} = EARLIER({DomPoll}))) VAR TopPct = TOPN CountTable, {Cat}, DESC RETURN MAXX(TopPct, {DomPoll})	►Measure: Top Pollutant	▼Measure: Top Pollutant
AQI stationColor	Fact_AQI		VAR AvgAQI = {Avg Station AQI} RETURN SWITCH TRUE(), AvgAQI <= 50, "#66BB6A", -- Soft green AvgAQI <= 100, "#FFD54F", -- Mustard yellow-green AvgAQI <= 150, "#FF7F50", -- Soft orange AvgAQI <= 200, "#FF4500", -- Soft red AvgAQI <= 300, "#A8478B", -- Mauve purple "#D84C41" -- Burnt red (default)	►Measure: AQI stationColor	▼Measure: AQI stationColor
Worst Pollutant Name	Fact_AQI		VAR MaxAQI = MAXX MAXX FILTER Fact_AQI Fact_AQI[Pollutant_AQI] = MaxAQI), Fact_AQI[Pollutant]	►Measure: Worst Pollutant Name	▼Measure: Worst Pollutant Name ▼
Worst AQI Date	Fact_AQI		VAR MaxAQI = MAXX MAXX FILTER Fact_AQI Fact_AQI[Pollutant_AQI] = MaxAQI), Fact_AQI[Date]) RETURN FORMAT (D, "dd mm/yyyy")	►Measure: Worst AQI Date	▼Measure: Worst AQI Date ▼
Worst AQI Fail Info	Fact_AQI		VAR Fail = {Worst Pollutant Name} VAR DateFail = {Worst AQI Date} RETURN IF (Fail < 1 & FORMAT(DateFail, "MM/YY"))	►Measure: Worst AQI Fail Info	▼Measure: Worst AQI Fail Info
Worst AQI Color	Fact_AQI		VAR AQI = {Worst Pollutant AQI} RETURN SWITCH TRUE(), AQI <= 50, "#66BB6A", -- Green AQI <= 100, "#FFD54F", -- Yellow AQI <= 150, "#FF7F50", -- Orange AQI <= 200, "#FF4500", -- Red AQI <= 300, "#A8478B", -- Purple "#D84C41" -- Hazardous (Brown)	►Measure: Worst AQI Color	▼Measure: Worst AQI Color
Worst AQI Rank	Fact_AQI		RANKX ALLSELECTED (Date, Station_AQI[Province]), {Worst Pollutant AQI}, DESC	►Measure: Worst AQI Rank	▼Measure: Worst AQI Rank
Worst Provinces	Fact_AQI		CONC DISTINCT TOPN VALUES (Date, Station_AQI[Province]), {Worst Pollutant AQI}, DESC), Date, Station_AQI[Province], ", ")	►Measure: Worst Provinces	▼Measure: Worst Provinces
AQI height	Fact_AQI		VAR AQI = {Avg Station AQI} VAR TopPoll = TOPN AQI [DomPoll] VAR Worst = {Worst Pollutant AQI} VAR Unhealthy = {% Unhealthy Days} VAR Day = {Worst AQI Date} RETURN "Overall AQI = " & IF (AQI <= 50, "GOOD", "MODERATE" & "), " Top " & FORMAT (AQI, "0.0") & " , " Day " & FORMAT (Day, "dd/mm/yyyy")	►Measure: AQI height	▼Measure: AQI height

		<pre> With " & FORMAT(Usability, "0.00") & "usability days" & Trend n & BY (Year) Set c1, "Forecasting [US]", "Improving [US]" & Sensors watch for worst AQI level which reached " & PROMCAL(Week, "0" & "m" & PROMCAL(Day, "dd mm yyyy") & " & </pre>		
AQI worstpoll_ColorCode	Fac_AQI	<pre> VAR AQI = (Worst Pollutant AQI) RETURN SWITCH (TRUNC(AQI <= 50, "Good", AQI <= 100, "Moderate", AQI <= 200, "Unhealthy (Sensitive)", AQI <= 300, "Unhealthy", AQI <= 400, "Very Unhealthy", "Extremely")) </pre>	► Measure: AQI worstpoll_ColorCode	▼ Measure: AQI worstpoll_ColorCode
AQI pollutant_Color	Fac_AQI	<pre> VAR AvgAQI = (Avg Pollutant AQI) RETURN SWITCH (TRUNC(AvgAQI <= 50, "#66BB6A", AvgAQI <= 100, "#4DB6AC", AvgAQI <= 150, "#FFEB3B", AvgAQI <= 200, "#FF9800", AvgAQI <= 300, "#A1887F", "#D32F2F")) </pre>	► Measure: AQI pollutant_Color	▼ Measure: AQI pollutant_Color
Days in AQI Category	Fac_AQI	<pre> VAR MinVal = SELECTEDVALUE(AQI Legend[Min]) VAR MaxVal = SELECTEDVALUE(AQI Legend[Max]) VAR DailyTable = ADDCOLUMNS(SUMMARIZE(Fac_AQI, Fac_AQI[Date]), "DailyAQI", CALCULATE(MAX(Fac_AQI[Pollutant_AQI]))) RETURN COUNTROWS(FILTER(DailyTable, [DailyAQI] <= MinVal && [DailyAQI] <= MaxVal)) </pre>	► Measure: Days in AQI Category	▼ Measure: Days in AQI Category
Avg Daily Pollutant AQI	Fac_AQI	<pre> AVERAGE(SUMMARIZE(Fac_AQI, Fac_AQI[Date], "DailyAQI", MAX(Fac_AQI[Pollutant_AQI])), [DailyAQI]) </pre>	► Measure: Avg Daily Pollutant AQI	▼ Measure: Avg Daily Pollutant AQI
Map AQI min	Fac_AQI	<pre> MAX(Fac_AQI[Station_AQI]) </pre>	► Measure: Map AQI min	▼ Measure: Map AQI min
Map color AQI Category	Fac_AQI	<pre> SWITCH (TRUNC([Avg Station AQI] <= 50, "Good", [Avg Station AQI] <= 100, "Moderate", [Avg Station AQI] <= 150, "Unhealthy (Sensitive)", [Avg Station AQI] <= 200, "Unhealthy", [Avg Station AQI] <= 300, "Very Unhealthy", "Extremely")) </pre>	► Measure: Map color AQI Category	▼ Measure: Map color AQI Category
% Most Frequent Dominant Pollutant	Fac_AQI	<pre> VAR TopPollutantCount = MAXX(TOPN(VALUES(Fac_AQI[Dominant_Pollutant]), CALCULATE(COUNTROWS(Fac_AQI)), DESC), CALCULATE(COUNTROWS(Fac_AQI))) VAR TotalCount = COUNTROWS(Fac_AQI) RETURN DIVIDE(TopPollutantCount, TotalCount) </pre>	► Measure: % Most Frequent Dominant Pollutant	▼ Measure: % Most Frequent Dominant Pollutant
Second Pollutant	Fac_AQI	<pre> VAR DailyTable = SUMMARIZE(Fac_AQI, Fac_AQI[Date], Fac_AQI[INAPS ID], Fac_AQI[Date], "DomPoll", SELECTEDVALUE(Fac_AQI[Dominant_Pollutant])) VAR CountTable = ADDCOLUMNS(SUMMARIZE(DailyTable, [DomPoll]), "Cnt", COUNTROWS(FILTER(DailyTable, [DomPoll] = EARLIER([DomPoll])))) VAR TopTwo = TOPN(2, CountTable, [Cnt], DESC) VAR SecondRow = EXCEPT(TopTwo, TOPN(1, TopTwo, [Cnt], DESC)) RETURN MAXX(SecondRow, [DomPoll]) </pre>	► Measure: Second Pollutant	▼ Measure: Second Pollutant
Days > 100 (Any Pollutant)	Fac_AQI	<pre> VAR DailyMetaTable = ADDCOLUMNS(SUMMARIZE(Fac_AQI, Fac_AQI[Date]), "MetaAQI", CALCULATE(MAX(Fac_AQI[Pollutant_AQI]))) RETURN COUNTROWS(FILTER(DailyMetaTable, [MetaAQI] > 100)) </pre>	► Measure: Days > 100 (Any Pollutant)	▼ Measure: Days > 100 (Any Pollutant)
Pollutants > 100 AQI	Fac_AQI	<pre> VAR HighRows = FILTER(Fac_AQI, Fac_AQI[Pollutant_AQI] > 100) </pre>	► Measure: Pollutants > 100 AQI	▼ Measure: Pollutants > 100 AQI

			<pre> VAR Result = CONCATENATE(DISTINCT(SELECT COLUMN\$HighLow, "F_Fact_AQI@Polutant()", P1),) RETURN Result </pre>		
Daily Station AQI	Fact_AQI		<pre> CALCULATE(MAX(Fact_AQI@Polutant_AQI), ALL(VALUES(Fact_AQI Fact_AQI@Station_ID), Fact_AQI@Date)) </pre>	►Measure: Daily Station AQI	▼Measure: Daily Station AQI
Days AQI > 50 (Station KPI)	Fact_AQI		<pre> COUNTROWS(SUMMARIZE(FILTER(Fact_AQI Fact_AQI@Station_AQI > 50 Fact_AQI@NAPS_ID), Fact_AQI@Date)) </pre>	►Measure: Days AQI > 50 (Station KPI)	▼Measure: Days AQI > 50 (Station KPI)
Target KPI	Fact_AQI		KPI	Measure: Target KPI	Measure: Target KPI
Avg Pollution	Fact_AQI		<pre> CALCULATE(AVERAGE(Fact_AQI@Polutant_Stage1)) </pre>	►Measure: Avg Pollution	▼Measure: Avg Pollution
Avg Wind Speed	Dim_wind_2015		<pre> CALCULATE(AVERAGE(Dim_wind_2015@Speed of Max Clear (km/h))) </pre>	►Measure: Avg Wind Speed	▼Measure: Avg Wind Speed
TrendDay C (Decade)	Dim_temperature_System		<pre> AVERAGE(Dim_temperature_System@Trend ("C" / decade)) </pre>	►Measure: TrendDay C (Decade)	▼Measure: TrendDay C (Decade)
Total Area Burned	Dim_Wildfire		<pre> SUM(Dim_Wildfire@FRESU) </pre>	►Measure: Total Area Burned	▼Measure: Total Area Burned
Total Area Burned	Dim_Wildfire		<pre> SUM(Dim_Wildfire@Trend_AreaHA()) </pre>	►Measure: Total Area Burned	▼Measure: Total Area Burned
Fires >200 HA	Dim_Wildfire		<pre> CALCULATE(SUM(Dim_Wildfire@FRESU), Dim_Wildfire@MAX_Area (HA) > 200) </pre>	►Measure: Fires >200 HA	▼Measure: Fires >200 HA
Avg Fire Size	Dim_Wildfire		<pre> SUM(Dim_Wildfire@Trend_AreaHA()), SUM(Dim_Wildfire@FRESU), 0) </pre>	►Measure: Avg Fire Size	▼Measure: Avg Fire Size
Large Fire Ratio	Dim_Wildfire		<pre> DIVIDE((Fires >200 HA), (Total Fires), 0) </pre>	►Measure: Large Fire Ratio	▼Measure: Large Fire Ratio
Fire YoY Growth	Dim_Wildfire		<pre> VAR PrevYear = CALCULATE((Total Fires) - SAMEPERIODLASTYEAR(Dim_Wildfire@YEAR)) RETURN DIVIDE((Total Fires) - PrevYear, PrevYear) </pre>	►Measure: Fire YoY Growth	▼Measure: Fire YoY Growth
Avg Lower Bound	dim_sensor_bound		<pre> AVERAGE(dim_sensor_bound@Lower_Bound) </pre>	►Measure: Avg Lower Bound	▼Measure: Avg Lower Bound
Avg Upper Bound	dim_sensor_bound		<pre> AVERAGE(dim_sensor_bound@Upper_Bound) </pre>	►Measure: Avg Upper Bound	▼Measure: Avg Upper Bound
Average Actual	Dim_temperature_actual_bound		<pre> AVERAGE(Dim_temperature_actual_bound@Actual) </pre>	►Measure: Average Actual	▼Measure: Average Actual
Average Prediction	Dim_temperature_actual_bound		<pre> AVERAGE(Dim_temperature_actual_bound@Prediction) </pre>	►Measure: Average Prediction	▼Measure: Average Prediction
Average LB	Dim_temperature_actual_bound		<pre> AVERAGE(Dim_temperature_actual_bound@Lower) </pre>	►Measure: Average LB	▼Measure: Average LB
Average UB	Dim_temperature_actual_bound		<pre> AVERAGE(Dim_temperature_actual_bound@Upper) </pre>	►Measure: Average UB	▼Measure: Average UB
Average Cur	Climate@AQI_correlation		<pre> AVERAGE(Climate@AQI_correlation@Correlation) </pre>	►Measure: Average Cur	▼Measure: Average Cur
Mean Temp Cur	Climate@AQI_correlation		<pre> CALCULATE(AVERAGE(Climate@AQI_correlation@Correlation), (Climate@AQI_correlation@Weather_Variable) = "Mean Temp (°C)") </pre>	►Measure: Mean Temp Cur	▼Measure: Mean Temp Cur
Avg Correlation	avg_temp_cor		<pre> AVERAGE(avg_temp_cor@Avg_Temp_Correlation) </pre>	►Measure: Avg Correlation	▼Measure: Avg Correlation
Avg QRE Emissions	avg_temp_cor		<pre> AVERAGE(avg_temp_cor@QRE_Emissions) </pre>	►Measure: Avg QRE Emissions	▼Measure: Avg QRE Emissions
Average temp	avg_temp_cor		<pre> AVERAGE(avg_temp_cor@Mean_Temp (°C)) </pre>	►Measure: Average temp	▼Measure: Average temp

List of Columns for Table Fact_Heatwaves:

Column Name	Description	Calculated Column	Expression
Station_id			
Dim_group			
curr_date			
next_date			
Duration_days			
temp_actually			
temp_predicted			
Heat_Rcy			

List of Columns for Table Dim_Baseline_Temp:

Column Name	Description	Calculated Column	Expression
-------------	-------------	-------------------	------------

List of Columns for Table Model Calendar:

Column Name	Description	Calculated Column	Expression
Date			
Year	Calculated Column	FORMAT(Model Calendar[Date], "YYYY")	
Month Name	Calculated Column	FORMAT(Model Calendar[Date], "MMMM")	
Month Num	Calculated Column	MONTH(Model Calendar[Date])	
Season	Calculated Column	(SWITCH(TRUE (MONTH (Model Calendar[Date] IN { 1, 2 }, "Winter", MONTH (Model Calendar[Date] IN { 3, 4, 5 }, "Spring", MONTH (Model Calendar[Date] IN { 6, 7, 8 }, "Summer", MONTH (Model Calendar[Date] IN { 9, 10, 11 }, "Fall")	
Year Num	Calculated Column	DAY(Model Calendar[Date])	

List of Columns for Table Fact_Daily_Anamoly:

Column Name	Description	Calculated Column	Expression
Baseline Mean Temp (°C)			
Temp Anomaly (°C)			

List of Columns for Table Dim_monthly_precip:

Column Name	Description	Calculated Column	Expression
Monthly_Average_Snow_cm			
Monthly_Snow_on_Ground_cm			
MonthlyMax_Snow_on_Ground_cm			

List of Columns for Table Dim_Daily_precip_2015:

Column Name	Description	Calculated Column	Expression
Total Snow (mm)			
Total Snow (cm)			
Total Precip (mm)			
Snow on Ground (mm)			

List of Columns for Table Dim_monthly_temperature:

Column Name	Description	Calculated Column	Expression
Monthly_AverageMax_Temp_C			
Monthly_AverageMin_Temp_C			
Monthly_Max_Temp_C			
Monthly_Min_Temp_C			
Monthly_Average_Max_Day_Days_C			
Monthly_Average_Min_Day_Days_C			

List of Columns for Table Dim_monthly_wind:

Column Name	Description	Calculated Column	Expression
Monthly_Max_Gust_Direction_Hourly			

List of Columns for Table Fact_mClimate:

Column Name	Description	Calculated Column	Expression
Monthly_Mean_Temp_C			
Monthly_Average_Rain_mms			
Monthly_Average_Precip_mms			
Monthly_Max_Gust_Kmh			
Baseline Mean Temp (°C)			

List of Columns for Table Dim_Daily_temp_2015:

Column Name	Description	Calculated Column	Expression
Max Temp (°C)			
Mean Temp (°C)			

List of Columns for Table Fact_AQI:

Column Name	Description	Calculated Column	Expression
Pollutant			
Pollutant_Cat			
Pollutant_AQI			
Status_AQI			
Dimension_Pollutant			

List of Columns for Table Dim_Stations_All:

Column Name	Description	Calculated Column	Expression
Status_ID			
Station Name			
Province			
Province_Code			
Latitude			
Longitude			
Regions	Calculated Column	[SWITCH TRUE ISBLANK(Dim_Stations_All[Province], "Blank", Dim_Stations_All[Province] IN ("NEW BRUNSWICK", "NEWFOUNDLAND AND LABRADOR", "NOVASCOTIA", "PRINCE EDWARD ISLAND"), "ATLANTIC", Dim_Stations_All[Province] IN ("ONTARIO", "QUEBEC"), "CENTRAL", Dim_Stations_All[Province] IN ("ALBERTA", "MANITOBA", "SASKATCHEWAN"), "PRAIRIES", Dim_Stations_All[Province] IN ("NORTHWEST TERRITORIES", "NUNAVUT", "YUKON"), "TERRITORIES", Dim_Stations_All[Province] IN ("BUTTER DOLANBIA"), "WEST COAST", Dim_Stations_All[Province])]	
Station_Type			
Is Atlantic	Calculated Column	[SWITCH TRUE ISBLANK(Dim_Stations_All[Region], "Blank", Dim_Stations_All[Region] IN ("ATLANTIC", "ATLANTIC", Dim_Stations_All[Region] IN ("CENTRAL", "PRAIRIES", "TERRITORIES", "WEST COAST"), "WEST OF CANADA", Dim_Stations_All[Region])]	

List of Columns for Table Dim_wind_2015:

Column Name	Description	Calculated Column	Expression
Dir of Max Gust (dir deg)			

List of Columns for Table Dim_temptrend_bystation:

Column Name	Description	Calculated Column	Expression
Trend (°C / decade)			
Temptrend_Key			
Mean			
Stdev			

List of Columns for Table Fact_dClimate:

Column Name	Description	Calculated Column	Expression
Max Temp (°C)			
Mean Temp (°C)			
Total Temp (mm)			
wind_key			
Spd of Max Gust (km/h)			

List of Columns for Table Dim_Wildfire:

Column Name	Description	Calculated Column	Expression
Year			
Province			
Index			
Total_Accrual			
MAX_Accrual			
Province (group)		Calculated Column	(SWITCH TRUE ISBLANK(Dim_Wildfire[Province]), 'Blank', Dim_Wildfire[Province] IN ('NB', 'NL', 'NS', 'PE'), 'Atlantic', Dim_Wildfire[Province] IN ('AB', 'BC', 'MB', 'NT', 'ON', 'QC', 'SK', 'YT'), 'Not Atlantic', Dim_Wildfire[Province])

List of Columns for Table AQI Legend:

Column Name	Description	Calculated Column	Expression
Color			
AQI Category			
Accrual			

List of Columns for Table dim_sarima_forecast:

Column Name	Description	Calculated Column	Expression
Date			
SARIMA_Prediction			
Lower_Bound			
Upper_Bound			
Year			
Month Name			

List of Columns for Table Dim_temperature_actual_forecast:

Column Name	Description	Calculated Column	Expression
Date			
Year			
Month Name			
Month			

List of Columns for Table Climate&AQI_correlation:

Column Name	Description	Calculated Column	Expression
City			
Province			
Year			
Month			
Weather_Variable			
Correlation			
Province codes		Calculated Column	(SWITCH TRUE ISBLANK(Climate&AQI_correlation[Province]), 'Blank', Climate&AQI_correlation[Province] IN ('NEW BRUNSWICK'), 'NB', Climate&AQI_correlation[Province] IN ('NEWFOUNDLAND AND LABRADOR'), 'NL', Climate&AQI_correlation[Province] IN ('NOVA SCOTIA'), 'NS', Climate&AQI_correlation[Province] IN ('PRINCE EDWARD ISLAND'), 'PE', Climate&AQI_correlation[Province])
Months		Calculated Column	(SWITCH TRUE ISBLANK(Climate&AQI_correlation[Month]) IN ('J', 'J', 'A', 'S', 'Spring', 'Summer', 'Fall'), 'Winter', Climate&AQI_correlation[Month] IN ('J', 'J', 'A', 'S', 'Spring', 'Summer', 'Fall'), 'Winter', 'Fall')

List of Columns for Table ghg_temp_corr:

Column Name	Description	Calculated Column	Expression
Province			
Year			
Mean Temp (°C)			
GHG Emissions			
GHG_Temp_Correlation			
Province code		Calculated Column	(SWITCH TRUE ISBLANK(ghg_temp_corr[Province]), 'Blank', ghg_temp_corr[Province] IN ('NEW BRUNSWICK'), 'NB', ghg_temp_corr[Province] IN ('NEWFOUNDLAND AND LABRADOR'), 'NL', ghg_temp_corr[Province] IN ('NOVA SCOTIA'), 'NS', ghg_temp_corr[Province] IN ('PRINCE EDWARD ISLAND'), 'PE', ghg_temp_corr[Province])

List of Roles:

Relationships:

[illegible]

M (Power Query) Script:

Fact_Heatwaves

[illegible]

Partitions:

name	QueryDefinition
Fact_Heatmap	<pre> id Source = ParseDocument(Json.C:"data/GitHub/NSCC/ProjectTeamChart/data/clean/Yahoo/Finet_CleanHeatmap_v4_clean.parquet"), [Compression=snappy, LegacyColumnNamesEncoding=false, MaxDepth=100]; # Changed Type = Table.TransformColumnTypes(Source,{"status_id",type text}, {"var_group",int64 Type}, {"var_dac",type date}, {"end_dac",type date}, {"duration_days",int64 Type}, {"mean_accuracy",type number}, {"mean_accuracy",type number}); # Renamed Columns = Table.RenameColumns(#Changed Type,{"status_id","Status_id"}); # Changed Type = Table.TransformColumnTypes(#Renamed Columns,{"var_dac",type date}, {"end_dac",type date}, {"duration_days",int64 Type}, {"mean_accuracy",type number}); # Sorted Rows = Table.Sort(#Changed Type,{"var_dac",Order Ascending}); # Added Index = Table.AddIndexColumn(#Sorted Rows,"Index",1,10,1,int64 Type); # Renamed Columns = Table.RenameColumns(#Added Index,{"Index","Hex_Key"}); # Added Prefix = Table.TransformColumnTypes(#Renamed Columns,{"Hex_Key",each "0" & Text.From("m-ES"),type text}); # Renamed Columns = Table.RenameColumns(#Added Prefix,{"Hex_Key","Status_id","var_group","var_dac","end_dac","duration_days","mean_accuracy","mean_accuracy"}); # Renamed Columns </pre>
Row_Baseline_Temp	<pre> # Renamed Columns Source = Csv.Document(Json.C:"data/GitHub/NSCC/ProjectTeamChart/data/clean/Yahoo/Finet_CleanBaseline_row_Status.csv"), [Delimiter=";", Columns=8, Encoding=65001, QuoteStyle=QuoteStyle.None]; # Promoted Header = Table.PromoteHeader(Source, [PromoteAllColumns=true]); # Changed Type = Table.TransformColumnTypes(#Promoted Header,{"status_id",type text}, {"Month",int64 Type}, {"Day",int64 Type}, {"Baseline Mean Temp (C)",type number}); # Inserted Merged Column = Table.AddColumn(#Changed Type,"Base_Key",each Text.Combine([Text.From([Day]),"m-ES"],Text.From([Month]),"m-ES"],{status_id,""}),type text); # Sorted Rows = Table.Sort(#Inserted Merged Column,{"Base_Key",Order Ascending}); # Renamed Columns = Table.RenameColumns(#Sorted Rows,{"Base_Key","status_id","Month","Day","Baseline Mean Temp (C)"}); # Sorted Rows = Table.Sort(#Renamed Columns,{"status_id",Order Ascending}); </pre>

Model Calendar	<pre> 1# 2# "Serial Rows" 3 4CALENDAR (5DATE (1995,1,1), 6DATE (2025,12,31) 7) 8 9Source = ParquetDatasetFile(C:\data\GitHub\NSCC\Project-Team\charlie\data\class\Yahouse\Final_Clean\temperature_anomalies.parquet'), [Compression=snappy, LegacyColumnNamesEncoding=false, MaxDepth=snappy], 10# "Changed Type" = Table.TransformColumnTypes(Source,{{"anomalies", type text}, {"Date", type date}, {"Baseline Mean Temp (°C)", type number}, {"Temp Anomaly (°C)", type number}}), 11# "Sorted Rows" = Table.Sort#Changed Type({{"Date", OrderAscending}}), 12# "Added Index" = Table.AddIndexColumn#Sorted Rows,"Index",100,1,Int64.Type), 13# "Added Prefix" = Table.TransformColumn#Added Index,{{"Index",each "Date" & Text.From(_,"en-US"),type text}}), 14# "Renamed Columns" = Table.RenameColumns#Added Prefix,{{"Index","Anomaly_Key"}}), 15# "Reordered Columns" = Table.ReorderColumns#Renamed Columns,{{"Anomaly_Key","Date","Baseline Mean Temp (°C)","Temp Anomaly (°C)"}} 16 17# "Reordered Columns" 18 19</pre>
Fact_Daily_Anomaly	<pre> 1# 2 3Source = Csv.Document(File.Contents("C:\data\GitHub\NSCC\Project-Team\charlie\data\class\Yahouse\Final_Clean\precip_monthly.csv"),[Delimiter=";", Columns=7, Encoding=1252, QuoteStyle=QuoteStyle.None], 4# "Promoted Headers" = Table.PromoteHeaders(Source,[PromoteAllColumns=true]), 5# "Changed Type" = Table.TransformColumnTypes#Promoted Headers,{{"Climate ID",type text}, {"Date",type date}, {"Monthly_Average_Rain_mm",type number}, {"Monthly_Average_Snow_cm",type number}, {"Monthly_Average_Precip_mm",type number}, {"Monthly_Snow_cm_Grad_cm",type number}, {"Monthly_Max_Snow_cm_Grad_cm",Int64.Type}}), 6# "Added Index" = Table.AddIndexColumn#Changed Type,"Index",100,1,Int64.Type), 7# "Renamed Columns" = Table.RenameColumns#Added Index,{{"Index","subprec_Key"}}), 8# "Added Prefix" = Table.TransformColumn#Renamed Columns,{{"subprec_Key",each "P" & Text.From(_,"en-US"),type text}}), 9# "Reordered Columns" = Table.ReorderColumns#Added Prefix,{{"subprec_Key","Climate ID","Date","Monthly_Average_Rain_mm","Monthly_Average_Snow_cm","Monthly_Average_Precip_mm","Monthly_Snow_cm_Grad_cm","Monthly_Max_Snow_cm_Grad_cm"}} 10 11# "Reordered Columns" 12 13</pre>
Dim_monthly_precip	<pre> 1# 2 3Source = Csv.Document(File.Contents("C:\data\GitHub\NSCC\Project-Team\charlie\data\class\Yahouse\Final_Clean\precip_2015_2025.parquet"),[Compression=snappy, LegacyColumnNamesEncoding=false, MaxDepth=snappy], 4# "Filtered Rows" = Table.SelectRows(Source,each true), 5# "Changed Type" = Table.TransformColumnTypes#Filtered Rows,{{"Climate ID",type text}, {"Date/Time",type date}, {"Total Rain (mm)",type text}, {"Total Snow (mm)",type text}, {"Total Precip (mm)",type number}, {"Snow on Grad (mm)",Int64.Type}}), 6# "Renamed Columns" = Table.RenameColumns#Changed Type,{{"Date/Time","Date"}}), 7# "Sorted Rows" = Table.Sort#Renamed Columns,{{"Date",OrderAscending}}), 8# "Added Index" = Table.AddIndexColumn#Sorted Rows,"Index",1000,1,Int64.Type), 9# "Renamed Columns" = Table.RenameColumns#Added Index,{{"Index","IDprec_Key"}}), 10# "Added Prefix" = Table.TransformColumn#Renamed Columns,{{"IDprec_Key",each "ID" & Text.From(_,"en-US"),type text}}), 11# "Reordered Columns" = Table.ReorderColumns#Added Prefix,{{"IDprec_Key","Climate ID","Date","Total Rain (mm)","Total Snow (mm)","Total Precip (mm)","Snow on Grad (mm)","_index_level_0_","_1_"}}, 12# "Renamed Columns" = Table.RenameColumns#Reordered Columns,{{_index_level_0_,"_1_"}}, 13 14# "Renamed Columns" 15 16</pre>
Dim_Daily_precip_2015	<pre> 1# 2 3Source = ParquetDatasetFile(C:\data\GitHub\NSCC\Project-Team\charlie\data\class\Yahouse\Final_Clean\precip_2015_2025.parquet'), [Compression=snappy, LegacyColumnNamesEncoding=false, MaxDepth=snappy], 4# "Filtered Rows" = Table.SelectRows(Source,each true), 5# "Changed Type" = Table.TransformColumnTypes#Filtered Rows,{{"Climate ID",type text}, {"Date/Time",type date}, {"Total Rain (mm)",type text}, {"Total Snow (mm)",type text}, {"Total Precip (mm)",type number}, {"Snow on Grad (mm)",Int64.Type}}), 6# "Renamed Columns" = Table.RenameColumns#Changed Type,{{"Date/Time","Date"}}), 7# "Sorted Rows" = Table.Sort#Renamed Columns,{{"Date",OrderAscending}}), 8# "Added Index" = Table.AddIndexColumn#Sorted Rows,"Index",1000,1,Int64.Type), 9# "Renamed Columns" = Table.RenameColumns#Added Index,{{"Index","IDprec_Key"}}), 10# "Added Prefix" = Table.TransformColumn#Renamed Columns,{{"IDprec_Key",each "ID" & Text.From(_,"en-US"),type text}}), 11# "Reordered Columns" = Table.ReorderColumns#Added Prefix,{{"IDprec_Key","Climate ID","Date","Total Rain (mm)","Total Snow (mm)","Total Precip (mm)","Snow on Grad (mm)","_index_level_0_","_1_"}}, 12# "Renamed Columns" = Table.RenameColumns#Reordered Columns,{{_index_level_0_,"_1_"}}, 13 14# "Renamed Columns" 15 16</pre>
Dim_monthly_temperature	<pre> 1# 2 3Source = Csv.Document(File.Contents("C:\data\GitHub\NSCC\Project-Team\charlie\data\class\Yahouse\Final_Clean\monthly_temperature_1995-2025.csv"),[Delimiter=";", Columns=9, Encoding=1252, QuoteStyle=QuoteStyle.None], 4# "Promoted Headers" = Table.PromoteHeaders(Source,[PromoteAllColumns=true]), 5# "Changed Type" = Table.TransformColumnTypes#Promoted Headers,{{"Climate ID",type text}, {"Date",type date}, {"Monthly_Average_Max_Temp_C",type number}, {"Monthly_Average_Max_Temp_F",type number}, {"Monthly_Average_Min_Temp_C",type number}, {"Monthly_Min_Temp_C",type number}, {"Monthly_Max_Temp_C",type number}, {"Monthly_Average_Hour_Day_Days_C",type number}, {"Monthly_Average_Cool_Day_Days_C",type number}}, 6# "Renamed Columns" = Table.RenameColumns#Changed Type,{{"Monthly_Average_Max_Temp_C","Monthly_Max_Temp_C","Monthly_Average_Max_Temp_F","Monthly_Average_Max_Temp_C","Monthly_Average_Max_Temp_F","Monthly_Average_Max_Temp_C","Monthly_Average_Max_Temp_C","Monthly_Average_Max_Temp_C","Monthly_Average_Hour_Day_Days_C","Monthly_Average_Cool_Day_Days_C"}}), 7# "Added Index" = Table.AddIndexColumn#Renamed Columns,"Index",100,1,Int64.Type), 8# "Renamed Columns" = Table.RenameColumns#Added Index,{{"Index","Month_Key"}}), 9# "Reordered Columns" = Table.ReorderColumns#Renamed Columns,{{"Month_Key","Climate ID","Date","Monthly_Average_Max_Temp_C","Monthly_Average_Max_Temp_F","Monthly_Max_Temp_C","Monthly_Min_Temp_C","Monthly_Average_Hour_Day_Days_C","Monthly_Average_Cool_Day_Days_C"}}, 10# "Added Prefix" = Table.TransformColumn#Reordered Columns,{{"Month_Key",each "T" & Text.From(_,"en-US"),type text}} 11 12# "Added Prefix" 13 14</pre>
Dim_monthly_wind	<pre> 1# 2 3Source = ParquetDatasetFile(C:\data\GitHub\NSCC\Project-Team\charlie\data\class\Yahouse\Final_Clean\monthly_wind_1995-2025.parquet'), [Compression=snappy, LegacyColumnNamesEncoding=false, MaxDepth=snappy], 4# "Changed Type" = Table.TransformColumnTypes(Source,{{"Climate ID",type text}, {"Date",type date}, {"Monthly_Max_Gust_kmh",Int64.Type}, {"Monthly_Max_Gust_Direction_16deg",type number}}), 5# "Sorted Rows" = Table.Sort#Changed Type({{"Date",OrderAscending}}), 6# "Renamed Year" = Table.AddColumn#Sorted Rows,"Year",each Date.Year[Date],Int64.Type), 7# "Renamed Month" = Table.AddColumn#Renamed Year,"Month",each Date.Month[Date],Int64.Type), 8# "Renamed Day" = Table.AddColumn#Renamed Month,"Day",each Date.Day[Date],Int64.Type), 9# "Reordered Columns" = Table.ReorderColumns#Renamed Day,{{"Climate ID","Date","Year","Month","Day","Monthly_Max_Gust_kmh","Monthly_Max_Gust_Direction_16deg"}}), 10# "Renamed Merged Columns" = Table.RenameColumns#Reordered Columns,{{"Wind_Key",each Text.Combine(Text.From[Year],"en-US"),Text.From[Month],"en-US"),Text.From[Day],"en-US"},{"Climate ID"},"",type text}}, 11# "Reordered Columns" = Table.ReorderColumns#Renamed Merged Columns,{{"Wind_Key","Climate ID","Date","Year","Month","Day","Monthly_Max_Gust_kmh","Monthly_Max_Gust_Direction_16deg"}}, 12# "Renamed Columns" = Table.RenameColumns#Reordered Columns,{{"Year","Month","Day","Monthly_Max_Gust_kmh","Monthly_Max_Gust_Direction_16deg"}}, 13# "Added Index" = Table.AddIndexColumn#Renamed Columns,"Index",100,1,Int64.Type), 14# "Renamed Columns" = Table.RenameColumns#Added Index,{{"Index","toWind_Key"}}), 15# "Added Prefix" = Table.TransformColumn#Renamed Columns,{{"toWind_Key",each "W" & Text.From(_,"en-US"),type text}}), 16# "Reordered Columns" = Table.ReorderColumns#Added Prefix,{{"toWind_Key","Climate ID","Date","Monthly_Max_Gust_kmh","Monthly_Max_Gust_Direction_16deg"}} 17 18# "Reordered Columns" 19 20</pre>

	<pre>80 Source = Table.NestedJoin(Dim_monthly_temperature, ("Climate ID", "Date"), Dim_monthly_precip, ("Climate ID", "Date"), "Dim_monthly_precip", JoinKind.LeftOuter); #Expanded Dim_monthly_precip = Table.ExpandTableColumn(Source, "Dim_monthly_precip", {"Precip_Key", "Monthly_Average_Rain_mmm", "Monthly_Average_Precip_mmm"}, {"@Precip_Key", "Monthly_Average_Rain_mmm", "Monthly_Average_Precip_mmm"}); #Renamed Columns = Table.RenameColumns('Expanded Dim_monthly_precip', {"Monthly_Max_Temp_C", "Monthly_Max_Temp_C", "Monthly_Max_Temp_C", "Monthly_Average_Hour_Day_Days_C", "Monthly_Average_Cool_Day_Days_C", "Monthly_AverageRain_Temp_C", "Monthly_AverageRain_Temp_C", "Monthly_AverageRain_Temp_C"}); #Renamed Columns = Table.RenameColumns('Renamed Columns', {"Month_Key", "@Precip_Key", "Climate ID", "Date", "Monthly_Max_Temp_C", "Monthly_Average_Rain_mmm", "Monthly_Average_Precip_mmm", "Monthly_Max_Gust_kmh"}); #Merge Quotes = Table.NestedJoin('Renamed Columns', ("Climate ID", "Date"), Dim_monthly_wind, ("Climate ID", "Date"), "Dim_monthly_wind", JoinKind.LeftOuter); #Expanded Dim_monthly_wind = Table.ExpandTableColumn('Merged Quotes', "Dim_monthly_wind", {"Wind_Key", "Monthly_Max_Gust_kmh", "Monthly_Max_Gust_kmh"}, {"@Wind_Key", "Monthly_Max_Gust_kmh", "Monthly_Max_Gust_kmh"}); #Renamed Columns = Table.RenameColumns('Expanded Dim_monthly_wind', {"Month_Key", "@Wind_Key", "Climate ID", "Date", "Monthly_Max_Temp_C", "Monthly_Average_Rain_mmm", "Monthly_Average_Precip_mmm", "Monthly_Max_Gust_kmh"}); #Renamed Columns = Table.RenameColumns('Renamed Columns', {"Month", "Day"}); #Renamed Columns = Table.AddColumns('Renamed Columns', "Month", each Date.Month([Date]), Int64.Type); #Isolated Day = Table.AddColumn('Isolated Month', "Day", each Date.Day([Date]), Int64.Type); #Renamed Columns = Table.RenameColumns('Isolated Day', {"Month_Key", "@Wind_Key", "@Wind_Key", "Climate ID", "Date", "Month", "Day", "Monthly_Max_Temp_C", "Monthly_Average_Rain_mmm", "Monthly_Average_Precip_mmm", "Monthly_Max_Gust_kmh"}); #Merge Quotes = Table.NestedJoin('Renamed Columns', ("Climate ID", "Month", "Day", "Baseline_Temp", "Variation_dF", "Baseline_Temp", "Baseline_Temp", "Baseline_Mean Temp (CY)", "Baseline_Mean Temp (CY)"); #Expanded Day_Baseline_Temp = Table.ExpandTableColumn('Merged Quotes', "Day_Baseline_Temp", {"Base_Key", "Baseline Mean Temp (CY)", {"Base_Key", "Baseline Mean Temp (CY)"}}); #Renamed Columns = Table.RenameColumns('Expanded Day_Baseline_Temp', {"Month_Key", "@Wind_Key", "@Wind_Key", "Baseline Mean Temp (CY)", "Climate ID", "Date", "Month", "Day", "Monthly_Max_Temp_C", "Monthly_Average_Rain_mmm", "Monthly_Average_Precip_mmm", "Monthly_Max_Gust_kmh"}); #Renamed Columns = Table.RenameColumns('Renamed Columns', {"Month", "Day"}); #Renamed Columns = Table.RenameColumns('Renamed Columns', {"Month_Key", "@Precip_Key", "@Wind_Key", "Base_Key", "Climate ID", "Date", "Monthly_Max_Temp_C", "Monthly_Average_Rain_mmm", "Monthly_Average_Precip_mmm", "Monthly_Max_Gust_kmh", "Baseline Mean Temp (CY)"}) 81 #Renamed Columns"</pre>
	<pre>82 83 Source = Parquet.Database("fs://climate/C:/data/GitHub/NCCP/Project Team/Charles/darcia/Yahoo/Final_ClimateTemp_2015.parquet", [Compression=null, LegacyColumnNamesEncoding=false, MaxDepth=null]); #Changed Type = Table.TransformColumnTypes(Source,{{"Climate ID", type text}, {"Date", type date}, {"Max Temp (CY", type number), {"Min Temp (CY", type number), {"Mean Temp (CY", type number), {"Heat Deg Days (CY", type number), {"Cool Deg Days (CY", type number)}}); #Serial Rows = Table.Sort('Changed Type', {"Date", Order.Ascending}); #Isolated Month = Table.AddColumn('Serial Rows', "Month", each Date.Month([Date]), Int64.Type); #Renamed Columns = Table.RenameColumns('Isolated Month', {"Climate ID", "Date", "Month", "Max Temp (CY", "Min Temp (CY", "Mean Temp (CY", "Heat Deg Days (CY", "Cool Deg Days (CY)"); #Isolated Day = Table.AddColumn('Renamed Columns', "Day", each Date.Day([Date]), Int64.Type); #Renamed Columns = Table.RenameColumns('Isolated Day', {"Climate ID", "Date", "Month", "Day", "Max Temp (CY", "Min Temp (CY", "Mean Temp (CY", "Heat Deg Days (CY", "Cool Deg Days (CY)"); #Added Index = Table.AddIndexColumn('Renamed Columns', "Index", 000, 1, Int64.Type); #Renamed Columns = Table.RenameColumns('Added Index', {"Index", "@Temp_Key"}); #Added Prefix = Table.TransformColumnPrefixes('Renamed Columns', [{"@Temp_Key", each SP & Text.From(", @m1S", type text)}]; #Renamed Columns = Table.RenameColumns('Added Prefix', {"@Temp_Key", "Climate ID", "Date", "Month", "Day", "Max Temp (CY", "Min Temp (CY", "Mean Temp (CY", "Heat Deg Days (CY", "Cool Deg Days (CY)"); #Renamed Columns = Table.RenameColumns('Renamed Columns', {"Month", "Day", "Index_Index_0..."}); 84 #Renamed Columns"</pre>
	<pre>85 Source = Table.NestedJoin(Pollman2015, ("NAPS ID", "Date"), Station_AQI, ("NAPS ID", "Date"), "Station_AQI", JoinKind.LeftOuter); #Renamed Columns = Table.RenameColumns('SourcesName'); #Expanded Station_AQI = Table.ExpandTableColumn('Renamed Columns', "Station_AQI", {"Station_AQI", "Dominant_Pollutant"}, {"Station_AQI", "Dominant_Pollutant"}); #Renamed Columns = Table.RenameColumns('Expanded Station_AQI', {"Station_AQI", "Station_AQI"}); #Serial Rows = Table.Sort('Renamed Columns', {"Date", Order.Ascending}); 86 #Renamed Rows"</pre>
	<pre>87 Source = Table.Combine({Dim_station_name, Dim_AQI_Station}); #Changed Type = Table.TransformColumnTypes(Source,{{"Latitude", type number}, {"Longitude", type number}}); #Replace Value = Table.ReplaceValue('Changed Type', "PE", "REP", Replace.Replace(Value, "Province_Code")) 88 #Unlabeled Value"</pre>
	<pre>89 Source = Parquet.Database("fs://climate/C:/data/GitHub/NCCP/Project Team/Charles/darcia/Yahoo/Final_ClimateWind_2015-2025.parquet", [Compression=null, LegacyColumnNamesEncoding=false, MaxDepth=null]); #Changed Type = Table.TransformColumnTypes(Source,{{"@wind_key", Int64.Type}, {"Climate ID", type text}, {"Date", type date}, {"Dir of Max Gust (Hr deg.", Int64.Type), {"Spd of Max Gust (km/hr)", Int64.Type}}); #Changed Type"</pre>
	<pre>90 Source = Parquet.Database("fs://climate/C:/data/GitHub/NCCP/Project Team/Charles/darcia/Yahoo/Final_ClimateStation_monthly.parquet", [Compression=null, LegacyColumnNamesEncoding=false, MaxDepth=null]); #Added Index = Table.AddIndexColumn('Source', "Index", 00, 1, Int64.Type); #Added Prefix = Table.TransformColumnPrefixes('Added Index', [{"Index", "TT & Text.From(", "m1S", type text)}]; #Renamed Columns = Table.RenameColumns('Added Prefix', {"Index", "TempTrend_Key"}); #Renamed Columns = Table.RenameColumns('Renamed Columns', {"TempTrend_Key", "Variation_dF", "Month", "Trend (C / decade", "n_years")}); 91 #Renamed Columns"</pre>
	<pre>92 #Renamed Columns"</pre>
	<pre>93 Source = Table.NestedJoin(Dim_daily_temp_2015, ("Climate ID", "Date"), Dim_Daily_precip_2015, ("Climate ID", "Date"), "Dim_Daily_precip_2015", JoinKind.LeftOuter); #Expanded Dim_Daily_precip_2015 = Table.ExpandTableColumn(Source, "Dim_Daily_precip_2015", {"DBKey", "Total Precip (mm)", {"DBKey_Key", "Total Precip (mm)"}); #Renamed Columns = Table.RenameColumns('Expanded Dim_Daily_precip_2015', {"Heat Deg Days (CY", "Cool Deg Days (CY", "Mean Temp (CY)"); #Renamed Columns = Table.RenameColumns('Renamed Columns', {"@Temp_Key", "DBKey_Key", "Climate ID", "Date", "Max Temp (CY", "Mean Temp (CY", "Total Precip (mm)"}); #Merge Quotes = Table.NestedJoin('Renamed Columns', ("Climate ID", "Date"), Dim_wind_2015, ("Climate ID", "Date"), "Dim_wind_2015", JoinKind.LeftOuter); #Expanded Dim_wind_2015 = Table.ExpandTableColumn('Merged Quotes', "Dim_wind_2015", {"Wind_Key", "Spd of Max Gust (km/hr)", "Wind_Key", "Spd of Max Gust (km/hr)"}); #Renamed Columns = Table.RenameColumns('Expanded Dim_wind_2015', {"@Temp_Key", "DBKey_Key", "Wind_Key", "Climate ID", "Date", "Max Temp (CY", "Mean Temp (CY", "Total Precip (mm)", "Spd of Max Gust (km/hr)"}); 94</pre>

Dim_Willite	<pre> #Renamed Columns? # Source = Excel.Workbook(Fix Contents("C:\data\GitHub\NSCC\Project-Team\Charle\data\data\Yahara\NFOR_post_stats.xlsx"), null, true); NFOR_SumStats_Sec_Data_Sheet = Source[[Item:"NFOR_SumStats_Sec_Data\Kande\Sheet"]][Data]; #Promoted Headers? = Table.PromotedHeaders(NFOR_SumStats_Sec_Data_Sheet, [PromoteAllColumns:=true]); #Changep Type? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"SRC", NFOR_post_20250519 - https://vtrc.chi.illinois.gov/datacenter/statdata/dtdipwr/, type any}, {"Column2", type text}, {"Column3", type text}, {"Column4", type any}, {"Column5", type any}, {"Column6", type any}, {"Column7", type any}}); #Promoted Headers? = Table.PromotedHeaders(NFOR_SumStats_Sec_Data_Sheet, [PromoteAllColumns:=true]); #Changep Type? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"YEAR", Int64 Type}}); #Renamed Columns? = Table.RenameColumns(NFOR_SumStats_Sec_Data_Sheet, {{"SRC", AGENCY, "Province"}}); #Renamed Columns? = Table.RenameColumns(NFOR_SumStats_Sec_Data_Sheet, {{"COUNT", COUNT}}); #Renamed Columns? = Table.RenameColumns(NFOR_SumStats_Sec_Data_Sheet, {{"TOTAL_BA_400SpecSecs_bottle_bur", "TOTAL_Annr"}}); #Renamed Columns? = Table.RenameColumns(NFOR_SumStats_Sec_Data_Sheet, {{"MIN_SIZE_BA", #0(Min Size)}}); #Renamed Columns? = Table.RenameColumns(NFOR_SumStats_Sec_Data_Sheet, {{"MAX_Annr", "TOTAL_Annr", {"TOTAL_Annr", "FIBRES", #0(Nombre de fibres, "FIBRES")}}); #Changep Type? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"TOTAL_Annr", type number}, {"MAX_Annr", type number}, {"FIBRES", Int64 Type}}); #Renamed Text? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"YEAR", type text}}); #Changep Type? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"YEAR", Int64 Type}}); #Renamed Text? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"Province", Text.Text, type text}}); #Filtered Rows? = Table.SelectRows(NFOR_SumStats_Sec_Data_Sheet, (YEAR <= 1999)) # #Filtered Rows? </pre>
AQI Legend	<pre> DATATABLE("AQI Category", STRING, "Min", INTEGER, "Max", INTEGER, "Sort Order", INTEGER, "Color", STRING,) { "Very", 0, 50, 1, "96D88A47", "Moderate", 51, 100, 2, "F04E57", "Unhealthy (Sensitive)", 101, 150, 3, "FFA726", "Unhealthy", 151, 200, 4, "FF3333", "Very Unhealthy", 201, 300, 5, "A8478C", "Hazardous", 301, 400, 6, "96D847" } </pre>
dim_stats_forecast	<pre> Source = Csv.Document(Fix Contents("C:\data\GitHub\NSCC\Project-Team\Charle\data\data\Yahara\Final_Clean\stats_forecast.csv"), [Delimiter=";", Columns=4, Encoding=1252, QuoteStyle=QuoteStyle.None], #Promoted Headers? = Table.PromotedHeaders(Source, [PromoteAllColumns:=true]); #Changep Type? = Table.TransformColumnTypes(Source, {{"Date", type date}, {"SARIMA_Predictor", type number}, {"Lower_Bound", type number}, {"Upper_Bound", type number}}); #Inertial Year? = Table.AddColumn(NFOR_SumStats_Sec_Data_Sheet, "Year", each Date.Year(Date), Int64 Type); #Inertial Month Name? = Table.AddColumn(NFOR_SumStats_Sec_Data_Sheet, "Month Name", each Date.MonthName(Date), type text) # #Inertial Month Name? </pre>
Dim_temperature_actual_forecast	<pre> Source = Parquet.Document(Fix Contents("C:\data\GitHub\NSCC\Project-Team\Charle\data\data\Yahara\Final_Clean\temperature_actual_forecast.parquet"), [Compression=snappy, LegacyColumnNameEncoding=false, MaxDepth=1000], #Changep Type? = Table.TransformColumnTypes(Source, {{"Date", type date}}); #Inertial Year? = Table.AddColumn(NFOR_SumStats_Sec_Data_Sheet, "Year", each Date.Year(Date), Int64 Type); #Inertial Month Name? = Table.AddColumn(NFOR_SumStats_Sec_Data_Sheet, "Month Name", each Date.MonthName(Date), type text); #Inertial Month? = Table.AddColumn(NFOR_SumStats_Sec_Data_Sheet, "Month", each Date.Month(Date), Int64 Type) # #Inertial Month? </pre>
Climate_AQI_correlation	<pre> Source = Csv.Document(Fix Contents("C:\data\GitHub\NSCC\Project-Team\Charle\data\data\Yahara\Final_Clean\monthly_aqi_correlation.csv"), [Delimiter=";", Columns=7, Encoding=65001, QuoteStyle=QuoteStyle.None], #Promoted Headers? = Table.PromotedHeaders(Source, [PromoteAllColumns:=true]); #Changep Type? = Table.TransformColumnTypes(Source, {{"City", type text}, {"Province", type text}, {"Year", Int64 Type}, {"Month", Int64 Type}, {"Weather_Variable", type text}, {"Pollutant", type text}, {"Correlation", type number}}); #Inertial Text? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"Year", type text}, {"Month", type text}, {"City", type text}, {"Province", type text}, {"Weather_Variable", type text}, {"Pollutant", type text}, {"Correlation", type number}}); #Changep Type? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"Year", type text}}); # #Changep Type? </pre>
ghg_temp_corr	<pre> Source = Csv.Document(Fix Contents("C:\data\GitHub\NSCC\Project-Team\Charle\data\data\Yahara\Final_Clean\ghg_temp_corr_yearwise.csv"), [Delimiter=";", Columns=5, Encoding=65001, QuoteStyle=QuoteStyle.None], #Promoted Headers? = Table.PromotedHeaders(Source, [PromoteAllColumns:=true]); #Changep Type? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"Province", type text}, {"Year", Int64 Type}, {"Mean Temp", type number}, {"GHG_Emissions", Int64 Type}, {"GHG_Temp_Correlation", type number}}); #Inertial Text? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"Year", type text}, {"Province", type text}, {"Mean Temp", type number}, {"GHG_Emissions", Int64 Type}, {"GHG_Temp_Correlation", type number}}); #Changep Type? = Table.TransformColumnTypes(NFOR_SumStats_Sec_Data_Sheet, {{"Year", type text}}); # #Changep Type? </pre>