

Chapter 8

Proof of Relation 8.19

MohamadAli Khajeian*

Faculty of Engineering Sciences, University of Tehran, Iran

December 11, 2024

Abstract

This document presents the solution of "Quantum Computing Explained by David McMAHON" exercises.

Proof

If a matrix or operator U is unitary, then

$$UU^\dagger = U^\dagger U = I$$

If the operator is also Hermitian, then

$$U = U^\dagger$$

Combining these two relations yields

$$U^2 = UU = UU^\dagger = I$$

So we have

$$\exp(-i\theta U) = I - i\theta U + \frac{(-i\theta)^2}{2!}U^2 + \frac{(-i\theta)^3}{3!}U^3 + \frac{(-i\theta)^4}{4!}U^4 + \frac{(-i\theta)^5}{5!}U^5 + \dots$$

Since $U^2 = I$ and $i^2 = -1$, this relation becomes

$$\begin{aligned}\exp(-i\theta U) &= \left(I - \frac{\theta^2}{2!}I + \frac{\theta^4}{4!}I - \dots \right) - i\theta U + i\frac{\theta^3}{3!}U - i\frac{\theta^5}{5!}U + \dots \\ &= \left(1 - \frac{\theta^2}{2!} + \frac{\theta^4}{4!} - \dots \right) I - i \left(\theta - \frac{\theta^3}{3!} + \frac{\theta^5}{5!} - \dots \right) U \\ &= \cos \theta I - i \sin \theta U.\end{aligned}$$

*khajeian@ut.ac.ir