CPTS Report

When the exam starts

Meta — Document Control — Executive Summary (Most of it when the exam starts) — Network Penetration Testing Assessment Summary — Assessment Overview and Recommendations (Later)

Most these fields are fairly standard and require little to no modification. Read them carefully and decide if you want to change something or leave as is.

When A Host Or Service Is Discovered

Once you discover a live host and enumerate the available services (e.g., via an Nmap scan), you should fill in the appropriate appendix:

- Appendix
  - Host & Service Discovery
    - For each discovered host, create a table with the following columns:
      - Heading that identifies which host the information pertains to.
      - Column — Explanation
        - Port The port(s) — where the discovered service is running. E.g., "80"
        - Service — The name and version of the service. E.g., "nginx 1.18.0"
        - Notes — Any additional notes you have. E.g., "Hosts a custom support web application."

When A Virtual Host Or Subdomain Is Discovered

You should fill in the appropriate appendix with both the domains provided in the scope of the assessment and any new ones you discover during your penetration test:

- Appendix
  - Subdomain Discovery — Explanation
    - Column — The URL of the domain. E.g., "admin.target.htb"
    - URL — A description of what the domain is used for. E.g., "Administrator dashboard for the web application."
    - Description — How you discovered it. E.g., "Revealed in HTML comment."
    - Discovery Method

When A Security Finding Is Discovered

Findings
Examples in the following link
https://academy.hackthebox.com/module/162/section/1670
Fill out all the fields:

- Findings — Title — For the Title, while it can be challenging to come up with, there is no strict standard you must follow. However, to make it as clear, concise and consistent, you can name the findings as you see fit. Here are some example titles based on the vulnerabilities in the Top Ten Web Vulnerabilities that might inspire you.
  - Insecure File Sharing
  - Sensitive Data on File Shares
  - Unnecessary Exposed Services
  - Insecure Direct Object Reference (IDOR)
    - Insecure File Upload
    - Unrestricted File Upload
    - Local File Inclusion (LFI)
  - Weak vsftpd [USER] for Admin Credentials
    - Cross-Site Request Forgery (CSRF)
    - Cross-Site Scripting (XSS)
    - SSRF to Local File Read
    - XML External Entity (XXE) Injection
    - Server-Side Template Injection
  - Excessive Active Directory Group Privileges
  - Passwords in AD User Description Field
  - Misconfigured [APPLICATION] Instance

  Remember, each security finding should be documented individually. Don't group multiple vulnerabilities, like misconfigurations, into a single finding.
- CVE — For the CVE, if you're unsure, you can ask ChatGPT which CVE fits the vulnerability. Sometimes it is grouping <VERY METIS> and reviewing the description.
- CVSS — For CVSS, use the CVSS calculator built into Nessus. Again, ChatGPT can help, but make sure to verify the result yourself.
- Overview — Provide a high-level explanation of the vulnerability, both generally and in the context of your finding. Avoid covering the impact or remediation here, as those will be addressed in later fields.
- Impact — In the Impact section, describe the security implications of the vulnerability if it remains in the environment. Explain the potential risks and examples relevant to this instance of the vulnerability. You can present this information as a paragraph or a bullet-point list, but keep the format consistent across all findings.
- Affected Components — In the Affected Components field, provide the smallest label that encompasses all the components affected by the vulnerability. For example:
  - If a vulnerability affects a single host or service, use a label that includes both the host and the affected service, such as "10.129.201.58 | 135,445 TCP/". (e.g. ElemalSite)
  - If it affects a specific subdomain, use a label such as app.inlanefreight.XZ/ on a web application.
  - For vulnerabilities affecting an entire Active Directory or an AWS/Cloud environment, don't list each host individually. Instead, use a label like "target.htb Active Directory domain" or an IP range, such as 10.129.0.0/16. (e.g. Forthemeeting)
- Recommendations — In the Recommendations field, provide actionable steps to fix the vulnerability. Never attempt to fix the issue yourself, such as by providing a "fixed" version of code. Instead, guide the client on how to resolve the issue. Additionally, if the vulnerability is common, has an Academy section with mitigation suggestions that you can use as reference when writing recommendations. You can present these actions as a bullet-point list.

  We should tie each recommendation back to a specific finding and not include any short or long-term remediations that aren't directly actionable by remediating findings reported later in the report. Long-term recommendations may also lack implementation details. For example, recommendations such as "Create baseline security templates for Windows Server and Workstation hosts" and "Apply these templates to existing systems" such as "Perform periodic Social Engineering engagements with follow-on debriefings and security awareness training to build a security culture" are more within the organization from the top down."
- References — In the References field, include links to resources related to the security finding. Useful references might include:
  - The NIST page for the CVE if applicable, and any relevant blog posts by the researcher.
  - The MITRE page for the CWE, if available.
  - An OWASP Prevention Cheatsheet for the vulnerability if there is one.
  - If you used a Proof of Concept (PoC) script you haven't wrote yourself, provide a link.
- Details — Lastly, in the Details field, provide a step-by-step procedure to reproduce the discovery and validation of the finding. Be sure to include explanations for each step. Be sure to include:
  - Plenty of images and code blocks to illustrate your points.
  - Label all images and code blocks clearly.
  - Highlight important lines in code blocks.
  - Crop images to show only the relevant portions.
  - Redact any sensitive information from both images and code blocks.
  - Mention tools and scripts used.

Executive Summary

- Do
  - When talking about metrics, be as specific as possible.
  - It's a summary. Keep it that way.
  - Describe the types of things you managed to access.
  - Describe the general things that need to improve to mitigate the risks you discovered.
  - If you're feeling brave and have a decent amount of experience on both sides, provide a general estimate for how much effort will be required to fix some of the issues.
- Do Not
  - Name or recommend specific vendors.
  - Use Acronyms — Vocabulary Changes — This list is not exhaustive nor the "right" way to explain these things. But it is a list of examples of how you might describe a technical topic in a more universally understandable way.
    - VPN: SSH - a protocol used for secure remote administration
    - SSL/TLS - technology used to facilitate secure web browsing
    - Hash - the output from an algorithm commonly used to validate file integrity
    - Password Spraying - an attack in which a single, easily-guessable password is attempted for a large list of harvested user accounts
    - Password Cracking - an offline password attack in which the cryptographic form of a password is recovered back to its human-readable form
    - Buffer overflow/deserialization/etc. - an attack that resulted in remote command execution on the target host
    - OSINT - Open Source Intelligence - Searching for information about a company and its employees that can be found using search engines and other public sources without interacting with a company's external assets.
    - SQL injection/XSS - a vulnerability in which input is accepted from the user without sufficient validation and sanitization, allowing the application's logic in an unintended manner
  - Spend more time talking about stuff that doesn't matter than you do about the significant findings in the report.
  - Use words that no one has ever heard of before.
  - Reference a more technical section of the report.

Anatomy of the Executive Summary

The first thing you'd likely want to do is get a list of your findings together and try categorizing the nature of the risk of each one. These categories will be the foundation of the first paragraph of your executive summary in our sample report, we have the following findings:

- LLMNR/NBT-NS Response Spoofing - configuration change/system hardening
- Weak Kerberos Authentication ("Kerberoasting") - configuration change/system hardening
- Local Administrator Password Re-Use - behavioral/system hardening
- Weak Active Directory Passwords - behavioral
- Tomcat Manager Weak/Default Credentials High - configuration change/system hardening
- Insecure File Shares - configuration change/system hardening/permissions
- Directory Listing Enabled - configuration change/system hardening
- Enhance Security Monitoring Capabilities - configuration change/system hardening

Remediation Summary

With the finding section complete, take a moment to fill in the fields related to the Remediation Summary section by adding Short Term, Medium Term, and Long Term findings. In this step, you can generally copy-paste the remediation actions you suggested in the finding's Recommendation field and categorize them as Short Term, Medium Term, and Long Term fields as appropriate. By the end of the engagement, you should have a list of findings, each with its own short- and long-term remediation actions for all the security findings you discovered.

- "Short Term"
- "Medium Term"
- "Long Term".

Effective Remediation Recommendations

Example 1 —
- Bad: Reconfigure your registry settings to harden against X.
- Good: To fully remediate this finding, the registry settings must be reconfigured to not allow any unsafe values. If any changes to critical components like the registry should be approached with caution and tested in a small group prior to making large-scale changes.

Example 2 —
- Bad: Implement [some commercial tool that costs a fortune] to address this finding.
- Good: There are different approaches to addressing this finding. Some of the effected software services that publishes a vulnerable version, such as [software X], may have a patch available. Other options, such as [software Y], may require a workaround. If a link to the walkthrough has been provided in the reference links below. Alternatively, there may be settings in the software that can be set to make it possible to disable the vulnerable functionality in the affected software altogether, but these tools may be user-prohibitive.

Remediation Summary — before — Did the full path to the affected registry item(s) — Change value X to value Y

When The Engagement Is Done

The fields that need to be filled or revisited are:

- Executive Summary — Assessment Overview and Recommendations
- Remediation Summary
  - "Short Term"
  - "Medium Term"
  - "Long Term"
- Appendix — Domain Password Review

Now that you have a complete walkthrough of the attack path in the Detailed Walkthrough field, it's time to fill in the Assessment Overview and Recommendations section of the Executive Summary.

Assessment Overview and Recommendations

For this section, you'll provide a plain-English overview of the attack path and your overall takeaways from the engagement. Avoid technical jargon, bullet points, and code blocks, as this part is intended for a non-technical audience.

Start with a paragraph on your overall assessment of their security posture. Reflect on your initial expectations and how they aligned with the client's security practices. For instance, if no password spray attack succeeded, praise their strong password policy.

Then, write a paragraph for each security finding in which you successfully exploited a vulnerability or misconfiguration that can understand (without sounding patronizing) and include straightforward remediation suggestions.

The default text for this field is well-written, so definitely keep it and insert your own text where indicated.

Short Term, Medium Term, Long Term remediation fields

After that, revisit the Short Term, Medium Term, and Long Term remediation fields. By now, you should have remediation actions related to the specific security findings listed. Ideally, you should have short-term recommendations that address the overall security posture of the organization.

For example, if many findings were related to outdated software with known CVEs, you should recommend reviewing and improving patch management practices. Additionally, effective remediation, such as conducting regular security audits and staying up to date with best practices

An appendix not included in the SysRepitor template but recommended by the course material, is "Domain Password Review"[1].

In this appendix, you'll provide statistics on the passwords of Active Directory domain users after achieving domain compromise and dumping NTDS.dit. Key statistics to include are:

- Number of hashes obtained
- Number of unique hashes
- Percentage of hashes cracked
- Most commonly used passwords
- Password length breakdown

When You Get Foothold On A Host

When You Get Foothold On A Host

Once you gain command execution on a host, it's time to add it as exploited to the appropriate appendix.

You'll also document the steps for this initial compromise in the consecutive walkthrough.

- Appendix
  - Exploited Hosts
    - For the Exploited Hosts appendix, fill in a table with the following columns for each host:
      - Column — Explanation
        - Host — The hostname and IP address of the host. E.g., "HOST01 (10.129.58.128)"
        - Scope — Indicate either "External" or "Internal," depending on whether the host is external-facing or internal (e.g., in a DMZ).
        - Method — Describe the exploitation method used to compromise the host. E.g., "Command injection on web application."
        - Notes — Include any additional notes about the host. E.g., "Domain Controller for target.htb."

Internal Network Compromise Walkthrough

- Walkthrough Summary — For the compromise walkthrough, start by reviewing the Walkthrough Summary field. Make any necessary adjustments and see if it flows well. Ideally, it should address the steps your own words if needed, but otherwise you can leave it as is.
- Detailed Walkthrough — For the Detailed Walkthrough, you'll document the steps related to the host you just exploited. Use the following structure, which is divided into two parts:
  - ((report.candidate.a_name)) ("the tester" herein) performed the following to fully compromise the <DOMAIN> domain.
    - <Here, include a numbered bullet point list where each point outlines a step in the attack chain.>
      - Bullet Point List: Keep it concise and focused. It's fine to have multiple points for a single finding, but don't overdo it. Don't include images, code blocks, or any extraneous details.
  - Detailed reproduction steps for this attack chain are as follows:
    - <Here, provide detailed steps in a writeup format.>
      - Detailed Walkthrough: Describe the steps thoroughly in a writeup format. Be highly descriptive and explain each technique or action in detail, at least once. Include plenty of images and code blocks—when in doubt, err on the side of including too many rather than too few. Add pertinent comments where appropriate, such as acknowledging effective security measures.

For both parts, include any findings unrelated to the shortest attack path to domain compromise. Again, the goal is to write something to yourself as "the tester" to any compromise more hosts during the engagement. this field will be used to fill in the Changes/Host Cleanup appendix of the attack chain by the end.

When You Root A Host

When You Root A Host

Once you've gained the highest local privilege on a host (root or SYSTEM), fill out the following fields:

- Internal Network Compromise Walkthrough
  - Detailed Walkthrough
    - For the Detailed Walkthrough, you'll document the steps related to the host you just exploited. Use the following structure, which is divided into two parts:
      - ((report.candidate.a_name)) ("the tester" herein) performed the following to fully compromise the <DOMAIN> domain.
        - <Here, include a numbered bullet point list where each point outlines a step in the attack chain.>
          - Bullet Point List: Keep it concise and focused. It's fine to have multiple points for a single finding, but don't overdo it. Don't include images, code blocks, or any extraneous details.
      - Detailed reproduction steps for this attack chain are as follows:
        - <Here, provide detailed steps in a writeup format.>
          - Detailed Walkthrough: Describe the steps thoroughly in a writeup format. Be highly descriptive and explain each technique or action in detail, at least once. Include plenty of images and code blocks—when in doubt, err on the side of including too many rather than too few. Add pertinent comments where appropriate, such as acknowledging effective security measures.
    - Appendix
      - Changes/Host Cleanup

First, take a moment to recall all the changes you made to the host throughout the attack. This could include actions like adding a web shell, transferring an executable, creating a new user, and more.

Even if an action might seem insignificant, like deleting a file or shell after using it, it's important to document it in the report. The blue-team might discover it during their investigation, and they need to know whether it was part of the pentest or a potential breach.

After compiling your list, add a table to the Changes/Host Cleanup appendix with the following columns:

- Heading to identify which host the changes relate to
  - Column — Explanation
    - Host — The hostname and IP address of the host. E.g., "HOST01 (10.129.58.128)"
    - Scope — Indicate either "External" or "Internal," depending on whether the host is external-facing or internal (e.g., in a DMZ).
    - Change/Cleanup Needed — A description of the change made. If it involves creating or transferring a file, include the MD5 sum. E.g., "Uploaded a web shell to /var/www/html/shell.php. MD5: 6ad3f0f3d57e6f54f4d5f9e0e42d7b34f2f1"

the Detailed Walkthrough.

After documenting the changes, include the steps for this compromise in the Detailed Walkthrough field, both in the bullet point list and the detailed writeup.

When You Compromise A User

When You Compromise A User

Once you gain control of a user, whether by obtaining their passwords, NTLM hash or however else, add this information to the appropriate appendix:

- Appendix
  - Compromised
    - I recommend creating one table for local users and another one for Active Directory users, since we've customized it above. Alternatively, you could create a separate table for local users on each individual host if that works better for you.
      - Heading identifying the host or domain they are associated with.
        - Column — Explanation
          - Username — The username for the user. E.g., "www-data"
          - Method — The method you used to gain control over this user. E.g., "Kerberoasting"
          - Notes — Notes about the user. For local users, specify the host they belong to. If the user has a specific purpose, mention that too. E.g., "NOT01's local user for Tomcat service."

The tables should include the following columns:

When You Capture A Flag

When You Capture A Flag

- Appendix
  - Flags Discovered
    - Column — Explanation
      - Flag # — The flag number. Sort the rows in ascending order. E.g., "1"
      - Host — The hostname of the host where the flag was found. E.g., "HOST01"
      - Flag Value — The exact value of the flag as found.
      - Flag Location — Where the flag was found. If it was in a file, provide the full path. E.g., "/root/flag.txt"
      - Method Used — The method used to exploit your way to the flag. E.g., "Privilege escalation via sudo rights over the vget binary."

Presented with xmind