

Heterogeneous Verification for Multi-Step Decentralized Workflows

Cory Gabrielsen (cory.eth)

November 2, 2025

Abstract

Financial and confidential automation relies on trusted intermediaries, imposing fees and custody risks that limit practical applications. Blockchains verify onchain operations but cannot verify automation requiring confidential execution, external data, or multi-step coordination. We propose a verification system where each operation uses the mechanism appropriate to its computation. The system combines cryptographic proofs for blockchain operations, hardware attestations for confidential execution, and stake-backed attestations for external interactions into workflow attestations. Validators broadcast attestations backed by stake, maintaining verifiability as long as honest validators control sufficient stake to make fraud economically irrational. This enables verifiable automation for financial operations, multi-party workflows, and confidential computation requiring trusted intermediaries.

1 Introduction

Execution of agreements and coordination of complex operations have come to rely almost exclusively on trusted intermediaries to handle financial transactions, legal processes, and confidential data. While these intermediaries work well enough for simple cases, they suffer from the inherent vulnerabilities of the trust-based model. Processes that handle value cannot avoid custody risk, since intermediaries must hold private keys and can be hacked, bankrupted, or compromised. The cost of custody manifests in billions of dollars lost to exchange failures and stolen assets, limiting the scale at which financial operations can be automated and cutting off entire classes of high-value coordination. Legal execution faces similar constraints—a will specifying asset distribution, guardianship, and property transfers requires coordinating executors, courts, property registries, and beneficiaries over months or years, with no mechanism for verifiable automation. Confidential processes compound these problems further, as healthcare workflows expose patient data to cloud providers, enterprise systems surrender control to vendors, and sensitive operations reveal private information to platforms. With these dependencies comes concentration of power. Organizations and individuals must accept vendor lock-in and platform rules, granting more access and control than they would otherwise. A certain percentage of custody losses, contested estates, data breaches, and censorship is accepted as unavoidable. These risks can be avoided through manual processes with in-person verification, but no mechanism exists for trustless execution at scale without centralized operators.

What is needed is a verification system based on cryptographic attestations instead of trust, allowing processes to execute across multiple steps and parties without centralized intermediaries. Workflows combining cryptographic proofs for blockchain operations, hardware attestations for confidential execution, and stake-backed attestations for external interactions would protect against custody risk while preserving confidentiality and maintaining verifiability across heterogeneous trust requirements. In this paper, we propose a heterogeneous verification system where validators attest

to each workflow step using mechanisms appropriate to the computation and stake economic value against their attestations. Fraudulent attestations can be challenged through onchain fraud proofs. The system is secure as long as honest validators control sufficient stake to make fraud economically irrational.

2 Workflows

We define a workflow as a sequence of operations, where each operation produces outputs that subsequent operations may depend on. Each operation may employ different computational environments and verification mechanisms according to its requirements. Executing a will, for instance, requires verifying death records through vital statistics offices, coordinating beneficiaries through legal counsel, transferring property titles through county registries, and distributing assets through financial institutions—operations that courts and executors have coordinated for centuries, yet disputes regularly destroy families. Similarly, algorithmic trading requires balance verification through blockchain systems, strategy execution in confidential environments, and trade settlement through exchanges that routinely fail through hacks and bankruptcy.

The problem is that operations have heterogeneous verification requirements that no single institution can satisfy. Blockchain operations can be verified cryptographically through replication—any party can independently confirm a balance or transaction occurred. Confidential operations—trading strategies, medical diagnoses, proprietary business logic—require sealed execution environments where verification depends on hardware attestations rather than observability. External operations depend on institutions: courts must confirm judgments, hospitals must verify treatments, registries must attest to transfers, exchanges must confirm settlements. A common solution is designating a trusted intermediary to execute all operations and attest to results—an executor for wills, an exchange for trading, a platform for healthcare workflows. The problem with this solution is that these intermediaries are themselves institutions requiring trust. Executors misappropriate estates, exchanges steal deposits, healthcare platforms breach patient data. These institutions evolved over centuries specifically to handle custody, resolve disputes, and protect confidentiality, yet custody losses, contested estates, and data breaches remain unavoidable.

We need verification that does not depend on trusting institutions. For blockchain operations, cryptographic proofs provide this—any party can verify without trust. For confidential operations, hardware attestations offer cryptographic guarantees independent of operator trust. For external operations, economic security through staked attestations creates verifiability through incentives rather than institutional authority. The challenge is composing these heterogeneous mechanisms into unified workflow verification. We cannot simply chain attestations—we need proof that each step’s verification is valid, that operations executed in the correct order, and that composition maintains end-to-end verifiability across different trust assumptions without reintroducing dependence on trusted institutions.

References

- [1] S. Nakamoto, “Bitcoin: A Peer-to-Peer Electronic Cash System,” 2008.