

Adoption Tracker
W3C Agent Protocol CG/Agent Network Protocol
Opensource Project

Updated: September 21, 2026

Project	Stated ANP Usage & Technical Alignment	Adoption Strength
FAX — Fast Agent Exchange Network	README explicitly states the project is "Built on Agent Network Protocol". It ships a dedicated fax-anp module that implements core ANP primitives including Agent Description, Discovery, did:wba identifiers and end-to-end encryption (E2EE).	Very Strong
HelloAgents / Datawhale	The framework natively provides ANPDiscovery, ANPNetwork and ANPTool components. Official documentation includes hands-on production guides for ANP-based agent service discovery.	Very Strong
zrt-ai-lab / opencode-skills / uni-agent	README claims unified support for ANP, MCP, A2A and AITP protocol stacks. The codebase contains a dedicated ANPAdapter module and declares a dependency on the official anp Python SDK.	Very Strong
ATTP	README explicitly confirms its agent identity layer is "built on ANP and W3C DID (did:wba)". The implementation directly leverages ANP/OpenANP capabilities for identity resolution and agent messaging.	Very Strong
CORE Lab NCSRD Agentic 5G/6G Toolkit	README documents an experimental ANP interoperability interface. It implements did:wba DID schemas and ANP Agent Description specifications for telecom-centric agent use cases.	Strong (experimental)
MultiagentBench / AgentProtocols	A multi-protocol agent research benchmark framework with native ANP runner support. ANP is included as a first-class protocol stack alongside A2A, AGP and Agora for comparative research.	Strong (benchmark / research use)

Project	Stated ANP Usage & Technical Alignment	Adoption Strength
Agent Protocol Benchmark	Implements complete ANP HTTP/JSON-LD transport and DID-WBA authentication flows. It is purpose-built for comparative performance testing between ANP, MCP and A2A stacks.	Strong (benchmark / research use)
FAA — Free Association of Autonomous Agents	A transport-agnostic cross-framework interoperability experiment designed to work alongside ANP, A2A, MCP and other agent stacks. Its core invariant — "AUTHORITY DOES NOT PROPAGATE" — directly aligns with ANP principles of delegation attenuation and identity boundary preservation. ANP-compliant agents can join the experiment via standard entrypoints without modification.	Strong (architectural alignment)
JACS	Implements did:wba identifiers, DID Documents, ANP Agent Description schema, discovery workflows and DID request proofs. The project does not formally claim full end-to-end ANP protocol compliance.	Moderate
APC — Agent Security Runtime (Aleph Labs)	Positioned as a complementary action-enforcement layer for high-consequence agent operations. It seeks interoperability with ANP’s agent identity and delegation layer (covering delegation attenuation, invocation IDs and OAuth complementarity). Its internal implementation remains proprietary; integration is proposed via externally visible security properties and black-box conformance testing.	Moderate (conceptual alignment; exploratory phase)
msg2agent	Adopts the did:wba DID method as its agent identity representation. The project does not explicitly position itself as "ANP-based" nor implement full ANP protocol semantics.	Moderate-Weak
x0x	Documentation previously referenced "ANP: Partial" support. In practice, its identity, messaging and transport layers are built primarily on a custom proprietary protocol stack with limited ANP surface area.	Weak (not counted as formal ANP adoption)

Beyond GitHub open-source projects, W3C APCG/ANP OSC is gaining traction across global standardization and research contexts:

1. **W3C Cross-Group Collaboration** The W3C WebAgents Community Group has entered exploratory discussions with the Agent Protocol CG around joint breakout sessions and topic sharing at TPAC, discussing APCG as one of solutions of foundational identity and delegation layer for web-native agent systems.
2. **Academic & Research Reference** ANP's standards-based identity and delegation model is increasingly cited in multi-agent system research as an open alternative to proprietary agent identity frameworks. Benchmark initiatives such as MultiagentBench and Agent Protocol Benchmark also anchor ANP as a baseline protocol for comparative agent interoperability studies.
3. **Industry Pilot Implementations** Multiple enterprise and telecom participants in the W3C Agent Protocol CG are piloting ANP for internal agent platforms, with use cases spanning enterprise agent security, 5G/6G network automation and compliance-enforced agent execution.

W3C Cross-Group Collaboration - WebAgents CG

WACG have two meeting slots scheduled for the morning of October 26 (09:00–12:30 Dublin time). Our aim is to build a narrative across the two meetings, and we would be very happy if you could join us for both. In particular, we would like to propose organizing the second slot as a joint meeting with the AI Agent Protocol CG.

Current agenda proposal:

❑ 09:00-10:30: Meeting slot #1

- [5 min] Introduction to the WebAgents CG
- [25 min] Placing the Web into the Agentic Web (based on the WebAgents Interop Report)
 - Overview of what underlies the different approaches today, and to what extent the Web is used
 - The Web as a Platform for Agents: architectural design ideas from the Interop Report
- [1h] Web of Things / Manageable Affordances / Link back to the Agentic Web
 - [20 min] Overview of manageable affordances and initiatives based on W3C WoT recommendations
 - [40 min] Open discussion

❑ 10:30-11:00: Coffee break

❑ 11:00-12:30: Meeting slot #2

- [10 min] Interaction Protocols: motivation for hypermedia and the potential conceptual shift towards using the Web as more than a transport layer
- [20 min] Input from the AI Agent Protocol Community Group
- [20 min] Information Protocols, Amit Chopra (TBC)
- [40 min] Open discussion