

RUM **Community Group**

2026-05-13 Edition

Agenda

- Barry's Bytes
- Mozilla's Memos

Logistics

- Meeting cadence
 - 2nd Wednesday of the Month
 - 60 minutes
 - 10am ET
- Agenda Document
 - (bit.ly/rumcg-agenda)
- Google Meet for Meetings
 - sub to [rumcg-participants](#) for invites
- Chat on Web Performance Slack
#w3c-rum-community-group
 - ([invites](#))
- public-rumcg@w3.org
 - (for discussions)
- RUM CG Github Repo
 - github.com/w3c-cg/rum
 - Group details
 - Links
 - Meeting minutes
- RUM CG Tracking Project
 - github.com/orgs/w3c-cg/projects/1
- Meeting Minutes via fireflies.ai
 - AI summary + transcript will be posted after
 - Full video recording also available

Next Meeting

- Wed June 10th @ 10am EST
 - 2nd Wednesday of each month
- Topics?
 - OTel?
- Submit & Vote topics @ bit.ly/rumcg-agenda

Topics Backlog

- ~~Better tracking/visibility into vendor positions (March 14)~~
- ~~Top tracking issues (e.g. this [lighthouse issue](#)) (March 14)~~
- ~~Baseline Project~~
- ~~Funding browser work for features~~
- ~~Header adoption (TAO, Server timing)~~
- ~~Browser vendor presentations~~
- Outreach to other groups (i.e. 3rd Parties, CDNs)
- Ad Blockers & tracking protection
- Implementation best practices
 - When to fire the beacon/how to deliver
 - SPA support
- Making sure we don't step on each other's toes (i.e. clearing RT buffers, multiple vendors on a page, etc.)
- Open source
- Securing the beacon
- ~~RUM Archive~~
- ~~Callstacks from input delays (Issac Gerges [thread](#) in #general)~~
- ~~Container Timing awareness~~
- ServerTiming / trailers
- Bot and bad actor detection (bad CWW bots)
- AI browsers

let's

goooooooooooooooooooo

oooooooooooooooooooo

oooooooooooooooooooo



Barry's Bytes

So, what's been going on in Chrome then?

- 145 - Add presentationTime/paintTime for performance entries
- 146 - Matched specced behaviour for emitting candidates
- 146 - Speculation Rules Form Submission OT
- 147 - Update Device Memory API limits
- 147 - Prerendering cross-origin iframes OT
- 148 - Content type in Resource Timing
- 148 - Extended lifetime shared workers
- 148 - Lazy Loading for video and audio
- 148 - Container Timing OT
- 148 - LoAF style duration OT

Barry's Bytes: Lazy loading audio and video


Landed in Chrome 148!

```
<video  
  loading="lazy"  
  src="path/to/sloth.webm"  
  poster="path/to/sloth.jpg">  
</video>
```

<https://engineering.squarespace.com/blog/2026/how-to-use-standard-html-video-and-audio-lazy-loading-on-the-web-today>

<https://developer.mozilla.org/en-US/docs/Web/HTML/Reference/Elements/video#loading>

Barry's Bytes: An update on Soft Navigations



<https://developer.chrome.com/blog/final-soft-navigations-origin-trial>

Barry's Bytes: An update on Soft Navigations

It's now **two** APIs:

Interaction Contentful Paint

- Emits LCP-like entries after EVERY interaction (soft nav or not)
- Can be used to measure “soft LCP”
- Scope goes beyond soft navs

Soft Navigation

- Emits when soft navs are detected
- Includes the `largestInteractionContentfulPaint` object
- Can be used to “reset” INP and CLS

Barry's Bytes: Soft Nav BlinkOn talks

Michal Mocny — The APIs

- [Slides](#)
- [Video](#)

Annie Sullivan — The Data

- [Slides](#)
- [Video](#)

Barry's Bytes: Soft Nav BlinkOn talks

Michal Mocny — The APIs

- [Slides](#)
- [Video](#)

Annie Sullivan — The Data

- [Slides](#)
- [Video](#)


Other interesting talks!

- Key note is really good!
- [Talks and Slides](#)
- [Video Playlist](#)

Why might they be a blind spot for Core Web Vitals?


Traditional multi-page web site

The first load and follow up loads are counted.



Single-page application


Only the first page load is reported to CrUX



Why might they be a blind spot for Core Web Vitals?


Traditional multi-page web site

The first load and follow up loads are counted.



Single-page application


Only the first page load is reported to CrUX



How big of a problem is this in practice?


It looks small when we look across all sites.

4-8% of origins
More than half soft navigations



How big of a problem is this in practice?

It's a much bigger issue for popular sites.




How does this affect our metrics for page load time?

LCP is more consistent overall, and best for the sites with majority soft navigations.

Most soft navs

Highest portion of good LCP.




What about our metrics for input responsiveness?

INP improves for sites with many soft navigations, but it's not on par with traditional sites.

Most soft navs

Smaller portion of good INP than overall.




What about our metrics for layout shift?

CLS also improves for sites with many soft navigations, but only comes to par with traditional sites on Desktop.

Most soft navs

Slightly fewer
Android sites with
good CLS than
overall.




Barry's Bytes: Soft Navs is this what will ship?

There *may* be a few more tweaks

- Measure all paints in LCP and not just increasing in future?
- Might nest paint times to place “largest” in a child object?
- This would allow those interested in LCP to only look at that and ignore other updates without being a breaking change.


```
duration: 805.1000000014901
▶ element: img
  entryType: "interaction-contentful-paint"
  id: ""
  interactionId: 3156
  loadTime: 39594.19999999553
  name: ""
  navigationId: 7417
  paintTime: 39594.39999999851
  presentationTime: 39624
  renderTime: 39624
  size: 106800
  startTime: 38818.89999999851
  url: "https://www.tunetheweb.com/experiments/softnavsdemo/image.jpg"
```

Barry's Bytes: Container Timing



<https://developer.chrome.com/blog/container-timing-origin-trial>

Barry's Bytes: Container Timing



Container Timing Demo Live

codepen.io/web-dot-dev/live/ogYvzgQ

Ask Gemini

Work Action required

Understanding Container Timing

This card contains a large image and text to trigger Largest Contentful Paint (LCP) and Container Timing measurements. It also contains this late-triggered text.

Performance Timings

LCP: 956ms

Container Timing: 3,640ms

Container Timing Additional Details

Container Timing Identifier: card

Container Timing size: 94,260

Container Timing firstRenderTime: 640ms

Container Timing lastPaintedElement: #late-text

<https://developer.chrome.com/blog/container-timing-origin-trial>

Barry's Bytes: Container Timing

Fun with third-party origin trial tokens 🙄

- OT token needs to be inserted to activate the feature
- 3P OT tokens need to be loaded from script
- Scripts usually loaded AFTER elements on the page
- Recommendation: Use 1P OT tokens

Barry's Bytes: Measuring Speculations

Two proposals

Activation beacon

- <https://github.com/explainers-by-googlers/prefetch-activation-beacon>
- More accurate usage, not dependent on script

Speculative load measurement API

- https://github.com/WICG/speculative_load_measurement
- JavaScript API with details at the end of the page life cycle
- All speculations (inc preload)
- Initial prototype merged into 150
- Origin trial coming?

Mozilla's Memos



Andrew Creskey

Firefox Performance Engineering

Intent to Prototype: No-Vary-Search HTTP Caching Extension

- Firefox would usually treat these as different cache entries:

<https://example.com/article?ref=homepage>

<https://example.com/article?ref=sidebar>

even if they show the same article.

- No-Vary-Search is an HTTP response header the server sends back with the page, like:

No-Vary-Search: params=("ref")

It tells the browser: Ignore ref; it doesn't change the content.

- Announcement: [\[dev-platform\]](#)
- [Bug 1967294 - \[meta\] Support No-Vary-Search HTTP Caching Extension](#)

Intent to Prototype: Speculation Rules - Same-Origin Prefetch

```
<script type="speculationrules">
{
  "prefetch": [
    {
      "where": { "href_matches": "/articles/*" },
      "eagerness": "conservative"
    }
  ]
}
...
</script>
```

- Result: faster sub navigation
- Announcement: [dev-platform](#)
- [Bug 1969396 - \[meta\] Implement Speculation Rules – Prefetch \(Same-origin\)](#)

Resource Timing Level 3 interim response timestamps

- Two new read-only attributes on PerformanceResourceTiming
 - `firstInterimResponseStart` — timestamp of the first byte of the first 1xx interim response (100 Continue, 103 Early Hints, etc.). 0 if no interim response
 - `finalResponseHeadersStart` — timestamp of the first byte of the final (non-1xx) response headers.
- [Bug 2006340 - Implement Resource Timing Level 3 interim response timestamps](#)
- Landed in Firefox 152

Intent to Prototype and Ship: Happy Eyeballs V3 - Better Connectivity Using Concurrency

- Unified connection logic
- Races IPv4 and IPv6 connection attempts in parallel using a [Rust-based state machine](#),
- Can also race QUIC/HTTP/3 against TCP-based HTTP/1.1 or HTTP/2 when an HTTPS record or Alt-Svc response header indicates that HTTP/3 is available
- Expect to see different connection patterns from Firefox clients (hopefully more over HTTP/3!)
- Announcement: [dev-platform](#)
- [Bug 1953459 - \[meta\] Happy Eyeballs v3](#)