

KYAPay

Verified agent identity and payments for
ubiquitous agentic commerce on the existing web

Ankit Agarwal

CTO, Skyfire

Dr. Michael B. Jones

Self-Issued Consulting

9 September 2026

Google Zurich, Europaallee

KYAPay is not another rail. It rides the web you already have.

Ankit Agarwal, CTO, Skyfire · Dr. Michael B. Jones, Self-Issued Consulting

THE PROBLEM

Legitimate agents get blocked — not because they are agents, but because nobody can see the human behind them.

An agent with no human principal is one actor making a thousand purchases. To a fraud system that is a scalper — and it is not wrong.

**Identifying the agent is not enough.
The human principal is the part that matters.**

THE POSITION

Start where the commerce already is — the same sites, rails and brands their humans use today. Nothing to configure in advance, one merchant at a time.

But the token is not tied to a browser. The same claims travel over MCP, A2A, or whatever the agentic web settles on as it grows.

**Meet the web that exists.
Grow into the one that is coming.**

Watch for three moments.

An agent buying on giftcards.com. Nothing is installed on the merchant side.

01

THE DOOR

The agent is a headless browser.
Undeclared, it is indistinguishable
from a scraper — and treated as one.

It presents a KYA token instead.

Identity gets it in.

02

THE CART

It browses and selects like any
other visitor. No special API,
no agent-only catalogue,
no merchant integration.

The existing site, unchanged.

03

THE CHECKOUT

A second token carries a payment
credential issued by the card
networks — Visa or Mastercard —
not a card number.


Single use, and scoped to this
one purchase and this merchant.

Payment is a separate claim.

KYA gets the agent through the door. PAY settles the purchase. Two claims, one envelope.

No integration. No API. No onboarding.

The merchant did nothing. The security layer already protecting the merchant did the work.



Every layer used the same token. None of them had met this agent before.

Three identities, **one immutable binding.**

Change any one of them and it is a new binding, a new subject, a new token.

hid

HUMAN PRINCIPAL

The person on whose authority the agent acts.

This is the claim that de-aggregates: a thousand purchases become a thousand people.

apd

AGENT PLATFORM

The operator running the agent. Lets a vendor act on one platform without banning every agent on it.

aid

AGENT INSTANCE

The specific agent. Lets a vendor isolate one malfunctioning instance rather than a whole fleet.

sub

THE BINDING

The three, bound together and made immutable.

Any issuer can mint these tokens; verifiers choose which issuers to trust. Skyfire operates one today.

EXTENSIBLE BY DESIGN

Three identity tiers today, and the envelope is a JWT — additional tiers, and additional claims within each tier, need no new token format.

BOT MANAGEMENT · FRAUD · ACCOUNT TAKEOVER · CIAM

All four read the same token — one verified signal, and the same human to attribute it to.

It works for a growing list of merchants and vendors today.

Merchants and vendors giving us feedback from their deployment experiences

01

HOW MERCHANTS PRESENT TO AGENTS

Merchants keep asking what to serve an agent once the token arrives.

One idea: treat it like the print button — same content, restyled for a different reader.

Naming the human goes further: price and offer against that person's own history, and recognise them across channels.

Same customer, different door.

02

WHICH SIGNALS TO ADD

Bot and fraud teams ask this one first. The token clears the edge today, carrying verified identity and payment intent.

What would you add to it before you raised your own limits?

We can add claims. Tell us which ones would move your thresholds.

Tell us what to add.

03

WHERE REPUTATION FITS

Raised at almost every partner review: where does behaviour live?

We went after identity and access first — reputation has nothing to attach to without them. That part is in production.

Reputation is the layer we want next: whose behaviour, measured by whom, and carried how?

Identity first. Reputation next.

None of these ideas came from us alone. Tell us the fourth one.

Submitted to the IETF. In production today.

SIX INTERNET-DRAFTS

kyapay-token	the JWT envelope: KYA, PAY, KYA-PAY
using-kyapay-tokens	how security intermediaries consume it
kyapay-token-exchange	KYA to OAuth 2.0 access tokens
id-verification	how the identity was proven
amr-values	authentication methods, extending RFC 8176
aml-methods	AML / CFT screening performed

CO-AUTHORS **Akamai · Experian · Okta · Ory**

Built on JWT, OAuth 2.0, Token Exchange and HTTP.

THE ACCEPTANCE NETWORK — A SAMPLE

Experian	Akamai	F5
Fastly	Forter	Imperva
Okta		

Representative, not exhaustive — the current list is at kyapay.org

Bot management, fraud, identity and CIAM vendors already accepting these tokens in production.

A browser-use agent can already navigate, browse and check out with a few prompts.

With verified access, we see near 100% checkout rates.

We are pitching a breakout on collaboration. Let us whiteboard solutions together.

Not a coding session. An hour at a whiteboard on how to meet your specific needs.

TELL US WHAT TO ADD

Bring the control or signal you would want in the token before you raised your own limits.

REVIEW THE DRAFTS

Six are submitted to the IETF.
Read them and tell us what you would change — Akamai, Experian, Okta and Ory already did.

JOIN THE ACCEPTANCE NETWORK

Verify KYAPay at your own edge and see agent traffic you can actually attribute.

What we want out of the hour

What would make you decide to turn it on?

And two or three collaborators who help us answer it after Zurich.

Questions to tackle **together.**

Published with our position statement. Still open, and we would rather work them out with you.

01

What is actually blocking agentic commerce today — in your system, not in general?

02

What controls and fraud signals would you need before you trusted an agentic transaction?

03

What is the value of any agent shopping anywhere its principal can, without setup in advance?

04

Agents automate the grunt work; humans keep the decisions. What must be deterministic, and what can stay probabilistic?

THANK YOU

Two o'clock.

Bring the reason you would have blocked it.

THE BREAKOUT

Day 2, 14:00 — pitches.

Sessions 14:10 to 15:30.

Storefronts, gateways, bot and fraud defence.

A whiteboard, not a spec review or a coding session.

What would make you decide to turn it on?

FIND US

Ankit Agarwal

CTO, Skyfire · ankit@tryskyfire.com

Dr. Michael B. Jones

Self-Issued Consulting · mike@tryskyfire.com

kyapay.org · kyapay.org/standardization

Six drafts submitted to the IETF, running code in production, and a consortium reading the token.

Come and tell us what to do next — we are both here for the rest of the day.