





SS K1 and SS K2 take full motor current: 7.5A

TIMER INFORMATION			TIME CHART - 90 SECONDS PER INCREMENT																				
CAM NO.	CIRCUIT	FUNCTION	5	10	15	20	25	30	35	40	45	50	55										
0	LI TO SW	LINE SWITCH	X	X	X	X	X	X	X	X	X	X	X										
2	21 TO 9 21 TO 32	REVERSING SPIN REVERSING AGITATE	X	X	X	X	X	X	X	X	X	X	X										
4	22 TO 9 22 TO 32	REVERSING AGITATE REVERSING SPIN	X	X	X	X	X	X	X	X	X	X	X										
6	16 TO 32	MOTOR INTERRUPTER	X	X	X	X	X	X	X	X	X	X	X										
8	TM TO 16	TIMER MOTOR BYPASS	X	X	X	X	X	X	X	X	X	X	X										
10	TM TO 7N 7N TO 7N	SPIN & TIMER MOTOR BYPASS SOAK LIGHT	X	X	X	X	X	X	X	X	X	X	X										
12	SW TO 5B SW TO 7T	RINSE FILL WASH FILL	X	X	X	X	X	X	X	X	X	X	X										
14	3 TO 5B 12 TO 5B	WASH FILL SUB-INTERVAL FILL	X	X	X	X	X	X	X	X	X	X	X										
<div><input type="checkbox"/> CAM OPEN</div> <div><input checked="" type="checkbox"/> CAM CLOSED EXCEPT FOR SHORT PAUSE</div> <div><input checked="" type="checkbox"/> CAM CLOSED</div> <div><input checked="" type="checkbox"/> CAM MAY BE OPEN OR CLOSED</div> <div><input checked="" type="checkbox"/> CAM OPEN FOR 15 SECONDS THEN OPEN FOR 30 SECONDS</div>																							
FUNCTION			OFF	FILL & WASH	COOL DOWN FILL & AGITATE	SPIN	FILL & RINSE SPIN & SPRAY	SPIN	OFF	FILL & AGITATE	PAUSE	AGITATE	PAUSE	SPIN & SPRAY FILL & RINSE SPIN & SPRAY	SPIN	OFF	FILL & WASH	INFINITE SOAK	FILL & WASH	SPIN & SPRAY	FILL & RINSE	SPIN & SPRAY	SPIN
CYCLE			PERMANENT PRESS				DELICATES				INFINITE SOAK		REGULAR FABRICS										



578VA-1193

2163430



Stagger the lengths of the wires from the MOLEX to the existing harness to ease installing the tap connections. The longest about 5" longer than shortest.