

Database: Lookup Tables

[CBC] BagCategories

PK: ID

originID: 1

ID	Name
0	Miscellaneous
1	Medicine
2	Pokéballs
3	Machines
4	Berries
5	Mail
6	Battle Items
7	Key Items

[CC] Colors

Index numbers sourced from Bulbapedia

PK: ID

ColorID	Name	(PokéAPI value)	originID
0	Red	8	1 (PokéAPI)
1	Blue	2	...
2	Yellow	10	
3	Green	5	
4	Black	1	
5	Brown	3	
6	Purple	7	
7	Gray	4	
8	White	9	
9	Pink	6	

originID	INTEGER	// (CDO)
createdAt	TIME (TEXT)	
updatedAt	TIME (TEXT)	
enabled	BOOL	

[CDO] DataOrigin

DataOriginID	Name	originID
0	user	4

1	PokéAPI	4
2	Pokémon Showdown	4
3	Bulbapedia	4
4	Poké7DB	4

```

originID    INTEGER    // (CDO)
createdAt   TIME (TEXT)
updatedAt   TIME (TEXT)
enabled     BOOL

```

[CDC] DamageClass

DamageClassID	Name	originID
0	Physical	3
1	Special	3
2	Status	3

```

originID    INTEGER    // (CDO)
createdAt   TIME (TEXT)
updatedAt   TIME (TEXT)
enabled     BOOL

```

[CE] Effects

ID	NAME	
0	Paralysis	
1	Sleep	
2	Freeze	
3	Burn	
4	Poison	
5	Badly Poison	
6	Confusion	
7	Infatuation	
8	Heal	// pokeapi - separate from effects
9	Flinch	// pokeapi - separate from effects
10	Trap	
11	Nightmare	
12	Torment	
13	Disable	
14	Yawn	
15	Heal Block	
16	Remove Type Immunity	// e.g. Foresight
17	Leech Seed	
18	Embargo	

```
19    Perish Song
20    Ingrain
50    Tri-Attack
51    Floating          // telekinesis
52    Grounded          // smack down, thousand arrows
70    Consume Berry     // fling effect exclusive
71    Consume Herb      // fling effect exclusive
```

[CEM] EvolutionMethods

originID: 1
Might redo this because of how stupidly obscure some of these methods are

ID	NAME	(PokéAPI ID)
0	Level Up	1
1	Trade	2
2	Use Item	3
3	Shedinja	4
4	Spinning	5
5	Train at Location	6, 7
6	Land 3 Critical Hits	8
7	Take Damage	9
8	Level Up During Combat	N/A (Tandemaus)
9	Use Agile Style Move	11
10	Use Strong Style Move	12
11	Take Recoil Damage	13
12	Use Move	14
13	Defeat 3 Bisharp	15
14	Gimmighoul Coins	16

[CG] Genders

originID: 3

ID	NAME
0	Male
1	Female
2	Genderless

[CGR] GrowthRates

Duplicated from [SubDoc 111C-04](#)
PK: ID

ID	NAME	FORMULA_LATEX
0	Medium Fast	n^3

```

1      Erratic          $\begin{cases} n^3\frac{100-n}{50}, & n \le 50 \\ n^3\frac{150-n}{100}, & 50 < n \le 68 \\ n^3\frac{1911-10n}{1500}, & 68 < n \le 98 \\ n^3\frac{160-n}{100}, & n > 98 \end{cases}$
2      Fluctuating      $\begin{cases} n^3\frac{n+1}{3}+24, & n \le 15 \\ n^3\frac{n+14}{50}+24, & 15 < n \le 36 \\ n^3\frac{n+1}{2}+32, & n > 36 \end{cases}$
3      Medium Slow      $\frac{6}{5}n^3-15n^2+100n-140$
4      Fast              $\frac{4}{5}n^3$
5      Slow              $\frac{5}{4}n^3$
16     Slightly Fast     $\frac{3}{4}n^3+10n^2-30$
17     Slightly Slow     $\frac{3}{4}n^3+20n^2-70$

```

```

originID    INTEGER    // (CDO)
createdAt    TIME (TEXT)
updatedAt    TIME (TEXT)
enabled      BOOL

```

[CLM] LearnMethods

PK: ID

ID	Name	Description
0	Level Up	
1	Egg Move	
2	Move Tutor	
3	TM / HM	
4	Form Change	
5	Light Ball Egg Move	Female Pikachu holding Light Ball $\Rightarrow$ resulting Pichu has Volt Tackle=
6	Zygarde Cube	
7	Pokémon Champions	
8	Other Official	XD/Colosseum, Pikachu surfing

```

originID    INTEGER    // (CDO)
createdAt    TIME (TEXT)
updatedAt    TIME (TEXT)
enabled      BOOL

```

PokéAPI $\rightarrow$ Database Assignment:

ID 6 - 8 not included in DB if ID $\leq$ 5 exists for that same move

[CMC] MoveCategories

Partially mirrors <https://pokeapi.co/api/v2/move-category/>
/*

0 - 49: Game logic categories

50+: Move-specific categories

```
*/
ID      NAME                      originID = 1
==      ==
0      DAMAGE                      // damage
1      STATUS_CONDITION           // ailment
2      STAT_CHANGE                // net-good-stats
3      HEAL                       // heal
4      DAMAGE_STATUS              // damage-ailment
5      STAT_STATUS                // swagger (status effect and target stat change)
6      DAMAGE_STATLOWER           // damage-lower (damages and lowers target stats)
7      DAMAGE_STATRAISE           // damage-raise (damages target and raises user stats)
8      DAMAGE_HEAL                // damage-heal (damages target and heals user)
9      OH_KO                      // ohko (one hit KO)
10     FIELD_EFFECT               // whole-field-effect (weather setters, etc.)
11     TEAM_EFFECT                // field-effect (field effect for one side of the field)
12     FORCE_SWITCH                // force-switch (forces target to switch or flee)
13     MULTI HIT                  // multi-hit move
```

```
originID    INTEGER    // (CDO)
createdAt   TIME (TEXT)
updatedAt   TIME (TEXT)
enabled     BOOL
```

[UMC] MoveCategoriesUser

```
originID = 4
50     MOVE_SPECIFIC              // move specific effects (depends on what encoding developer wants)
originID = 1
51     U_DISABLE                  // identifier for the move Disable
52     U_TELEPORT                 // identifier for the move Teleport
. . . (import from https://pokeapi.co/api/v2/move-category/13/) . . .
156    U_JUNGLE_HEALING           // identifier for the move Jungle Healing
157    U_SYPURP_BOMB              // identifier for the move Syrup Bomb
```

```
originID    INTEGER    // (CDO)
createdAt   TIME (TEXT)
updatedAt   TIME (TEXT)
enabled     BOOL
```

[CMHD] MultiHitDistributions

FK: ID, from MultiHitProfiles

CPK: ID & HIT

OriginID = 3

ID	HIT	WEIGHT
==	==	==
0	2	7 // ID 1 is the standard 2-5 hit distribution
0	3	7
0	4	3
0	5	3
2	2	1
3	3	1
4	10	null // weight not considered here
5	3	null // weight not considered here

originID	INTEGER	// (CDO)
createdAt	TIME (TEXT)	
updatedAt	TIME (TEXT)	
enabled	BOOL	

[CMHP] MultiHitProfiles

```

/*
    0 - 99: Officially-used distributions
    100+: Custom
*/
PK: ID
Origin ID = 3
See MultiHitDistributions for distribution chances for FIXED_WEIGHTS and MOVE_ACCURACY

```

ID	NAME	CHANCE_TYPE	DESCRIPTION
==	==	==	==
0	DEFAULT_MULTIHIT_2_5	FIXED_WEIGHTS	Hits 2-5 times with fixed probabilities for each hit amount
1	PARTY_COUNT	PARTY_COUNT	Hits depending on the number of Pokémon in the user's party.
2	FIXED_2_STRIKES	FIXED_WEIGHTS	Hits exactly twice.
3	FIXED_3_STRIKES	FIXED_WEIGHTS	Hits exactly three times.
4	MOVE_ACCURACY_10	MOVE_ACCURACY	Hits up to 10 times based on the move's accuracy.
5	MOVE_ACCURACY_3	MOVE_ACCURACY	Hits up to 3 times based on the move's accuracy.

```

originID    INTEGER    // (CDO)
createdAt   TIME (TEXT)
updatedAt   TIME (TEXT)
enabled     BOOL

```

[CS] Shapes

Indexes sourced from [Bulbapedia Gen IV](#)

OriginID = 3

ID	NAME (tentative)	(PokéAPI ID)
0	Quadruped	8
1	Humanoid	12
2	Upright	6
3	Serpentine	2
4	Bug-Winged	13
5	Winged	9
6	Insectoid	4
7	Blob	5
8	Armed	8
9	Legged	7
10	Multiped	10
11	Fish	3
12	Ball	1
13	Multi-Body	11

originID INTEGER // (CDO)
createdAt TIME (TEXT)
updatedAt TIME (TEXT)
enabled BOOL

[CT] Types

Duplicated from [SubDoc 111C-04](#)

PK: ID

originID = 1

See TypeEffectiveness for type effectivenesses

ID	NAME
0	(none)
1	Normal
2	Fighting
3	Flying
4	Poison
5	Ground
6	Rock
7	Bug
8	Ghost
9	Steel
10	Fire
11	Water
12	Grass
13	Electric

14 Psychic
15 Ice
16 Dragon
17 Dark
18 Fairy
99 Stellar

originID INTEGER // (CDO)
createdAt TIME (TEXT)
updatedAt TIME (TEXT)
enabled BOOL

[CTE] TypeEffectiveness

CPK: ID_ATK & ID_DEF

FK: ID_ATK & ID_DEF, both from Types.ID

originID: 3

A non-existent entry or ATK/DEF combination is treated as 4/4 = 1x

ID_ATK ID_DEF MULTIPLIER (/4)

1	6	2
1	8	0
1	9	2
2	1	8
2	3	2
2	4	2
2	6	8
2	7	2
2	8	0
2	9	8
2	14	2
2	17	8
2	18	2

. . .

originID INTEGER // (CDO)
createdAt TIME (TEXT)
updatedAt TIME (TEXT)
enabled BOOL

[CTG] Targets

originID: 1

ID NAME

0 Move-Specific

- 1 Selected Target
- 2 Ally
- . . .
- 15 Fainting Pokémon

[CTOD] TimeOfDay

originID: 3

ID	NAME
0	Day
1	Night
2	Morning
3	Evening