

Database: Main Tables

Outline

Current Full Database Design (without overriding yet)

T001	PokémonForm	// can represent a Pokémon's separate forms
T002	PokémonSpecies	// sorted by Pokédex number
T003	PokémonAbilities	// representation of a list of abilities a Pokémon has
T004	Ability	
T005	Learnset	// Learn method and level only with developer metadata
T006	Moves	
T007	MoveEffects	// handles ALL of a move's effects - even the primary effect - with the exception of multi-hit
T008	PokémonTypes	// representation of a list of types a Pokémon has
T009	Evolutions	// has some common metadata but stores the rest in developer metadata
T010	WildHeldItem	
T011	Item	//
T012	PokémonEggGroups	

And additional lookup tables for

- Colors (dex colors)
- GrowthRates
- MoveCategories (what a move does)
- MultiHitDistributions (distributions of specific multi hit attacks)
- MultiHitProfiles (types of multi hit attacks)
- Shapes (pokemon shapes)
- Types
- TypeEffectiveness (only stores non x1.0 relationships)
- LearnMethods (for moves)
- MoveTargets
- DamageCategories (for moves)
- EvolutionMethods
- Genders
- ItemCategories
- ItemFlingEffects
- MoveEffectTypes
- EggGroups

Tables T004, T005, T006, T009, and T011 also have descriptions that aren't exported and used only by the developer to keep track of what that thing does, as accounting for all moves or abilities would be impossible

Naming Scheme

As per a user on StackExchange

- Plural table names, singular column names
- PascalCase for both tables and columns
- Primary Keys must be named [Table singular]ID
- Foreign Keys must be consistently named through tables

[T001] - PokemonForms

PokemonFormID	INTEGER (PK) // PokeAPI
PokemonSpeciesID	TEXT // Dex Number
FormName	TEXT
StatHP	INTEGER
StatDefense	INTEGER
StatAttack	INTEGER
StatSpecialDefense	INTEGER
StatSpecialAttack	INTEGER
StatSpeed	INTEGER
Height	INTEGER
Weight	INTEGER
BaseExperienceYield	INTEGER
originID	INTEGER // (07-CD0) source of current information
importedAt	TIME (TEXT) // date of import by outside source, determines whether or
not to scan	
checkedAt	TIME (TEXT) // date of most recent scan
enabled	BOOL // will this form be included in the game

[U001] - PokemonFormsUser

PokemonFormID	INTEGER (FK/PK) // No overrides
PokemonSpeciesID	TEXT // No overrides
FormName	TEXT
StatHP	INTEGER
StatDefense	INTEGER
StatAttack	INTEGER
StatSpecialDefense	INTEGER
StatSpecialAttack	INTEGER
StatSpeed	INTEGER
Height	INTEGER
Weight	INTEGER

BaseExperienceYield	INTEGER	
originID	INTEGER	// (07-CD0) source of current information
createdAt	TIME (TEXT)	// date of creation
updatedAt	TIME (TEXT)	// date of most recent update
enabled	BOOL	

[T002] - PokemonSpecies

PokemonSpeciesID	TEXT (PK)	// Dex Number
PokemonName	TEXT	
Category	TEXT	
BaseHappiness	INTEGER	
CaptureRate	INTEGER	
GrowthRate	INTEGER	// (07-CGR)
GenderRate	INTEGER	// A number out of 16 (API currently has it at 8)
HatchCounter	INTEGER	
Color	INTEGER	// (07-CC)
Shape	INTEGER	// (07-CS)
IsMythical	BOOL	
IsLegendary	BOOL	
originID	INTEGER	// (07-CD0)
importedAt	TIME (TEXT)	
checkedAt	TIME (TEXT)	
enabled	BOOL	

[U002] - PokemonSpeciesUser

PokemonSpeciesID	TEXT (FK/PK)	// Dex Number, no overrides
PokemonName	TEXT	// No overrides
Category	TEXT	
BaseHappiness	INTEGER	
CaptureRate	INTEGER	
GrowthRate	INTEGER	// (07-CGR)
GenderRate	INTEGER	// A number out of 16 (API currently has it at 8)
HatchCounter	INTEGER	
Color	INTEGER	// (07-CC)
Shape	INTEGER	// (07-CS)
IsMythical	BOOL	
IsLegendary	BOOL	
AltDexNumber	TEXT	// optional category for possible regional dexes
DexEntry	TEXT	

TMHMFlags	INTEGER	// binary
originID	INTEGER	// (07-CD0) source of current information
createdAt	TIME (TEXT)	// date of creation
updatedAt	TIME (TEXT)	// date of most recent update
enabled	BOOL	

[T003] - PokemonAbilities

PokemonFormID	INTEGER (FK/CPK)
Slot	INTEGER (PK/CPK)
IsHidden	BOOL
AbilityID	INTEGER // (T004)
originID	INTEGER // (07-CD0)
importedAt	TIME (TEXT)
checkedAt	TIME (TEXT)
enabled	BOOL

[U003] - PokemonAbilitiesUser

PokemonFormID	INTEGER (FK/CPK)
Slot	INTEGER (PK/CPK)
IsHidden	BOOL
AbilityID	INTEGER // (T004)
originID	INTEGER // (07-CD0) source of current information
createdAt	TIME (TEXT) // date of creation
updatedAt	TIME (TEXT) // date of most recent update
enabled	BOOL

[T004] - Ability

AbilityID	INTEGER (PK)
AbilityName	TEXT
EffectDescription	TEXT // no export
originID	INTEGER // (07-CD0)
importedAt	TIME (TEXT)
checkedAt	TIME (TEXT)
enabled	BOOL

[U004] - AbilityUser

AbilityID	INTEGER (PK) // No overrides
AbilityName	TEXT
EffectDescription	TEXT // no export

FlavorText	TEXT
------------	------

originID	INTEGER // (07-CD0)
createdAt	TIME (TEXT)
updatedAt	TIME (TEXT)
enabled	BOOL

[T005] - Learnset

PokemonFormID	INTEGER (FK/CPK)
MoveID	INTEGER (FK/CPK)
LearnMethod	INTEGER // (07-CLM)
Level	INTEGER
LearnDescription	TEXT // no export

originID	INTEGER // (07-CD0)
importedAt	TIME (TEXT)
checkedAt	TIME (TEXT)
enabled	BOOL

[U005] - LearnsetUser

PokemonFormID	INTEGER (FK/CPK) // No overrides
MoveID	INTEGER (FK/CPK) // No overrides
LearnMethod	INTEGER // (07-CLM)
Level	INTEGER
LearnDescription	TEXT

originID	INTEGER // (07-CD0)
createdAt	TIME (TEXT)
updatedAt	TIME (TEXT)
enabled	BOOL

[T006] - Moves

MoveID	INTEGER (PK)
MoveName	TEXT
Accuracy	INTEGER //%

Category	INTEGER	// (07-CMC)
PP	INTEGER	
Priority	INTEGER	
Type	INTEGER	
Power	INTEGER	
DamageClass	INTEGER	// (07-CDC)
Target	INTEGER	// (07-CTG)
CritBonus	INTEGER	
MultiHitType	INTEGER	// (07-CMHP) Determines distribution of multi-hit move chances
MoveDescription	TEXT	// no export
originID	INTEGER	// (07-CDO)
importedAt	TIME (TEXT)	
checkedAt	TIME (TEXT)	
enabled	BOOL	

[U006] - MovesUser

MoveID	INTEGER (FK)	// No overrides
MoveName	TEXT	
Accuracy	INTEGER	
Category	INTEGER	// (07-CMC)
PP	INTEGER	
Priority	INTEGER	
Type	INTEGER	
Power	INTEGER	
DamageType	INTEGER	// (07-CDC)
Target	INTEGER	// (07-CTG)
CritBonus	INTEGER	
MultiHitType	INTEGER	// (07-CMHP)
MoveDescription	TEXT	
FlavorText	TEXT	
originID	INTEGER	// (07-CDO)
createdAt	TIME (TEXT)	
updatedAt	TIME (TEXT)	
enabled	BOOL	

[T007] - MoveEffects

MoveID	INTEGER (FK/CPK)
--------	------------------

Order	INTEGER (PK/CPK)
Effect	INTEGER // (07-CE)
EffectChance	INTEGER // %
EffectValue	INTEGER
originID	INTEGER // (07-CD0)
importedAt	TIME (TEXT)
checkedAt	TIME (TEXT)
enabled	BOOL

[U007] - MoveEffectsUser

MoveID	INTEGER (FK/CPK)
Order	INTEGER (PK/CPK)
Effect	INTEGER // (07-CE)
EffectChance	INTEGER // %
EffectValue	INTEGER
originID	INTEGER // (07-CD0)
createdAt	TIME (TEXT)
updatedAt	TIME (TEXT)
enabled	BOOL

[T008] - PokemonTypes

PokemonFormID	INTEGER (FK/CPK)
Slot	INTEGER (PK/CPK)
TypeID	INTEGER // (07-CT)
originID	INTEGER // (07-CD0)
importedAt	TIME (TEXT)
checkedAt	TIME (TEXT)
enabled	BOOL

[U008] - PokemonTypesUser

PokemonFormID	INTEGER (FK/CPK)
Slot	INTEGER (PK/CPK)
TypeID	INTEGER // (07-CT)
originID	INTEGER // (07-CD0)
createdAt	TIME (TEXT)
updatedAt	TIME (TEXT)
enabled	BOOL

[T009] - Evolutions

PokemonSpeciesFrom	STRING (FK/CPK)	(T001)
PokemonSpeciesTo	STRING (FK/CPK)	(T001)
Method	INTEGER (FK/CPK)	// (07-CEM)
Level	INTEGER	
Gender	INTEGER	// (07-CG)
ItemID	INTEGER	// (T011)
TimeOfDay	INTEGER	// (07-CTOD)
MinimumValue	INTEGER	// general use depending on Method
Location	STRING	// combine rocks and locations
KnownMoveID	INTEGER	// (T006)
KnownMoveTypeID	INTEGER	// (07-CT)
originID	INTEGER	// (07-CD0)
importedAt	TIME (TEXT)	
checkedAt	TIME (TEXT)	
enabled	BOOL	

[U009] - EvolutionsUser

PokemonSpeciesFrom	STRING (FK/CPK)	// No override
PokemonSpeciesTo	STRING (FK/CPK)	// No override
Method	INTEGER (FK/CPK)	// (07-CEM) No override
Level	INTEGER	
Gender	INTEGER	// (07CG)
ItemID	INTEGER	// (T011)
TimeOfDay	INTEGER	// (07-CT)
MinimumValue	INTEGER	
Location	STRING	// combine rocks and locations
KnownMoveID	INTEGER	// (T006)
KnownMoveTypeID	INTEGER	// (07-CT)
originID	INTEGER	// (07-CD0)
createdAt	TIME (TEXT)	
updatedAt	TIME (TEXT)	
enabled	BOOL	

[T010] - PokemonHeldItem

PokemonFormID	INTEGER (FK/CPK)	// (T001)
ItemID	INTEGER (FK/CPK)	// (T011)
ChanceHeld	INTEGER	// %

originID	INTEGER	// (07-CD0)
importedAt	TIME (TEXT)	
checkedAt	TIME (TEXT)	
enabled	BOOL	

[U010] - PokemonHeldItemUser

PokemonFormID	INTEGER (FK/CPK)	// (T001)
ItemID	INTEGER (FK/CPK)	// (T011)
ChanceHeld	INTEGER	// %

originID	INTEGER	// (07-CD0)
createdAt	TIME (TEXT)	
updatedAt	TIME (TEXT)	
enabled	BOOL	

[T011] - Item

ItemID	INTEGER (PK)	
ItemName	TEXT	
APIDescription	TEXT	
BagCategory	INTEGER	// (07-CBC)
• Might expand into ItemCategories which go into BagCategories		
FlingEffect	INTEGER	// (07-CE)
FlingPower	INTEGER	

originID	INTEGER	// (07-CD0)
importedAt	TIME (TEXT)	
checkedAt	TIME (TEXT)	
enabled	BOOL	

[U011] - ItemUser

ItemID	INTEGER (PK)	
ItemName	TEXT	
APIDescription	TEXT	
BagCategory	INTEGER	// (07-CBC)
FlingEffect	INTEGER	// (07-CE)
FlingPower	INTEGER	

ItemDescription	TEXT	
-----------------	------	--

originID	INTEGER	// (07-CD0)
createdAt	TIME (TEXT)	

updatedAt	TIME (TEXT)
enabled	BOOL

[T012] - PokemonEggGroups

PokemonSpeciesID	INTEGER (FK/CPK)
Slot	INTEGER (PK/CPK)
EggGroupID	INTEGER // (07-CEG)
originID	INTEGER // (07-CDO)
importedAt	TIME (TEXT)
checkedAt	TIME (TEXT)
enabled	BOOL

[U012] - PokemonEggGroups

PokemonSpeciesID	INTEGER (FK/CPK)
Slot	INTEGER (PK/CPK)
EggGroupID	INTEGER // (07-CEG)
originID	INTEGER // (07-CDO)
createdAt	TIME (TEXT)
updatedAt	TIME (TEXT)
enabled	BOOL

[T013] - MoveFlags

MoveID	INTEGER (FK/PK)
Slot	INTEGER
MoveFlagID	INTEGER // (07-CMF)
originID	INTEGER // (07-CDO)
importedAt	TIME (TEXT)
checkedAt	TIME (TEXT)
enabled	BOOL