

Database: Lookup Tables

Layer 0: Lookup / Reference Tables

[T00/00] DataOrigin

[CDO]

DataOriginID	Name	originID
0	user	4
1	PokéAPI	4
2	Pokémon Showdown	4
3	Bulbapedia	4
4	Poké7DB	4

Description field

originID INTEGER // (CDO)

createdAt TIME (TEXT)

updatedAt TIME (TEXT)

enabled BOOL

[T00/01] BagCategory

(CBC)

PK: ID

originID: 1

ID	Name
0	Miscellaneous
1	Medicine
2	Pokéballs
3	Machines
4	Berries
5	Mail
6	Battle Items
7	Key Items

Description field

[T00/02] Color

[CC]

Index numbers sourced from Bulbapedia

PK: ID

ColorID	Name	(PokéAPI value)	originID
0	Red	8	1 (PokéAPI)
1	Blue	2	...
2	Yellow	10	
3	Green	5	
4	Black	1	
5	Brown	3	
6	Purple	7	
7	Gray	4	
8	White	9	
9	Pink	6	

```

originID    INTEGER    // (CDO)
createdAt   TIME (TEXT)
updatedAt   TIME (TEXT)
enabled     BOOL

```

[T00/03] DamageClass

[CDC]

DamageClassID	Name	originID
0	Physical	3
1	Special	3
2	Status	3

Description field

```

originID    INTEGER    // (CDO)
createdAt   TIME (TEXT)
updatedAt   TIME (TEXT)
enabled     BOOL

```

[T00/04] Effect

[CE]

ID	NAME	
0	Paralysis	
1	Sleep	
2	Freeze	
3	Burn	
4	Poison	
5	Badly Poison	
6	Confusion	
7	Infatuation	
8	Heal	// pokeapi - separate from effects
9	Flinch	// pokeapi - separate from effects

```

10    Trap
11    Nightmare
12    Torment
13    Disable
14    Yawn
15    Heal Block
16    Remove Type Immunity    // e.g. Foresight
17    Leech Seed
18    Embargo
19    Perish Song
20    Ingrain
48    Tri-Attack
49    Floating                // telekinesis
50    Grounded                // smack down, thousand arrows
64    Consume Berry           // fling effect exclusive
65    Consume Herb            // fling effect exclusive
+    Description field

```

[T00/05] EvolutionMethod

[CEM]

originID: 1

Might redo this because of how stupidly obscure some of these methods are

ID	NAME	(PokéAPI ID)
0	Level Up	1
1	Trade	2
2	Use Item	3
3	Shedinja	4
4	Spinning	5
5	Train at Location	6, 7
6	Land 3 Critical Hits	8
7	Take Damage	9
8	Level Up During Combat	N/A (Tandemaus)
9	Use Agile Style Move	11
10	Use Strong Style Move	12
11	Take Recoil Damage	13
12	Use Move	14
13	Defeat 3 Bisharp	15
14	Gimmighoul Coins	16

+ Description field

[T00/06] Gender

[CG]

originID: 3

ID	NAME
0	Male
1	Female
2	Genderless

[T00/07] GrowthRate

[CGR]

Duplicated from [SubDoc 111C-04](#)

PK: ID

ID	NAME	FORMULA_LATEX
0	Medium Fast	n^3
1	Erratic	$\begin{cases} n^3\frac{100-n}{50}, & n \leq 50 \\ n^3\frac{150-n}{100}, & 50 < n \leq 68 \\ n^3\frac{1911-10n}{1500}, & 68 < n \leq 98 \\ n^3\frac{160-n}{100}, & n > 98 \end{cases}$
2	Fluctuating	$\begin{cases} n^3\frac{n+1}{3}+24, & n \leq 15 \\ n^3\frac{n+14}{50}+24, & 15 < n \leq 36 \\ n^3\frac{n+1}{2}+32, & n > 36 \end{cases}$
3	Medium Slow	$\frac{6}{5}n^3-15n^2+100n-140$
4	Fast	$\frac{4}{5}n^3$
5	Slow	$\frac{5}{4}n^3$
16	Slightly Fast	$\frac{3}{4}n^3+10n^2-30$
17	Slightly Slow	$\frac{3}{4}n^3+20n^2-70$

originID	INTEGER	// (CDO)
createdAt	TIME (TEXT)	
updatedAt	TIME (TEXT)	
enabled	BOOL	

[T00/08] LearnMethod

[CLM]

PK: ID

ID	Name	Description
0	Level Up	
1	Egg Move	
2	Move Tutor	
3	TM / HM	
4	Form Change	
5	Light Ball Egg Move	Female Pikachu holding Light Ball $\Rightarrow$ resulting Pichu has Volt Tackle=
6	Zygarde Cube	
7	Pokémon Champions	
8	Other Official	XD/Colosseum, Pikachu surfing

```

originID    INTEGER    // (CDO)
createdAt   TIME (TEXT)
updatedAt   TIME (TEXT)
enabled     BOOL

```

PokéAPI → Database Assignment:

ID 6 - 8 not included in DB if ID ≤ 5 exists for that same move

[T00/09] MoveCategory

[CMC]

Partially mirrors <https://pokeapi.co/api/v2/move-category/>

```

/*
    0 - 49: Game logic categories
    50+: Move-specific categories
*/
ID      NAME                      originID = 1
==      ==
0      DAMAGE                     // damage
1      STATUS_CONDITION           // ailment
2      STAT_CHANGE                // net-good-stats
3      HEAL                       // heal
4      DAMAGE_STATUS              // damage-ailment
5      STAT_STATUS                // swagger (status effect and target stat change)
6      DAMAGE_STATLOWER           // damage-lower (damages and lowers target stats)
7      DAMAGE_STATRAISE           // damage-raise (damages target and raises user stats)
8      DAMAGE_HEAL                // damage-heal (damages target and heals user)
9      OH_KO                      // ohko (one hit KO)
10     FIELD_EFFECT               // whole-field-effect (weather setters, etc.)
11     TEAM_EFFECT                // field-effect (field effect for one side of the field)
12     FORCE_SWITCH                // force-switch (forces target to switch or flee)
13     MULTI_HIT                  // multi-hit move
originID = 4
48     MOVE_SPECIFIC              // move specific effects (depends on what encoding developer wants)
originID = 1
49     U_DISABLE                  // identifier for the move Disable
50     U_TELEPORT                 // identifier for the move Teleport
. . . (import from https://pokeapi.co/api/v2/move-category/13/) . . .
154    U_JUNGLE_HEALING           // identifier for the move Jungle Healing
155    U_SYRUP_BOMB              // identifier for the move Syrup Bomb

originID    INTEGER    // (CDO)
createdAt   TIME (TEXT)
updatedAt   TIME (TEXT)

```

enabled BOOL

[T00/10] MultiHitProfile

[CMHP]

PK: ID

Origin ID = 3

See *MultiHitDistributions* for distribution chances for *FIXED_WEIGHTS* and *MOVE_ACCURACY*

ID	NAME	DESCRIPTION
==	==	==
0	DEFAULT_MULTIHIT_2_5	Hits 2-5 times with fixed probabilities for each hit amount
1	PARTY_COUNT	Hits depending on the number of Pokémon in the user's party.
2	FIXED_2_STRIKES	Hits exactly twice.
3	FIXED_3_STRIKES	Hits exactly three times.
4	MOVE_ACCURACY_10	Hits up to 10 times based on the move's accuracy.
5	MOVE_ACCURACY_3	Hits up to 3 times based on the move's accuracy.

originID INTEGER // (CDO)
createdAt TIME (TEXT)
updatedAt TIME (TEXT)
enabled BOOL

[T00/11] MultiHitDistribution

[CMHD]

FK: ID, from T00/10 MultiHitProfiles

CPK: ID & HIT

OriginID = 3

ID	HIT	WEIGHT
==	==	==
0	2	7 // ID 1 is the standard 2-5 hit distribution
0	3	7
0	4	3
0	5	3
2	2	1
3	3	1
4	10	null // weight not considered here
5	3	null // weight not considered here

originID INTEGER // (CDO)
createdAt TIME (TEXT)
updatedAt TIME (TEXT)
enabled BOOL

[T00/12] Shape

[CS]

Indexes sourced from [Bulbapedia Gen IV](#)

OriginID = 3

ID	NAME (tentative)	(PokéAPI ID)
0	Quadruped	8
1	Humanoid	12
2	Upright	6
3	Serpentine	2
4	Bug-Winged	13
5	Winged	9
6	Insectoid	4
7	Blob	5
8	Armed	8
9	Legged	7
10	Multiped	10
11	Fish	3
12	Ball	1
13	Multi-Body	11

originID INTEGER // (CDO)
createdAt TIME (TEXT)
updatedAt TIME (TEXT)
enabled BOOL

[T00/13] Type

[CT]

Duplicated from [SubDoc 111C-04](#)

PK: ID

originID = 1

See TypeEffectiveness for type effectivenesses

ID	NAME
0	(none)
1	Normal
2	Fighting
3	Flying
4	Poison
5	Ground
6	Rock
7	Bug
8	Ghost
9	Steel
10	Fire
11	Water

12 Grass
13 Electric
14 Psychic
15 Ice
16 Dragon
17 Dark
18 Fairy
127 Stellar

originID INTEGER // (CDO)
createdAt TIME (TEXT)
updatedAt TIME (TEXT)
enabled BOOL

[T00/14] TypeEffectiveness

[CTE]

CPK: ID_ATK & ID_DEF

FK: ID_ATK & ID_DEF, both from Types.ID

originID: 3

A non-existent entry or ATK/DEF combination is treated as 4/4 = 1x

ID_ATK ID_DEF MULTIPLIER (/4)

1	6	2
1	8	0
1	9	2
2	1	8
2	3	2
2	4	2
2	6	8
2	7	2
2	8	0
2	9	8
2	14	2
2	17	8
2	18	2

. . .

originID INTEGER // (CDO)
createdAt TIME (TEXT)
updatedAt TIME (TEXT)
enabled BOOL

[T00/15] Target

[CTG]

originID: 1

ID	NAME
----	------

0	Move-Specific
---	---------------

1	Selected Target
---	-----------------

2	Ally
---	------

. . .	
-------	--

15	Fainting Pokémon
----	------------------

[T00/16] TimeOfDay

[CTOD]

originID: 3

ID	NAME
----	------

0	Day
---	-----

1	Night
---	-------

2	Morning
---	---------

3	Evening
---	---------

[T00/17] EggGroup

[CEG]

originID: 3

ID	NAME
----	------

0	Monster
---	---------

1	Human-Like
---	------------

2	Water 1
---	---------

3	Water 3
---	---------

4	Bug
---	-----

5	Mineral
---	---------

6	Flying
---	--------

7	Amorphous
---	-----------

8	Field
---	-------

9	Water 2
---	---------

10	Fairy
----	-------

11	Ditto
----	-------

12	Grass
----	-------

13	Dragon
----	--------

14	No Eggs Discovered
----	--------------------

[T00/18] MoveFlag

[CMF]

originID: 2

(IMPORTED FROM <https://raw.githubusercontent.com/smogon/pokemon-showdown/master/sim/dex-moves.ts>)

- Note: Pokémon Showdown **doesn't** provide indexes
- Comments also sourced from Showdown

ID	NAME	DESCRIPTION
0	AllyAnim	The move plays its animation when used on an ally.
1	BypassSub	Ignores a target's substitute.
2	Bite	Power is multiplied by 1.5 when used by a Pokemon with the Ability Strong Jaw.
3	Bullet	Has no effect on Pokemon with the Ability Bulletproof.
4	CantUseTwice	The user cannot select this move after a previous successful use.
5	Charge	The user is unable to make a move between turns.
6	Contact	Makes contact.
7	Dance	When used by a Pokemon, other Pokemon with the Ability Dancer can attempt to execute the same move.
8	Defrost	Thaws the user if executed successfully while the user is frozen.
9	Distance	Can target a Pokemon positioned anywhere in a Triple Battle.
10	FailCopycat	Cannot be selected by Copycat.
11	FailEncore	Encore fails if the target used this move.
12	FailInstruct	Cannot be repeated by Instruct.
13	FailMeFirst	Cannot be selected by Me First.
14	FailMimic	Cannot be copied by Mimic.
15	FutureMove	Targets a slot, and in 2 turns damages that slot.
16	Gravity	Prevented from being executed or selected during Gravity's effect.
17	Heal	Prevented from being executed or selected during Heal Block's effect.
18	Metronome	Can be selected by Metronome.
19	Minimize	Deals double damage if the user is minimized.
20	Mirror	Can be copied by Mirror Move.
21	MustPressure	Additional PP is deducted due to Pressure when it ordinarily would not.
22	NoAssist	Cannot be selected by Assist.
23	NonSky	Prevented from being executed or selected in a Sky Battle.
24	NoParentalBond	Cannot be made to hit twice via Parental Bond.
25	NoSketch	Cannot be copied by Sketch.
26	NoSleepTalk	Cannot be selected by Sleep Talk.
27	PledgeCombo	Gems will not activate. Cannot be redirected by Storm Drain / Lightning Rod.
28	Powder	Has no effect on Pokemon which are Grass-type, have the Ability Overcoat, or hold Safety Goggles.
29	Protect	Blocked by Detect, Protect, Spiky Shield, and if not a Status move, King's Shield.
30	Pulse	Power is multiplied by 1.5 when used by a Pokemon with the Ability Mega Launcher.

31	Punch	Power is multiplied by 1.2 when used by a Pokemon with the Ability Iron Fist.
32	Recharge	If this move is successful, the user must recharge on the following turn and cannot make a move.
33	Reflectable	Bounced back to the original user by Magic Coat or the Ability Magic Bounce.
34	Slicing	Power is multiplied by 1.5 when used by a Pokemon with the Ability Sharpness.
35	Snatch	Can be stolen from the original user and instead used by another Pokemon using Snatch.
36	Sound	Has no effect on Pokemon with the Ability Soundproof.
37	Wind	Activates the Wind Power and Wind Rider Abilities.
originID: 3		
255	FieldMove	Can be used outside of battle