

Database: Main Tables

Naming Scheme Notes

As per a user on StackExchange

- Plural table names, singular column names
- PascalCase for both tables and columns
- Primary Keys must be named [Table singular]ID
- Foreign Keys must be consistently named through tables

Metadata

This is added to the end of each listed table to create two tables each, for use in the actual database

Main Table Metadata

originID	INTEGER	// (T00/00) source of current information
importedAt	TIME (TEXT)	// date of import by outside source, determines whether or
not to scan		
checkedAt	TIME (TEXT)	// date of most recent scan
enabled	BOOL	// will this form be included in the game

User Table Metadata

originID	INTEGER	// (T00/00) source of current information
createdAt	TIME (TEXT)	// date of creation
updatedAt	TIME (TEXT)	// date of most recent update
enabled	BOOL	

Layer 1: Pokémon

[T01/00] - PokemonSpecies

(T002)

PokemonSpeciesID	TEXT (PK)	// Dex Number
PokemonName	TEXT	
Category	TEXT	
BaseHappiness	INTEGER	

CaptureRate	INTEGER	
GrowthRate	INTEGER	// (T00/07)
GenderRate	INTEGER	// A number out of 16 (API currently has it at 8)
HatchCounter	INTEGER	
Color	INTEGER	// (T00/02)
Shape	INTEGER	// (T00/12)
IsMythical	BOOL	
IsLegendary	BOOL	

[U01/00] - PokemonSpeciesUser

```

...
AltDexNumber      TEXT          // optional category for possible regional dexes
DexEntry          TEXT
TMHMFlags         INTEGER      // binary % might delete
...

```

[T01/01] - PokemonForm

```

[T001]
PokemonFormID     INTEGER (PK) // PokeAPI
PokemonSpeciesID  TEXT         // Dex Number
FormName          TEXT
StatHP            INTEGER
StatDefense       INTEGER
StatAttack        INTEGER
StatSpecialDefense INTEGER
StatSpecialAttack INTEGER
StatSpeed         INTEGER
Height           INTEGER
Weight           INTEGER
BaseExperienceYield INTEGER

```

[T01/02] - PokemonType

```

[T008]
PokemonFormID     INTEGER (FK/CPK)
Slot              INTEGER (PK/CPK)
TypeID            INTEGER      // (T00/13)

```

[T01/03] - PokemonEggGroup

```

[T012]
PokemonSpeciesID  INTEGER (FK/CPK)

```

Slot	INTEGER (PK/CPK)
EggGroupID	INTEGER // (T00/17)

[T02/00] - Move

[T006]	
MoveID	INTEGER (PK)
MoveName	TEXT
Accuracy	INTEGER //%
Category	INTEGER // (T00/09)
PP	INTEGER
Priority	INTEGER
Type	INTEGER
Power	INTEGER
DamageClass	INTEGER // (T00/03)
Target	INTEGER // (T00/15)
CritBonus	INTEGER
MultiHitType	INTEGER // (T00/10) Determines distribution of multi-hit move chances
MoveDescription	TEXT // no export

[U02/00] - MovesUser

...	
FlavorText	TEXT
...	

[T02/01] - MoveEffects

[T007]	
MoveID	INTEGER (FK/CPK)
EffectOrder	INTEGER (PK/CPK)
Effect	INTEGER // (T00/04)
EffectChance	INTEGER // %
EffectValue	INTEGER

[T02/02] - MoveMoveFlag

[T013]	
MoveID	INTEGER (FK/PK)
Slot	INTEGER
MoveFlagID	INTEGER // (T00/18)

[T02/03] - Learnset

[T005]

PokemonFormID	INTEGER (FK/CPK)	
MoveID	INTEGER (FK/CPK)	
LearnMethod	INTEGER (FK/CPK)	// (T00/08)
Level	INTEGER (FK/CPK)	
LearnDescription	TEXT	// no export

[T03/00] - Ability

[T004]

AbilityID	INTEGER (PK)	
AbilityName	TEXT	
EffectDescription	TEXT	// no export

[U03/00] - AbilityUser

...

FlavorText	TEXT
------------	------

...

[T03/01] - PokemonAbility

[T003]

PokemonFormID	INTEGER (FK/CPK)	
Slot	INTEGER (PK/CPK)	
IsHidden	BOOL	
AbilityID	INTEGER	// (T004)

[T04/00] - Item

[T011]

ItemID	INTEGER (PK)	
ItemName	TEXT	
APIDescription	TEXT	
BagCategory	INTEGER	// (T00/01)
• Might expand into ItemCategories which go into BagCategories		
FlingEffect	INTEGER	// (T00/04)
FlingPower	INTEGER	

[U04/00] - ItemUser

...

ItemDescription	TEXT
-----------------	------

...

[T04/01] - PokemonHeldItem

[T010]

PokemonFormID	INTEGER (FK/CPK)	// (T001)
ItemID	INTEGER (FK/CPK)	// (T011)
ChanceHeld	INTEGER	// %

[T10/00] - Evolutions

[T009]

PokemonSpeciesFrom	STRING (FK/CPK)	// (T001)
PokemonSpeciesTo	STRING (FK/CPK)	// (T001)
Method	INTEGER (FK/CPK)	// (T00/05)
Level	INTEGER	
Gender	INTEGER	// (T00/06)
ItemID	INTEGER	// (T011)
TimeOfDay	INTEGER	// (T00/16)
MinimumValue	INTEGER	// general use depending on Method
Location	STRING	// combine rocks and locations
KnownMoveID	INTEGER	// (T006)
KnownMoveTypeID	INTEGER	// (T00/13)