

Welcome to the SER300 Clinical Decision Support System! If you are entering a new patient, click the “New Patient” button. If you are here to check up on an existing patient, click “Existing Patient”.

New Patient



Existing Patient



Clinical Decision Support System - New Patient Information


Please Indicate the following:

☒ Male ☐ Female

Submit

Can the patient communicate successfully?

YES



NO



Does the patient have pain at rest or in movement?

☒ Rest ☐ Movement ☐ Neither

*Observe for potential indicators of pain

 BACK

Is pain reported/apparent in regard to the patient?

YES

NO


DOES NOT SPECIFY

 **BACK**


Please indicate the locations of pain on the patient.

Is the pain present?

YES



NO



*Assess pain intensity using the Numerical Rating Scale
10 = Worst ever 0 = No pain at all

← BACK

No action is needed, continue to monitor.

OKAY

*Continue to monitor patient every 30 minutes. Remind nurse at the end of shift change!

← BACK

Take a detailed pain history.

Examine the patient.

Treat cause.

Treat symptoms if cause is not identifiable.

Consider referral.

OKAY

← BACK

Does the patient exhibit any of the following indicators of pain:

- Altered facial expressions
- Verbalisations/vocalisations
- Body movements
- Altered interpersonal interactions
- Changes in activity
- Mental/physiological status changes


YES

NO


 **BACK**

Evidence of morbidity that may be causing pain?

YES




NO



 **BACK**

Do potential pain indicators persist?

YES



NO



*Please treat morbidity!

← BACK

No action is needed, continue to monitor.

OKAY

*Continue to monitor patient every 30 minutes. Remind nurse at the end of shift change!

← BACK

No action is needed, continue to monitor.


OKAY

*Continue to monitor patient every 30 minutes. Remind nurse at the end of shift change!


← BACK

Do potential pain indicators persist?

YES



NO



- *Ensure basic comfort needs are met.
- *Provide reassurance if behavior suggests fear.
- *Consider providing analgesics prior to movement.
- *Attempt to interpret meaning of behavior.

← BACK

Consider empirical analgesic trial, or other pain-reieving intervention.

OKAY

← BACK

No action is needed, continue to monitor.

OKAY

*Continue to monitor patient every 30 minutes. Remind nurse at the end of shift change!

← BACK

Clinical Decision Support System - Search for Existing Patient

Please Indicate the following to search for a patient:

Search