


Would you say that in general your dog's health is:



Does your dog have any ongoing medical conditions?

Yes Reference $p(\text{FDR-adj}) = 6.31\text{e-}55$

No HR=
0.73 [0.71-0.76]


Hazard Ratio


0.1

1.0


10.0

Please choose the best description of your dog's lifestyle over the past year:







How often does your dog fetch items or play other games (such as Frisbee) that involve physical activity?



Playful, puppyish, boisterous:



In the past 12 months, has your dog's appetite stayed about the same?
How has your dog's appetite changed in the past 12 months?



Does your dog go swimming?

Yes

Reference

$p(\text{FDR-adj}) = 4.01\text{e-}18$

No


HR=
1.24 [1.18-1.29]


0.1

1.0


10.0

Hazard Ratio





Over the past year, when your dog is being active what is the average intensity level of that activity?



In the past three months, has your dog been diagnosed with any new conditions?

Yes Reference $p(\text{FDR-adj}) = 1.64\text{e-}17$


No HR=
0.81 [0.77-0.84]

Hazard Ratio

0.1

1.0

10.0



Do you ever take your dog to parks or other open spaces meant for recreational activities?

Yes Reference $p(\text{FDR-adj}) = 3.15\text{e-}14$


No HR=
1.17 [1.13-1.22]

Hazard Ratio

0.1

1.0

10.0



In the past three months, has your dog had any changes to the status of, or medications for, these conditions?

Yes Reference $p(\text{FDR-adj}) = 1.02\text{e-}11$

No $\text{HR} = 0.81 [0.77-0.86]$


Hazard Ratio


0.1

1.0


10.0

In the past 12 months, has your dog's weight stayed about the same?
How has your dog's weight changed in the past 12 months?







Defecates when left alone at night or during the daytime:




Chases or would chase squirrels, rabbits, etc., given the chance:




Urinating when left alone at night or during the daytime:




Obeys a "stay" command immediately:



How often do you see your dog eating grass?



Kidney or urinary disorders



Does your dog regularly lick, chew, or play with toys?

Yes Reference $p(\text{FDR-adj}) = 9.33\text{e-}07$

No HR=
1.12 [1.08-1.17]

Hazard Ratio

0.1

1.0

10.0

What is the reason for your activities? Exercise for you

Yes Reference $p(\text{FDR-adj}) = 1.24\text{e-}06$

No HR=
1.13 [1.08-1.17]

Hazard Ratio

0.1

1.0

10.0

Is there a staircase with more than 8 stairs that your dog uses regularly?

Yes Reference $p(\text{FDR-adj}) = 3.93\text{e-}06$

No HR=
1.11 [1.07-1.15]


Hazard Ratio


0.1

1.0


10.0

Obeys a "sit" command immediately:







During these periods of other aerobic activity, which of the following best describes your dog's activity level?



What were the reasons for the diet change? Health diagnosis prompted change to a condition-specific diet



Barks persistently when alarmed or excited:



Have you made any changes to the primary component of your dog's diet
in the past 12 months?

Yes Reference $p(\text{FDR-adj}) = 0.000163$

No $\text{HR} = 0.9 [0.86-0.94]$


Hazard Ratio

0.1

1.0

10.0

How much time per day does your dog spend outdoors on average in cold weather (below 40 degrees Fahrenheit)?



Does your dog drink from outdoor water sources (such as lake, river, stream, pond, puddles, etc.)?

Yes Reference $p(\text{FDR-adj}) = 0.000346$

No
HR=
1.1 [1.06–1.15]


Hazard Ratio

0.1


1.0


10.0

Given in past year: Medications for stomach or GI upset (such as
Pepcid)




Chases or would chase birds, given the chance:







How often is your dog seen by a veterinarian?




Other than the on-leash and off-leash activities already described above, what is the average frequency that your dog gets other aerobic (elevated heart rate) activity? These might include working, mushing, or herding.




Has your dog ever been considered underweight?




Pulls excessively hard when on the leash:



Liver or pancreas disorders



What is the reason for your activities? General activity and enjoyment



Was your dog born with a congenital disorder (defect present at birth)?

Yes Reference $p(\text{FDR-adj}) = 0.00167$

No $\text{HR} = 0.84 [0.77-0.91]$

Hazard Ratio

0.1

1.0

10.0

What is the reason for your activities? Exercise for you

Yes

Reference

$p(\text{FDR-adj}) = 0.00218$

No


HR=
1.14 [1.07-1.21]

Hazard Ratio


0.1

1.0


10.0




Over the past year, if your dog leaves the house with you, they are:




Has your dog ever been considered overweight?



What is the reason for your activities? Exercise for the dog



Wood burning fireplace or wood stove present:



Hard surface other than concrete or wood (asphalt, pavement, street):

Yes

Reference

$p(\text{FDR-adj}) = 0.00656$

No

HR=
1.08 [1.04-1.12]


Hazard Ratio


0.1

1.0

10.0

What is the highest degree or level of school you have completed? If currently enrolled, please indicate the highest degree received.





In the past three months, has your dog been hospitalized for more than 24 hours?

Yes Reference $p(\text{FDR-adj}) = 0.00923$

No $\text{HR} = 0.79 [0.7-0.89]$


Hazard Ratio

0.1


1.0

10.0

In the past 12 months, has your dog's weight stayed about the same?



How consistent is your dog's daily routine? We understand that this can vary. Please just provide your best estimate.



When letter carriers or other delivery workers approach your home:

No aggression: no visible
signs of aggression 0

Reference

$p(\text{FDR-adjust}) = 0.0139$

1

0.95 [0.91–0.99]

Moderate aggression:
growling/barking, baring
teeth 2

0.92 [0.87–0.96]

3

0.83 [0.75–0.92]

Serious aggression:
snaps, bites or attempts
to bite 4


HR=
0.96 [0.83–1.11]

Hazard Ratio


0.1

1.0

10.0



What is the reason for your activities? Training and obedience



How would you assess your dog's appetite?

Poor (does not eat without encouragement)

Reference

$p(\text{FDR-adj}) = 0.0232$

Average (eats without prompting to do so and seems full afterwards)

0.88 [0.81–0.96]

Voracious (always ready for more food)

HR= 0.84 [0.77–0.92]


Hazard Ratio

0.1

1.0

10.0

Hyperactive, restless, has trouble settling down:



When strangers walk past your home when your dog is outside or in the yard:

No aggression: no visible
signs of aggression 0

Reference

p(FDR-adj) = 0.0484

1

0.96 [0.92–1]

Moderate aggression:
growling/barking, baring
teeth 2

0.91 [0.86–0.95]

3

0.88 [0.8–0.97]

Serious aggression:
snaps, bites or attempts
to bite 4

HR=
0.83 [0.68–1.02]

Hazard Ratio

0.1

1.0

10.0