




hs\_general\_health  
Would you say that in general your dog's health is:




hs\_chronic\_condition\_present  
Does your dog have any ongoing medical conditions?




pa\_activity\_level  
Please choose the best description of your dog's lifestyle over the  
past year:







pa\_physical\_games\_frequency  
How often does your dog fetch items or play other games (such as  
Frisbee) that involve physical activity?



db\_playful\_frequency  
Playful, puppyish, boisterous:



df\_appetite\_change\_last\_year  
In the past 12 months, has your dog's appetite stayed about the same?  
How has your dog's appetite changed in the past 12 months?



pa\_swim  
Does your dog go swimming?

Yes  
0.81 [0.78–0.85]

No  
Reference


p(FDR-adj) =  
8.67e-18

Hazard Ratio


0.1


1.0

10.0



pa\_avg\_activity\_intensity  
Over the past year, when your dog is being active what is the average intensity level of that activity?





hs\_new\_condition\_diagnosed\_recently  
In the past three months, has your dog been diagnosed with any new conditions?

Yes  
1.24 [1.18–1.29]

No  
Reference


p(FDR-adj) =  
6.47e-17

Hazard Ratio


0.1

1.0


10.0




hs\_health\_conditions\_cardiac  
Cardiac disorders




de\_recreational\_spaces  
Do you ever take your dog to parks or other open spaces meant for  
recreational activities?




df\_weight\_change\_last\_year  
In the past 12 months, has your dog's weight stayed about the same?  
How has your dog's weight changed in the past 12 months?







hs\_chronic\_condition\_recently\_changed\_or\_treated  
In the past three months, has your dog had any changes to the status  
of, or medications for, these conditions?




hs\_health\_conditions\_neurological  
Neurologic disorders




db\_defecates\_alone\_frequency  
Defecates when left alone at night or during the daytime:




db\_chases\_squirrels\_frequency  
Chases or would chase squirrels, rabbits, etc., given the chance:




de\_eats\_grass\_frequency  
How often do you see your dog eating grass?




db\_training\_obeyes\_stay\_command\_frequency  
Obeys a "stay" command immediately:




db\_urinates\_alone\_frequency  
Urinates when left alone at night or during the daytime:





pa\_on\_leash\_walk\_reasons\_exercise\_for\_owner  
What is the reason for your activities? Exercise for you



de\_routine\_toys  
Does your dog regularly lick, chew, or play with toys?

Yes Reference  $p(\text{FDR-adj}) = 1.04\text{e-}06$


No 1.12 [1.08–1.17]

Hazard Ratio

0.1

1.0

10.0



de\_stairs\_in\_home  
Is there a staircase with more than 8 stairs that your dog uses regularly?

Yes

Reference

$p(\text{FDR-adj}) = 1.44\text{e-}06$

No

1.11 [1.07-1.16]

Hazard Ratio


0.1


1.0

10.0


db\_training\_obeyes\_sit\_command\_frequency

Obeys a "sit" command immediately:







pa\_other\_aerobic\_activity\_avg\_intensity  
During these periods of other aerobic activity, which of the following  
best describes your dog's activity level?




db\_barks\_frequency  
Barks persistently when alarmed or excited:




df\_primary\_diet\_component\_change\_health\_condition\_specific  
What were the reasons for the diet change? Health diagnosis prompted  
change to a condition-specific diet



mp\_recent\_non\_prescription\_meds\_upset\_stomach  
Given in past year: Medications for stomach or GI upset (such as  
Pepcid)




pa\_cold\_weather\_daily\_hours\_outside  
How much time per day does your dog spend outdoors on average in cold weather (below 40 degrees Fahrenheit)?




df\_primary\_diet\_component\_change\_recent


Have you made any changes to the primary component of your dog's diet  
in the past 12 months?




db\_chases\_birds\_frequency  
Chases or would chase birds, given the chance:




de\_drinks\_outdoor\_water  
Does your dog drink from outdoor water sources (such as lake, river,  
stream, pond, puddles, etc.)?




pa\_off\_leash\_walk\_reasons\_activity\_and\_enjoyment  
What is the reason for your activities? General activity and enjoyment




pa\_moderate\_weather\_outdoor\_sand  
Sand:




db\_pulls\_leash\_frequency  
Pulls excessively hard when on the leash:




pa\_other\_aerobic\_activity\_frequency  
Other than the on-leash and off-leash activities already described above, what is the average frequency that your dog gets other aerobic (elevated heart rate) activity? These might include working, mushing, or herding.



df\_ever\_underweight  
Has your dog ever been considered underweight?




hs\_vet\_frequency  
How often is your dog seen by a veterinarian?




p(FDR-adj) =  
0.00133

Hazard Ratio

hs\_health\_conditions\_liver  
Liver or pancreas disorders



pa\_on\_leash\_off\_leash\_walk  
Over the past year, if your dog leaves the house with you, they are:



pa\_on\_leash\_walk\_reasons\_exercise\_for\_dog  
What is the reason for your activities? Exercise for the dog

Yes Reference  $p(\text{FDR-adj}) = 0.00235$

No 1.11 [1.06–1.17]


Hazard Ratio

0.1

1.0

10.0

pa\_off\_leash\_walk\_reasons\_exercise\_for\_owner  
What is the reason for your activities? Exercise for you



hs\_congenital\_condition\_present  
Was your dog born with a congenital disorder (defect present at birth)?

Yes 1.19 [1.1–1.29]

No Reference

p(FDR-adj) =  
0.00352


Hazard Ratio


0.1

1.0


10.0

de\_wood\_fireplace\_present  
Wood burning fireplace or wood stove present:






dt\_weight\_change  
In the past 12 months, has your dog's weight stayed about the same?



df\_ever\_overweight  
Has your dog ever been considered overweight?



hs\_recent\_hospitalization  
In the past three months, has your dog been hospitalized for more than 24 hours?

Yes  
1.26 [1.12–1.42]

No  
Reference


p(FDR-adj) =  
0.0124

Hazard Ratio


0.1

1.0


10.0




pa\_moderate\_weather\_outdoor\_other\_hard\_surface  
Hard surface other than concrete or wood (asphalt, pavement, street):




de\_routine\_consistency  
How consistent is your dog's daily routine? We understand that this can vary. Please just provide your best estimate.



db\_hyperactive\_frequency  
Hyperactive, restless, has trouble settling down:



de\_routine\_toys\_include\_tennis\_balls  
Tennis ball



db\_aggression\_level\_delivery\_workers\_at\_home  
When letter carriers or other delivery workers approach your home:

No aggression: no visible  
signs of aggression 0

Reference

p(FDR-adj) =  
0.0194

1

0.95 [0.91–0.99]

Moderate aggression:  
growling/barking, baring  
teeth 2

0.92 [0.88–0.97]

3

0.83 [0.75–0.92]

Serious aggression:  
snaps, bites or attempts  
to bite 4


0.95 [0.82–1.09]


Hazard Ratio

0.1


1.0

10.0







pa\_on\_leash\_walk\_reasons\_training\_obedience  
What is the reason for your activities? Training and obedience



od\_max\_education  
What is the highest degree or level of school you have completed? If currently enrolled, please indicate the highest degree received.



mp\_recent\_non\_prescription\_meds\_eye\_lubricant  
Given in past year: Eye lubricants



pa\_on\_leash\_walk\_frequency  
Over the past year, what is the average frequency that your dog is active on a lead/leash?

Less than once a month 1.16 [1.08–1.25]

Less than once a week 1.1 [1.02–1.18]

Once or twice a week 1.07 [1–1.14]

3–6 times a week 1.02 [0.96–1.08]

Once a day 1 [0.95–1.06]

More than once a day Reference

p(FDR-adj) =  
0.0392

Hazard Ratio