

BIBLIOGRAPHY

- Abbott, W.S., 1925, A method of computing the effectiveness of insecticides, *J. Econ. Entomol*, 18: 265–267
- Abdulla, M.A., Ahmed, K.A.A., Abu-Luhoom, F.M. and Muhanid, M., 2010, Role of *Ficus deltoidea* extract in the enhancement of wound healing in experimental rats, *Biomed Res*, 3: 241-245.
- Abo, A., Olugbuyiro, J.A.O. And Famakinde, S.A., 2004, Anti-infective and wound healing properties of *flabellaria paniculata*, *African Journal of Biomedical Research*, 7: 85–87.
- Acharya, S. N., Acharya, K., Paul, S. and Basu, S. K. 2011, Antioxidant and antileukemic properties of selected fenugreek (*Trigonella foenum-graecum* L.) genotypes grown in western Canada, *Can. J. Plant Sci.*, 91: 99-105.
- Adonizio, A., Leal, S.M., Jr, Ausubel, F.M. and Mathee, K., 2008, Attenuation of *Pseudomonas aeruginosa* virulence by medicinal plants in a *Caenorhabditis elegans* model system, *Journal of Medical Microbiology*, 57: 809–813.
- Adwan, D., Shanab, B.A., Adwan, K. and Shanab, F.A., 2006, Antibacterial effects of nutraceutical plants growing in palestine on *Pseudomonas aeruginosa*, *Turk Journal of Biology*, 30: 239-242.
- Agbafor, K.N. and Nwachukwu, N., 2011, Phytochemical analysis and antioxidant property of leaf extracts of *Vitex doniana* and *Mucuna pruriens*, *Biochemistry Research International*, doi:10.1155/2011/459839.
- Agoramoorthy, G., Chandrasekaran, M., Venkatesalu, V. and Hsu, M.J., 2007, Antibacterial and antifungal activities of fatty acid methyl esters of the blind-your-eye mangrove from India, *Braz. J. Microbiol*, 38(4): 739-742.
- Agunbiade, F.O., Bamidele, I., Olu, O. and Adebowale, K.O., 2009, Phytoremediation potential of *Eichhornia crassipes* in metal-contaminated coastal water, *Bioresource Technology*, 100: 4521-4526.
- Aharoni, A., Lückner, J. and Bouwmeester, H.J., 2006, Metabolic engineering of terpenoid biosynthesis in plants, *Proceedings of the Workshop on Plant Secondary Metabolism*, South- Korea.
- Ahmed, S.A., Ito, M. and Ueki, K., 1982, Phytotoxic effect of water hyacinth water extract and decayed residue, *Weed Research Japan*, 27: 113-114.
- Aiyegoro, O.A. and Okoh, A.I., 2010, Preliminary phytochemical screening and *In vitro* antioxidant activities of the aqueous extract of *Helichrysum longifolium* DC, *Bmc Complementary and Alternative Medicine*, 10: 1-8.
- Ajayi, A.O. and Akintola, T.A., 2010, Evaluation of antibacterial activity of some medicinal plants on common enteric food-borne pathogens, *African Journal of Microbiology Research*, 4(4): 314-316.
- Ajikumar, P.K., Tyo, K., Carlsen, S., Mucha, O., Phon, T.H. and Stephanopoulos, G., 2008, Terpinoids: opportunities for biosynthesis of natural product drugs using engineered microorganisms, *Molecular Pharmaceutics*, 5(2): 167-190.
- Akhila, J.S., Deepa, S. and Alwar, M.C., 2007, Acute toxicity studies and determination of median lethal dose, *Current Science*, 93(7): 7.
- Akhtar, N., Jahan, M.A.A. and Majid, F.Z., 1997, Water hyacinth as a source of organic manure in Bangladesh, *Bangladesh Journal of Scientific and Industrial Research*, 32(1): 1-5.
- Akhtar, N., Uz Zaman, S., Khan, B.A., Amir, M.N. and Ebrahimzadeh, M.A., 2011, Calendula extract: effects on mechanical parameters of human skin, *Acta Poloniae Pharmaceutica - Drug Research*, 68(5): 693-701.
- Akhtar, N., Uz-zaman, S., Khan, B.A., Haji, M., Khan, S., Ahmad, M., Rasool, F., Mahmood, T. and Rasul, A., 2011, Evaluation of various functional skin parameters using a topical cream of *Calendula officinalis* extract, *African Journal of Pharmacy and Pharmacology*, 5(2): 199-206.
- Akinmoladun, A.C., Ibukun, E.O. and Dan-Ologe, I.A., 2007, Phytochemical constituents and antioxidant properties of extracts from the leaves of *Chromolaena odorata*, *Scientific Research and Essay*, 2(6): 191-194.
- Akinmoladun, A.C., Ibukun, E.O., Afor, E., Obuotor, E.M. and Farombi, E.O., 2007, Phytochemical constituent and antioxidant activity of extract from the leaves of *Ocimum gratissimum*, *Scientific Research and Essay*, 2(5): 163-166.
- Akkol, E.K., Süntar, L., Erdogan, T.F., Keleş, H., Gonenç, T.M. and Kivçak, B., 2012, Wound healing and anti-inflammatory properties of *Ranunculus pedatus* and *Ranunculus constantinopolitanus*: A comparative study, *Journal of Ethnopharmacology*, 139(2): 478–484.

- Akkol, E.K.P., Koca, U., Pesin, I. and Yilmazer, D., 2009, Evaluation of the wound healing potential of *Achillea biebersteinii* Afan. (Asteraceae) by *in vivo* Excision and Incision Models, *eCAM*, 1: 1-7.
- Alam, M., 2011, 53(637): SS-038, <http://wmoworld.com/wp-content/uploads/MEMON-ALAM-October-2011.pdf>.
- Alander, J., Andersson, A.C. and Lindström, C., 2006, Cosmetic emollients with high stability against photo-oxidation, *Lipid Technology*, 18(10): 226-230.
- Alexander, A. and Chaudhuri, R.K., 1996, Process for preparation of cinnamate sunscreen agents, United States Patent, US005527947A.
- Ali, H. and Dixit, S., 2012, In vitro antimicrobial activity of flavanoids of *Ocimum sanctum* with synergistic effect of their combined form, *Asian Pacific Journal of Tropical Disease*, S396-S398.
- Ali, H., Lata, N., Ahi, J. and Ganesh, N., 2010, Evaluation of wound-healing activity of *Eichhornia crassipes*: A novel approach, *Drug Invention Today*, 2: 212-214.
- Ali, H., Patel, M., Ganesh, N. and Ahi, J., 2009, The world's worst aquatic plant as a safe cancer medicine - Antitumor activity on melanoma induced mouse by *Eichhornia crassipes*: *in vivo* studies, *Journal of Pharmacy Research*, 2: 1365-1366.
- Ali, M.A., Alam, N.M., Yeasmin, M.S., Khan, A.M., and Sayeed, M.A., 2007, Antimicrobial screening of different extracts of *Piper longum* Linn, *Research Journal of Agriculture and Biological Sciences*, 3(6): 852-857.
- Aliero, A.A. and Afolayan, A.J., 2006, Antimicrobial activity of *Solanum tomentosum*, *African Journal of Biotechnology*, 5(4): 369-372.
- Aliu, A.Y. and Nwude, N., 1982, Vet.pharmacology and toxicology experiments. Baraka Press, Nigeria Ltd, Zaria, 104-109.
- Al-khateeb, I.K., Al-obadi, Y.M. and Ali, H., 2008, Tautomeric transitions with photo-induced effects using laser beam observed in antibiotic erythromycin – estolate, *J. of Al-anbar University for Pure Science*, 2(3): 1-10.
- Alupului, A., Calinescu, I. and Lavric, V., 2009, Ultrasonic vs Microwave extraction intensification of active principles from medicinal plants, *AIDIC Conference Series*, DOI, 10.3303/ACOS0909001.
- Alvarez, A.M.R. and Rodriguez, M.L.G., 2000, Lipids in pharmaceutical and cosmetic preparations, *Grasasy Aceites*, 5(1-2): 74-96.
- Amaral, M.D.C.E.D., Silva, A.J.R.D. and Salatino, A., 1990, Alkanes of surface waxes from eight species of aquatic angiosperms, *Aquatic Botany*, 36: 281-286.
- Amir, M., Mujeeb, M., Khan, A., Ashraf, K., Sharma, D. and Aqil, M., 2012, Phytochemical analysis and *in vitro* antioxidant activity of *Uncaria gambir*, *International journal of green pharmacy*.
- Amirah, Prasad, D.M.R. and Khan, M.R., 2012, Comparison of extraction techniques in extraction of gallic acid from stem bark of *Jatropha curcas*, *Journal of Applied Sciences*, 12(11): 1106-1111.
- Amit, J., Namrata, S., Pathak, A.K. and Tailang, M., 2010, Phytochemistry and evaluation of antioxidant activity of whole plant of *Calotropis Gigantea* Linn, *Ijrap*, 1(1): 120-125.
- Ananth, K.V., Asad, M., Prem Kumar, N., Asdaq, S.M.B. and Rao, G.S., 2010, Evaluation of wound healing potential of *Bauhinia purpurea* leaf extracts in rats, *Indian Journal of Pharmaceutical Sciences*, 72(1): 122-127.
- Andersen, O.M. and Markham, R.K., 2006, Flavonoids, chemistry, biochemistry and applications, Taylor and Francis, London book.
- Anjana, B. and Matai, S., 1990, Composition of Indian aquatic plants in relation of utilization as animal forage, *Journal of Aquatic Plant Management*, 28: 69-73.
- Anjaneyalu, Y.V., Gowda, D.C. and Neelisiddiah, B., 1983, Structural features of a polysaccharide from the mucin of water hyacinth, *Phytochemistry*, 22: 1961-1963.
- Anonymous, 2001, Plant Sterols and Sterolins, *Alternative Medicine Review*, 6 (2): 203-206.
- Anusha, J.R., Kumari, S.S., Rabisha, I.R.A., Deepika, D.S., Nair, R.S., Remya, K.V. and Jasphin, Y., 2012, *In vitro* antimicrobial activity of holostemma ada-kodan schult. against some staphylococcus species, *International Journal of Pharmaceutical Research and Development*, 4: 267-272.
- Araujo, M.F.D., Filho, R.B., Carvalho, M.G.D. and Curcino Vieira, I.J.C., 2012, Other compounds isolated from *simira glaziovii* and the ¹H and ¹³C NMR chemical shift assignments of new 1-*epi*-castanopsol, *Quim. Nova*, xy: 1-3

- Archana, S., Suchitra, M. and Anirudha, R., 2011, Quantitative Estimation Of β -Sitosterol and Stigmasterol *in Vivo* and *in Vitro* Terminalia Chebula Ritz, 2(3): 115-116.
- Arifkhodzhaev, A.O. and Shoyakubov, R.S.H., 1995, Polysaccharides of *Eichhornia crassipes* and *Pistia stratiotes*, *Chemistry of Natural Compounds*, 31: 620-621.
- Arivoli, S., Ravindran, K. J. and Tennyson, S., 2012, Larvicidal efficacy of plant extracts against the malarial vector *Anopheles stephensi* Liston (Diptera: Culicidae), *World Journal of Medical Sciences*, 7(2): 77-80.
- Arulpriya, P., Lalitha, P. and Hemalatha, S., 2010, Antimicrobial testing of the extracts of *Samanea saman* (Jacq.)Merr, *Der Pharma Chemica*, 2(6): 73.
- Arunkumar, S. and Muthuselvam, M., 2009, Analysis of phytochemical constituents and antimicrobial activities of *Aloe vera* L. against clinical pathogens, *World Journal of Agricultural Sciences*, 5(5): 572-576.
- Ashokan, K.V., 2011, Interaction of leptin and leptin receptors with mahanimbine: a docking study, *International Journal of Basic and Applied Medical Sciences*, 1(1): 44-53.
- Assar, A.A. and El- Sobky, M.M., 2003, Biological and histopathological studies of some plant extracts on larvae of *C. pipiens* (Diptera: Culicidae). *J. Egypt. Soc. Parasitol.*, 33(1): 189–200.
- Aswal, A., Kalra, M. and Rout, A., 2012, Preparation and evaluation of polyherbal cosmetic cream, *Asian Pacific Journal of Tropical Biomedicine*, 1-4.
- Austin, A. and Jegadeesan, M., Acute and sub – acute toxicity studies of *Hemidesmus indicus* var. pubescens R.Br., *Ancient Science of Life*, XXII(2):1-8.
- Avasthi, S., Gautam, A.K. and Bhadauria, R., 2010, Antifungal activity of plant products against *Aspergillus niger*. A potential application in the control of a spoilage fungus, *Biological Forum — An International Journal*, 2(1): 53-55.
- Awad, A.B. and Fink, C.S., 2000, Phytosterols as anticancer dietary components, evidence and mechanism of action, *American Chemical Society for Nutrition Sciences*, 2127-2131.
- Awika, J.M., Rooney, I.W., Wu, X., Prior, R.I. and Zevallos, I.C., 2003, Screening methods to measure antioxidant activity of *Sorghum* (*Sorghum bicolor*) and *Sorghum* Products, *J. Agric. Food Chem*, 51: 6657-6662.
- Ayoola, G.A., Coker, H.A.B., Adesegun, S.A., Adepoju-Bello, A.A., Obaweya, K., Ezennia, E.C. and Atangbayila, T.O., 2008, Phytochemical screening and antioxidant activities of some selected medicinal plants used for malaria therapy in Southwestern Nigeria, *Tropical Journal of Pharmaceutical Research*, 7(3): 1019-1024.
- Ayyanar, M. and Ignacimuthu, S., 2009, Herbal medicines for wound healing among tribal people in Southern India: Ethnobotanical and Scientific evidences, *International Journal of Applied Research in Natural Products*, 2(3): 29-42.
- Babarindea, S.A., Oyegokeb, O.O. and Adekunle, A.E., 2011, Larvicidal and insecticidal properties of *Ricinus communis* seed extracts obtained by different methods against *Tribolium castaneum* Herbst (Coleoptera: Tenebrionidae), *Archives of phytopathology and plant protection*, 44(5):451–459.
- Babayi, H., Kolo, I., Okogun, J.I. and Ijah, U.J.J., 2004, The antimicrobial activities of methanolic extracts of *Eucalyptus camaldulensis* and *Terminalia catappa* against some pathogenic microorganisms, *Biokemistri*, 16(2): 106-111.
- Babu, P.D. and Subhasree R.S., 2009, Antimicrobial activities of *Lawsonia inermis* - A review, *Academic Journal of Plant Sciences*, 2 (4): 231-232.
- Backhouse, N., Rosales, L., Apablaza, C., Golity, L., Erazo, S., Negrete, R., Theodoluz, C., Rodriguez, M.J. and Delporte, C., 2008, Analgesic, anti-inflammatory and antioxidant properties of *Buddleja globosa*, *Buddlejaceae*, *J Ethnopharmacol*. 116(2): 263-9.
- Badoni, R., Semwal D.K. and Rawat, U., 2010, Fatty acid composition and antimicrobial activity of *Celtis australis* L. Fruits, *Jouranl of Scientific research*, 2(2): 397-402.
- Bakr, T.M.A., El-Shemi, N.M. and Mesallam, A.S., 1984, Isolation and chemical evaluation of protein from water hyacinth, *Plant Foods for Human Nutrition*, 34: 67-73.
- Balasundram, N., Ai, T.Y., Sambanthamurthi, R., Sundram, K. and Samman, S., 2005, *Asia Pac J Clin Nutr*, 4(4): 319-324.
- Bansal, S.K., Singh, K.V., Sharma, S. and Sherwani, M.R.K., 2012, Laboratory observations on the larvicidal efficacy of three plant species against mosquito vectors of malaria, Dengue/Dengue Hemorrhagic Fever (DF/DHF) and lymphatic filariasis in the semi-arid desert, *J. Environ. Biol.*, 33: 617-621.

- Bansod, S. and Rai, M., 2008, Antifungal activity of essential oils from indian medicinal plants against human pathogenic *Aspergillus fumigatus* and *A. niger*, *World Journal of Medical Sciences*, 3(2): 81-88.
- Barai, B.K., Singhal, R.S. and Kulkarni, P.R., 1997, Optimization of a process for preparing carboxymethyl cellulose from water hyacinth (*Eichornia crassipes*), *Carbohydrate Polymers*, 32: 229-231.
- Baral, B. and Vaidya, G.S., 2011, Bio-assay and phytochemical screening of Water hyacinth of Nepalese Wetland, *International Journal of Advances in Science and Technology*, 3(2): 80-86.
- Baral, B. and Vaidya, G.S., 2011, Biological and chemical assessment of Water hyacinth (*Eichornia crassipes* (Mart.) Solms.) of Phewa Lake, Nepal, *Scientific World*, 9(9).
- Baral, B., and Vaidya, G.S., 2011, Bio-assay and phytochemical screening of water hyacinth of Nepalese Wetland, *International Journal of Advances in Science and Technology*, 3(2).
- Baral, B., Vaidya, G.S., Bhattarai, N., Baniya, R., 2010, Bioassay and screening of bio-active compounds of water hyacinth: an invasive aquatic weed of Fewa lake, Abstract in *Proceedings of the International Conference on Biodiversity, Livelihood and Climate Change in the Himalayas*, December 12-14.
- Barua, C.C., Talukdar, A., Begum, S.A., Sarma, D.K., Pathak, D.C., Barua, A.G. and Bora, R.S., 2009, Wound healing activity of methanolic extract of leaves of *Alternanthera brasiliana* Kuntz using *in vivo* and *in vitro* model, *Indian J Exp Biol*, 47: 1001-1005.
- Bashir, A., Mujahid, T.Y. and Jehan, N., 2007, Antibiotic resistance profile: isolation and characterization of clinical isolates of *staphylococci* from patients with community-acquired skin infections, *Pak J Pharm Sci*, 20(4): 299-304.
- Batubara, I., Darusman, L.K., Mitsunaga, T., Aoki, H., Rahminiwati, M., Djauhari, E. and Yamauchi, K., 2011, Flavonoid from *Intsia palembanica* as skin whitening agent, *Journal of Biological Sciences*, 11: 475-480.
- Bawankar, R., Singh, P., Subashkumar, R., Vivekanandhan, G., Thayumanvan, T. and Babu, S., 2012, Comparative analysis and partial functional annotation of phytosterol desaturase gene in plants of different botanical families, *Research in Plant Biology*, 2(1): 41-49.
- Beisson, Y.L., Shorrosh, B., Beisson, F., Andersson, M.X., Arondel, V., Bates, P.D., Baud, S., Bird, D., DeBono, A., Durrett, T.P., Franke, R.B., Graham, I.A., Katayama, K., Kelly, A.A., Larson, T., Markham, J.E., Miquel, M., Molina, I., Nishida, I., Rowland, O., Samuels, L., Schmid, K.M., Wada, H., Welti, R., Xu, C., Zallot, R. and Ohlrogge, J., 2010, Acyl-Lipid Metabolism, The Arabidopsis Book, *American Society of Plant Biologists*, 1-65.
- Beknal, A.K., korwar, P.G., Halkai, M.A., Kulkarni, U., Patil, B.S. and Soodam, S.R., 2010, Phytochemical investigation and antioxidant activity study of *Drynaria Quercifolia* Linn rhizome, *International Journal of Current Pharmaceutical Research*, 2(4).
- Benabdesselam, F.M., Khentache, S., Bougoffa, K., Chibane, M., Adach, S., Chapeleur, Y. and Max, H., 2007, Dominique Laurain-Mattar, Antioxidant activities of alkaloid extracts of two Algerian species of *Fumaria* : *Fumaria capreolata* and *Fumaria bastardii*, *Rec. Nat. Prod.*, 1(2-3): 28-35.
- Benveniste, P., 2004, Biosynthesis and accumulation of sterols, *Annu. Rev. Plant Biol*, 55: 429-57.
- Bergier, I., Salis, S.M., César, H.B., Ortega, E.M. and Luengo, C.A., Biofuel production from water hyacinth in the Pantanal wetland, *Ecohydrology Hydrobiology*, 12(1): 77-84.
- Berk, S., Tepe, B., Arslan, S. and Sarikurkcü, C., 2011, Screening of the antioxidant, antimicrobial and DNA damage protection potentials of the aqueous extract of *Asplenium Ceterach* DC., *African Journal of Biotechnology*, 10(44): 8902-8908.
- Bhalodia, N.R., Nariya, P.B., Acharya, R.N. and Shukla, V.J., 2011, Evaluation of *in vitro* antioxidant activity of flowers of *Cassia fistula* Linn., *International Journal of Pharm Tech Research*, 3(1): 589-599.
- Bharath, E.N., Manjula, S.N. and Vijaychand, A., 2011, *In silico* drug design tool for overcoming the innovation deficit in the drug discovery process, *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(2): 812.
- Bhardwaj, S.K. and Laura, J.S., 2009, Antibacterial activity of some plant-extracts against plant pathogenic bacteria *xanthomonas campestris* pv. *Campestris*, *Indian J. Agric. Res.*, 43(1): 26-31.
- Bhaskar, B., Avadhani, R., 2012, *In Vitro* free radical scavenging activity of *Bauhinia Racemosa*, *Nitte University Journal of Health Science*, 2(4): 1-4.
- Bhat, R.S., Shankappa, J. and Shivakumar, H.G., 2007, Formulation and evaluation of polyherbal wound treatments, *Asian Journal of Pharmaceutical Sciences*, 2(1): 11-17.
- Bhatt, B., 2011. Chemical constituents of *Solanum xanthocarpum*. *J. Chem. Pharm. Res.*, 3: 176-181.

- Bhattacharya, A. and Kumar, P., 2010, Water hyacinth as a potential biofuel crop, *EJEAFChe*, 9 (1): 112-122.
- Bhaumik, U.K., Kumar, D.A., Thamilselvan, V., Saha, P., Gupta, M. and Mazumder, U.K., 2008, Antioxidant and free radical scavenging property of methanol extract of *Blumea Lanceolaria* leaf in different *in vitro* models, *Pharmacologyonline*, 2: 74-89.
- Biapa, P.C.N., Agbor, G.A., Oben, J.E. and Ngogang, J.Y., 2007, Phytochemical studies and antioxidant properties of four medicinal plants used in cameroon, *Afr. J. Trad. CAM*, 4(4): 495 – 500.
- Biswas, T.K. and Mukherjee, B., 2007, Plant medicines of Indian origin for wound healing activity: A review, *Int J Low Extrem Wounds*, 2(1): 25-39.
- Bloom, P.D., 2006, Epoxidized esters of vegetable oil fatty acids as reactive diluents, US 2006/0020062 A1.
- Bobbarala, V., Katikala, P.K., Duggirala, V. and Penumajji, S., 2009, Control of phytopathogenic fungi *Colletotrichum graminicola* using medicinal plant methanolic extracts, *Drug Invention Today*, 1: 3-6.
- Bobbarala, V., Katikala, P.K., Naidu, K.C. and Penumajji, S., 2009, Antifungal activity of selected plant extracts against phytopathogenic fungi *Aspergillus niger* F2723, *Indian Journal of Science and Technology*, 2(4): 87-90.
- Bodo, R., Azzouz, A. and Hausler, R., 2004a, Antioxidative activity of water hyacinth components, *Plant Science*, 166: 893-899.
- Bodo, R., Hausler, R. and Azzouz, A., 2004b, Optimized extraction of total proteic mass from water hyacinth dry leaves, *J. Environ. Eng. Sci*, 3: 529–536.
- Bodoa, R., Azzouz, A. and Hausler, R., 2004, Antioxidative activity of water hyacinth components, *Plant Science*, 166: 893–899.
- Bolenz, S., Omran, H. and Gierschner, K., 1990, Treatments of water hyacinth tissue to obtain useful product, *Biological Wastes*, 33: 263-274.
- Bonjar, G.H.S., Nik, A.K., Heydari, M.R., Ghasemzadeh, M.H., Farrokhi, P.R., Moein, M.R., Mansouri, S. and Foroumadi, A., 2003, Anti-*Pseudomona* and anti-bacilli activity of some medicinal plants of Iran, *DARU*, 11(4): 157-163.
- Boonkird, S., Phisalaphong, C.M. and Phisalaphong, 2008, Ultrasound-assisted extraction of capsaicinoids from *Capsicum frutescens* on a lab- and pilot-plant scale, *Ultrasonics Sonochemistry*, 15: 1075–1079.
- Boudet, A.M., 2007, Flavonols and Phenolic Acids in Berries and Berry Products, Doctoral dissertation, Evolution and current status of research in phenolic compounds, *Phytochemistry* 68: 2722–2735.
- Buer, C.S., Imin, N. and Michael, A., 2010, Djordjevic flavonoids: new roles for old molecules, *Journal of Integrative Plant Biology*, 52(1): 98–111.
- Bukar, A., Mukhtar, M.D. and Hassan, A.S., 2009, Phytochemical screening and antibacterial activity of leaf extracts of *Senna siamea* (lam) on *pseudomonas aeruginosa*, *Bayero Journal of Pure and Applied Sciences*, 2(1): 139-142.
- Burdi, D.R., Hasan, M. and Uddin, V., 1991, Sterols and a glycoside from the flowers of *Inula Grantioides*, *Pakistan Journal of Pharmaceutical Sciences* 4(2):131-136.
- Burdulis, D., Aarkinas, A., Jasutien, I., Stackevi E., Nikolajevs, I. and Janulis, V., 2009, Comparative study of anthocyanin composition, antimicrobial and antioxidant activity in bilberry (*vaccinium myrtillus* L.) and blueberry (*vaccinium corymbosum* L.) Fruits, *Acta Poloniae Pharmaceutica - Drug Research*, 66(4): 399-408.
- Burger, C., Fischer, D.R., Cordenunzi, D.A., Batschauer, A.P.D.B., Filho, V.C., Soares, A.R.D.S., 2005, Acute and subacute toxicity of the hydroalcoholic extract from *Wedelia paludosa* (*Acmela brasiliensis*) (Asteraceae) in mice, *J Pharm Pharmaceut Sci*, 8(2): 370-373.
- Bylka, W., Matlawska, I. and Pilewski, N.A., 2004, Natural flavonoids as antimicrobial agents, *JANA*, 7(2): 24-31.
- Cantrill, R., 2008, Phytosterols, phytosterols and their esters, chemical and technical assessment, phytosterols, phytosterols and their esters, (Ph.D-Reviewed by Yoko Kawamura, Ph.D., for the 69th Jecfa, CTA), 1(13).
- Cao, C., Lu, S., Kivlin, R., Wallin, B. and Card, E., et al., 2009, SIRT1 confers protection against UVB-and H2O2-induced cell death via modulation of p53 and JNK in cultured skin keratinocytes, *Journal of Cellular and Molecular Medicine* 13: 3632–3643.
- Cao, H.Q., Yue, Y.D., Peng, Z.H., Hua, R.M. and Tang, F., 2004, Evaluation of extracts from bamboo for biological activity against *Culex Pipiens pallens*, *Entomologia Sinica*, 11(4): 267-273.

- Castellanos, L., de Correa, R.S., Martineza, E. and Calderonb, J.S., 2002, Oleanane triterpenoids from *Cedrela montana* (Meliaceae), *Z. Naturforsch.* 57c: 575D578
- Center for Drug Evaluation and Research (CDER)U.S. Department of Health and Human Services , Food and Drug Administration, Guidance for Industry Limiting the Use of Certain Phthalates as Excipients in CDER-Regulated Products March 2012 CMC.
- Center, T.D. and Wright, A.D., 1991, Age and phytochemical composition of Waterhyacinth (*Pontederiaceae*) leaves determine their acceptability to *Neochetina eichhorniae* (Coleoptera: Curculionida), *Environmental Entomology*, 20: 323-334.
- Center, T.D., Hill, M.P., Cordo, H. and Julien, M.H., 2002, USDA Forest Service Publication, 41.
- Cert, A., Moreda, W., and Perez-Camino, M.C., 2000, Methods of preparation of fatty acid methyl esters (FAME). Statistical assessment of the precision characteristics from a collaborative trial, *Grasas Aceites*, 51(6): 447-456.
- Cervellati, R., Speroni, E., Govoni, P., Guerra, M.C., Costa, S., Arnold, U.W. and Stuppner, H., 2004, *Wulfenia carinthiaca* Jacq., antioxidant and pharmacological activities, *Z. Naturforsch.* 59c: 255-262
- Chakrabarthy, H., 2009, FAO Fisheries and Aquaculture, Technical paper No 531, Rome, FAO 123.
- Chakraborti, A.K. and Thilagavathi R., 2004, Computer-aided design of selective COX-2 Inhibitors: molecular docking of structurally diverse cyclooxygenase-2 Inhibitors using FlexX, *Internet Electronic Journal of Molecular Design*, 3: 704-719.
- Chakraborty, D. and Shah, B., 2011, Antimicrobial, anti-oxidative and anti-hemolytic activity of *Piper Betel* leaf extracts, *International journal of Pharmacy and Pharmaceutical Sciences*, 3(3): 192-199.
- Chakradhar, D., Narendra, A. and Nagaraju, K., 2010, Laboratory evaluation of grain protectant efficacy of different foliar extracts against maize weevil- *Sitophilus zeamais* (Motschulsky), *Arch Phytopathol Pfl*, 43: 1809-1818.
- Chan, E.W.C., Lim, Y.Y., Wong, L.F., Lianto, F.S., Wong, S.K., Lim, K.K., Joe, C.E. and Lim, T.Y., 2008, Antioxidant and tyrosinase inhibition properties of leaves and rhizomes of ginger species, *Food Chemistry*, 109: 477-483.
- Chanda, S. and Dave, R., 2009, *In vitro* models for antioxidant activity evaluation and some medicinal plants possessing antioxidant properties: An overview, *African Journal of Microbiology Research*, 3(13): 981-996.
- Chandrasekaran, M., SenthilKumar, A. and Venkatesalu, V., 2011, Antibacterial and antifungal efficacy of fatty acid methyl esters from the leaves of *Sesuvium portulacastrum* L., *Eur Rev Med Pharmacol Sci*, 15(7): 775-80.
- Chang, C.J., Tzeng, T.F., Liou, S.S., Chang, Y.S. and Liu, I.M., 2012, Acute and 28-day subchronic oral toxicity of an ethanol extract of *Zingiber zerumbet* (L.) Smith in Rodents, *Evidence-Based Complementary and Alternative Medicine*, Article ID 608284, 11.
- Chang, S.J., Lin, T.H. and Chen, C.C., 2001, Constituents from the stems of *Dendrobium Clavatum* Var. *Aurantiacum*, *J Chin Med*, 12(3): 211-218.
- Chantiratikul, P., Meechai, P. and Nakbanpotec, W., 2009, Antioxidant activities and phenolic contents of extracts from *Salvinia molesta* and *Eichornia crassipes*, *Research Journal of Biological Sciences*, 4(10): 1113-1117.
- Chao, P.D.L., Hsiu, S.L. and Hou, Y.C., 2002, Flavonoids in herbs : biological fates and potential interactions with Xenobiotics, *Journal of Food and Drug Analysis*, 10(4): 219-228.
- Chapman, K., 2007, Challenging the regulatory requirement for acute toxicity studies in the development of new medicines, A workshop report, by NC3Rs -Sally Robinson, AstraZeneca.
- Chaudhry, R., Venugopal, P. and Chopra, P., 1987, Prosthetic mitral valve mucormycosis caused by *mucor* species, *International Journal of Cardiology*, 17: 333-335.
- Chauhan, U. K., Soni, P., Shrivastava, R., Mathur, K. C. and Khadikar P. V., 2003, Antimicrobial activities of the rhizome of *Curcuma longa* linn, *Oxidation communications*, 26(2): 266-270.
- Chen, M.J., Liu, J.R., Sheu, J.F., Lin, C.W. and Chuang, C.L., 2006, Study on skin care properties of milk Kefir whey, *Asian-Aust. J. Anim. Sci.*, 19(6): 905-908.
- Chen, W., Li, Y. and Guo, Y., 2012, Terpenoids of *Sinularia* soft corals: chemistry and bioactivity, *Acta Pharmaceutica Sinica B*, 2(3): 227-237.

- Cheng, J., Li, Y.S., Roberts, R.L. and Walker, G., 1997, Analysis of 2-ethylhexyl-p-methoxycinnamate in sunscreen products by HPLC and Raman spectroscopy, *Talanta*, 44(10): 1807-13.
- Cheng, S.S., Huang, C.G., Chen, W.J., Kuo, Y.H. and Chang, S.T., 2008, Larvicidal activity of tectoquinone isolated from red heartwood-type *Cryptomeria Japonica* against two mosquito species, *Bioresource Technology*, 99:3617–3622.
- Cherney, E.C. and Baran P.S., 2011, Baran terpenoid-alkaloids: their Biosynthetic twist of fate and total synthesis, *Isr. J. Chem.*, 51: 391–405.
- Chethan,J., Kumara, K.S., Sekhar, K.S. and Prakash, H.S., 2012, Antioxidant, antibacterial and DNA protecting activity of selected medicinally important asteraceae plants, *International Journal of Pharmacy and Pharmaceutical Sciences*, 4(2).
- Chhajed, S.S., Hiwanj, P.B., Bastikar, V.A., Upasani, C.D., Udavant, P.B., Dhake, A.S. and Mahajan, N.P., 2010, Structure based design and In-Silico molecular docking analysis of some novel benzimidazoles, *International Journal of ChemTech Research*, 2(2): 1135-1040.
- Choi, J.M., Lee, H.J., Kim, K.H., Ahn, K.S., Shim, B.S., Kim, N.I., Song, M.C., Baek, N.I. and Kim, S.H., 2007, Identification of campesterol from *Chrysanthemum coronarium* L. and its antiangiogenic activities, *Phytother Res*, 21(10): 954-9.
- Choi, J.S., Bae, H.J. and Choi, I.S., 2011, *In vitro* antibacterial and anti-inflammatory properties of seaweed extracts against acne inducing bacteria, *Propionibacterium acnes*, *Journal of Environmental Biology*, 32: 313-318.
- Choi, S., Langenbach, R. and Bosetti, F., 2008, Genetic deletion or pharmacological inhibition of cyclooxygenase-1 attenuate lipopolysaccharide induced inflammatory response and brain injury, *The FASEB Journal*, 22:1491-1502.
- Choi, S.Y., Kim, S.S., Lee, Y., Lee, B.H. and Han, C., 2010, Phenolic compounds content and tyrosinase inhibitory effect of unripe apple extracts, *J. Appl. Biol. Chem.*, 53(2): 87-90.
- Christie, W.W., 2012, Sterols 3. Sterols and their conjugates from plants and lower organisms: structure, occurrence, *Biochemistry and Analysis*, 1-8.
- Chuang, Y.H. and Ju, Y.H., 2006, Separation of campesterol and β -sitosterol from a sterol mixture, separation science and technology, *J Nutr Sci Vitaminol (Tokyo)*. 41: 3027–3038.
- Chunlaratthanaphorn, S., Lertprasertsuke, N., Srisawat, U., Thuppia, A., Ngamjarriyawat, A., Suwanlikhid, N. and Jaijoy, K., 2007, Acute and subchronic toxicity study of the water extract from dried fruits of *Piper nigrum* L. in rats, *Songklanakarin J. Sci. Technol.*, 29(1): 109-124.
- Chu-tse, W., Xue-tao, P., Jun-rong, C. and Hui-hua, Xue., 1993, A new pharmacological activity of dibutyl phthalate (DBP) on selective elimination of tumor cells from bone marrow Leukemia Research, 17(7): 557–560.
- Ciocan, I.D. and Bara, I.I., 2007, Plant products as antimicrobial agents, *Analele stiintifice ale Universitatii Alexandru Ioan Cuza, Sectiunea Genetica si Biologie Moleculara*, TOM VIII.
- Cisowska, A., Wojnicz, D. and Hendrich, A.B., 2011, Anthocyanins as antimicrobial agents of natural plant origin, *Nat Prod Commun*, 6(1): 149-56
- Croteau, R., Kutchan, T.M., Lewis, N.G., Buchanan, B., Grisse, W., Eds, R.J., 2000, Natural products (Secondary Metabolites), biochemistry & molecular biology of plants, *American Society of Plant Physiologists*: 1250-1264.
- Crozier, A., Clifford, M.N. and Ashihara, H., 2006, Cataloging-in-Publication Data Plant secondary metabolites: occurrence, structure and role in the human diet/edited, Blackwell Publishing Ltd, Library of Congress, 86-87.
- Cushnie, T.P.T. and Lamb, A.J., 2005, Antimicrobial activity of flavonoids, *International Journal of Antimicrobial Agents*, 26: 343–356.
- Cutler, R.R. and Wilson, P., 2004, Antibacterial activity of a new, stable, aqueous extract of *Allicin* against methicillin-resistant *Staphylococcus aureus*, *British Journal of Biomedical Science*, 61(2): 1-4.
- Dada, A.S., 2002, The utilization of water hyacinth (*Eichhornia Crassipes*) by West African Dwarf (wad) growing goats, *Afr. J. Biomed. Res.*, 4: 147–149.
- Daisy, P., Mathew, Suveena, S. and Rayan, N.A., 2008, A Novel terpenoid from *Elephantopus Scaber* – Antibacterial activity on *Staphylococcus Aureus*: A substantiate computational approach, *Int J Biomed Sci*, 4(3): 196-203.

- Dar, S.A., Yousuf, A.R., Ganai, F.A., Sharma, P., Kumar, N. and Singh, R., 2012, Bioassay guided isolation and identification of anti-inflammatory and anti-microbial compounds from *Urtica dioica* L. (Urticaceae) leaves, *African Journal of Biotechnology*, 11(65): 12910-12920.
- Dash, G.K. and Murthy, P.N., 2011, The wound healing effects of a new polyherbal formulation, *Der Pharmacia Lettre*, 3(1): 342-349.
- Dash, G.K. and Murthy, P.N., 2011, Evaluation of *Argemone mexicana* Linn. leaves for wound healing activity. *J Nat Prod Plant Resour*, 1: 46-56.
- De Las Heras B. and Hortelano, S., 2009, Molecular basis of the anti-inflammatory effects of terpenoids, *Inflammation & Allergy - Drug Targets*, 8: 28-39.
- De-Carvalho, M.G., Cardozo, M.A.R., Catunda Junior F.E.A. and Carvalho, C.G.D., 2010, Chemical constituents of *Piptadenia gonoacantha* (Mart.) J.F. Macbr (pau jacare), *Anais Da Academia Brasileira De Ciencias*, 82(3): 561-567.
- Dendougui, H., Seghir, S., Belloum, Z., Benayache, F., Leon, F., Brouard, I., Bermejo, J. and Benayache, S., 2001, A New labdane diterpene and other constituents from *Marrubium deserti* Noe ex coss. *Rec. Nat. Prod*, 5(4): 300-304.
- Deshwal, V.K., 2012, *In vitro* antibacterial activity of water and ethanol extract of *Tribulus Terrestris* on the growth of *Pseudomonas aeruginosa* by disc diffusion test, *Internationaal journal of plant, animal and environmental sciences*, 2(2): 235-238
- Desmarchelier, C., Mongelli, E., Coussio, J. and Ciccio, G., 1997, Inhibition of lipid peroxidation and iron (II)-dependent DNA damage by extracts of *Pothomorphe peltata* (L.) Miq., *Brazilian Journal of Medical and Biological Research*, 30: 85-91.
- Devanand, P. and Usharani, R., 2008, Biological potency of certain plant extracts in management of two lepidopteran pests of *Ricinus communis* L., *Journal of Biopesticides*, 1: 170-176.
- Devappa, R.K. Harinder, P.S. M. and Becker, K., Jatropha Diterpenes: a review, *J Am Oil Chem Soc*.
- Devi, P.S., Kumar, M.S. and Das, M.S., 2012, DNA damage protecting activity and free radical scavenging activity of anthocyanins from red sorghum(*Sorghum bicolor*) Bran, *Biotechnology Research International*, ID 258787: 9.
- Díaz, M.F. and Gavín, J.A., 2007, Characterization by NMR of Ozonized Methyl Linoleate, *J. Braz. Chem. Soc.*, 18(3): 513-518.
- Diegelmann, R.F. and Evans, M.C., 2004, Wound healing: An overview of acute, fibrotic and delayed healing, *Frontiers in Bioscience*, 9: 283-289.
- Dilber, S.P.Lj. Dobric, S., Juranic, Z.D., Markovic, B.D., Vladimirov, S.M. and Juranic, I.O., 2008, Docking studies and anti-inflammatory activity of β -Hydroxy- β -arylpropanoic Acids, *Molecules*, 13: 603-615.
- Doan, T., 2011, Fatty acid reductases (FAR): Insights into the biosynthesis of fatty alcohols in plants and bacteria, Doctoral Thesis, Swedish University of Agricultural Sciences.
- Do-Nascimento, A.M. and De-Oliveira, D.C.R., 2001, Kaurene diterpenes and other chemical constituents from *Mikania stipulacea* (M. Vahl) Willd, *J.Braz. Chem. Soc.*, 12(4): 552-555.
- Donkwe, S.M.M., Happl, E.N., Wansi, J.D., Lenta, B.N., Devkota, K.P., Neumann, B., Stammler, H.G. and Sewald, N., 2012, Oxidative burst inhibitory and cytotoxic activity of constituents of the fruits of *Odyndyea gabonensis*, *Planta Med*.
- Dubey, V.S., Bhalla, R. and Luthra, R., 2003, An overview of the non-mevalonate pathway for terpenoid biosynthesis in plants, *J. Biosci.* 28: 637–646.
- Duh, P.D., 1998, Antioxidant activity of *Budrock* (*Arctium lappa* Linn): Its scavenging effect on free radical and active oxygen, *J Am Oil Chem Soc*, 75: 455-461
- Ebrahimzadeha, M.A., Nabavia, S.M., Nabavia, S.F., Bahramianc, F. and Bekhradnia, A.R., 2010, Antioxidant and free radical scavenging activity of *H. Officinalis* L. Var. *Angustifolius*, *V. Odorata*, *B. Hyrcana* and *C. Speciosum*, *Pak. J. Pharm. Sci.*, 23(1): 29-34.
- Edigênia, C.C., Araujoa, Limaa, M.A.S., Nunesb, E.P. and Silveira, E.R., 2005, Abietane Diterpenes from *Hyptis plataniifolia*, *J. Braz. Chem. Soc.*, 16(6B):1336-1341.
- Ehrlich, H.P. and Hunt, T.K., 1968, Effects of cortisone and vitamin A on wound healing, *Ann Surg.*, 167(3): 324–328.
- Ekins, S., Mestres, J. and Testa, B., 2007, *In silico* pharmacology for drug discovery: applications to targets and beyond, *British Journal of Pharmacology*, 152: 21–37.

- Eknamkul, W.D. and Potduang, B., 2003, Biosynthesis of β -sitosterol and stigmasterol in *Croton sublyratus* proceeds via a mixed origin of isoprene units, *Phytochemistry*, 62: 389–398.
- Emen, S., Ceken, B., Kizil, G. and Kizil, M., 2009, DNA damage protecting activity and in vitro antioxidant potential of the methanol extract of *Cyclotrichium niveum*, *Pharmaceutical Biology*, 47(3): 219–229.
- Enien, A.A., Abd, A.M.A., Shalaby, E.A., Ela, F.A., Allah, A.M.N., Mahmoud, A.M. and Shemy, H.A.E., 2011, *Eichhornia crassipes* (Mart) Solms. From water parasite to potential medical remedy, *Plant Signalling and Behaviour*, 6: 834–836.
- Eyo, A.A., 2002, Review of possibilities of water hyacinth (*Eichhornia crassipes*) utilization for biogas production by rural communities in Kainji Lake basin, Proceedings of the *International Conference on Water Hyacinth*, 52–64 New Bussa, Nigeria.
- Fadaei, V., 2012, Milk Proteins-derived antibacterial peptides as novel functional food Ingredients, *Annals of Biological Research*, 3(5): 2520–2526.
- Faleye, F.J., 2012, Steroids constituents of *Dioclea Reflexa* hook seeds, *J. Pharm. Scien Innov*, 1: 89–90.
- Falodun, A., Ali, S., Quadir, I.M. and Choudhary, I.M.I., Phytochemical and biological investigation of chloroform and ethylacetate fractions of *Euphorbia heterophylla* leaf (Euphorbiaceae), *Journal of Medicinal Plants Research*, 2(12): 365–369.
- Fareed, M.F., Haroon, A.M. and Rabeh, S.A., 2008, Antimicrobial activity of some macrophytes from Lake Manzalah (Egypt), *Pakistan Journal of Biological Sciences*, 11: 2454–2463.
- Fiehn, O., 2006, Metabolite profiling in *Arabidopsis*, *Methods Mol Biol*, 323: 439–447.
- Finney, D.J., 1971, Probit analysis. Cambridge University, London, Pp: 68–78.
- Forgo, P. and Kover, K.E., 2004, Gradient enhanced selective experiments in the ^1H NMR chemical shift assignment of the skeleton and side chain resonances of Stigmasterol, a phytosterol derivative, *Steroids*, 69: 43–50.
- Forgues, S.F., and Ali, F.A., 2004, Bis (azacrown ether) and bis (benzocrown ether) dyes: butterflies, tweezers and rods in cation binding, *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 5: 139–153.
- Frederich, M., Tits, M. and Angenot, L., 2008, Potential antimalarial activity of indole alkaloids, *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 102: 1–19.
- Fruscia, P. D., Ho, K. K., Laohasinnarong S., and Khongkow M., The Discovery of Novel 10,11-Dihydro-5H-dibenz[b,f]azepine SIRT2 Inhibitors, Electronic Supplementary Material (ESI) for Medicinal Chemistry Communications, The Royal Society of Chemistry 2012
- Gallova, J., Uhríkova, D., Kucerka, N., Svorkova, M., Funari, S.S., Murugova, T.N., Almasy, L., Mazur, M. and Balgavy, P., 2011, Influence of cholesterol and β -Sitosterol on the structure of EYPC bilayers, *J Membrane Biol*, 243: 1–13.
- Ganguly, P.K., Chatterjee and Dey, A., 2012, Studies on ethanol production from water hyacinth—A review, *Renewable and Sustainable Energy Reviews*, 16: 966–972.
- Gangwal, A., Parmar, S. K. and Sheth, N. R., 2010, Triterpenoid, flavonoids and sterols from *Lagenaria siceraria* fruits, *Der Pharmacia Lettre*, 2(1): 307–317.
- Gao, F., Li, Y.Y., Wang, D., Huang, X. and Liu, Q., 2012, Diterpenoid alkaloids from the Chinese traditional herbal “FuZi” and their cytotoxic activity, *Molecules*, 17: 5187–5194.
- Gao, H., Shupe, T.F., Hse, C.Y. and Eberhardt, T.L., 2006, Antioxidant activity of extracts from the bark of *Chamaecyparis lawsoniana* (A. Murray) Parl., *Holzforschung*, 60: 459–462.
- Gaonkar, S.M. and Kulkarni, P.R., 1986, Microcrystalline cellulose from water hyacinth, *Acta Polymerica*, 37: 189–190.
- Gaonkar, S.M. and Kulkarni, P.R., 1987, Practical applications of microcrystalline cellulose prepared from water hyacinth in food formulations, *Research and Industry*, 31: 245–255.
- Garba, S. and Okeniyi, S.O., 2012, Antimicrobial activities of total alkaloids extracted from some Nigerian medicinal plants, *Journal of Microbiology and Antimicrobials*, 4(3): 60–63.
- Garcia, V.M.N., Gonzalez, A., Fuentes, M., Aviles, M., Rios, M.Y., Zepeda, G. and Rojas, M.G., 2003, Antifungal activities of nine traditional Mexican medicinal plants, *Journal of Ethnopharmacology*, 87: 85–88.
- Gaspari, A.A. and Rietschell, 1985, Anti-inflammatory properties of an oxidised sterol, *The Journal of Investigative Dermatology*, 84: 126–129.

- Georges, P., Sylvestrea, M., Rueggerb, H. and Bourgeois, P., 2006, Ketosteroids and hydroxyketosteroids, minor metabolites of sugarcane wax, *Steroids*, 71: 647–652.
- Ghabbour, E.A., Daviesd, G., Lam, Y.Y. and Vozzella, M.E., 2004, Metal binding by humic acids isolated from water hyacinth plants, *Journal of Environment and Pollution*, 131: 445-451.
- Ghosh, A., Chowdhury, N. and Chandra, G., 2012, Plant extracts as potential mosquito larvicides, *Indian J Med Res.*, 135: 581-598.
- Gil, M.I., Barberan, F.A.T., Pierce, B.H., Holcroft, D.M. and Kader, A.A., 2000, Antioxidant activity of pomegranate juice and its relationship with phenolic composition and processing, *J. Agric. Food Chem*, 48: 4581-4589.
- Girisuta, B., Danon, B., Manurung, R., Janssen, L.P.B.M. and Heeres, H.J., 2008, Experimental and kinetic modelling studies on the acid-catalysed hydrolysis of the water hyacinth plant to levulinic acid, *Bioresource Technology*, 99: 8367-8375.
- Gomes, A., Das, R., Sarkhel, S., Mishra, R., Mukherjee, S., Bhattacharya, S. and Gomes, A., 2010, Herbs and herbal constituents active against snake bite, *Indian Journal of Experimental Biology*, 48: 865-878.
- Gon, K.J., Mu, L.J., Hwa, L.J. and Sun, L.S., 1994, Method for preparing dibutyl phthalate, Korea Patent 1019940030926.
- Goncalves, L.D., Almeida, H.R., Oliveira, P.M.D., Lopes, N.P., Turatti, I.C.C., Archanjo, F.C. and Graef, C.F.F., 2011, Contribution for the phytochemical studies of *ageratum fastigiatum*, *Brazilian Journal of Pharmacognosy*, 21(6): 936-942.
- Gordon, M.F., 1990, The mechanism of antioxidant action in vitro. In Food Antioxidants, Hudson, B. J. F., Ed. Elsevier Applied Science, London, U.K, 1-18.
- Goswami, P.C., Nag, B., Sharma, A.K., Archana, B., Singh, H.D. and Baruh, J.N., 1983, Waterhyacinth as a prospective source of stigmaterol, *Current Science*, 52: 806-809.
- Goto, T., Takahashi, N., Hirai, S. and Kawada, T., 2010, Various terpenoids derived from herbal and dietary plants function as PPAR modulators and regulate carbohydrate and lipid metabolism, *PPAR Research*, 9.
- Govindarajan, M., Jebanesan, A. and Pushpanathan, T., 2008, Larvicidal and ovicidal activity of *Cassia fistula* Linn. leaf extract against filarial and malarial vector mosquitoes, *Parasitol Res* 102: 289–292.
- Gowri, S.S., Pavitha, S. and Vasantha, K., 2011, Free radical scavenging capacity and antioxidant activity of young leaves and barks of *Acacia Nilotica* (L.) del, *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(1): 160-164.
- Gowthami, M., Tamil Selvi, S., Senthil Kumar, G. and Panneerselvam, A., 2012, Phytochemical analysis and antibacterial properties of leaf extract of *Azima tetracantha* (Lam.), *Asian Journal of Plant Science and Research*, 2012, 2 (2):110-114
- Greca, M.D., Lanzetta, R., Mangoni, L., Monaco, P. and Previtera, L., 1991, A bioactive benzoinone from *Eichhornia crassipes* Solms, *Bioorganic & Medicinal Chemistry Letters*, 1: 599-600.
- Greca, M.D., Lanzetta, R., Molinaro, A., Monaco, P. and Previtera, L., 1992a, Phenalene metabolites from *Eichhornia crassipes*, *Bioorganic & Medicinal Chemistry Letters*, 2: 311-314.
- Greca, M.D., Molinaro, A.M., Greca, M.D., Molinaro, A., Monaco, P. and Previtera, L., 1992 b, Dimeric phenalene metabolites from *Eichhornia crassipes*, *Tetrahedron*, 48: 3971-3976.
- Greca, M.D., Molinaro, A., Monaco, P. and Previtera, L., 1993, Degraded phenalene metabolites in *Eichhornia crassipes*, *Natural Product Letters*, 1: 233-238.
- Greca, M.D., Monaco, P. and Previtera, L., 1991, New oxygenated sterols from the weed *Eichhornia crassipes* Solms, *Tetrahedron*, 47: 7129-7134.
- Greca, M.D., Previtera, L. and Zarrelli, A., 2008, Revised structures of phenylphenalene derivatives from *Eichhornia crassipes*, *Tetrahedron Letters*, 49: 3268-3272.
- Greca, M.D., Previtera, L. and Zarrelli, A., 2009, Structures of new phenylphenalene-related compounds from *Eichhornia crassipes* (water hyacinth), *Tetrahedron*, 65: 8206-8208.
- Griebel, T. and Zeier, J., 2010, A role for β -sitosterol to stigmaterol conversion in plant–pathogen interactions, *The Plant Journal*, 63(2): 254-268.
- Grotewold, E., 2006, The science of flavonoids, Springer Science_Business Media, Inc., 233 Spring Street, New York, NY 10013, USA.

- Grycova, L., Dostal, J. and Marek, R., 2007, Quaternary protoberberine alkaloids, *Phytochemistry* 68:150–175
- Guha, G., Rajkumar, V., Kumar, A.R. and Mathew, L., 2009, Therapeutic potential of polar and non-polar extracts of *Cyanthillium Cinereum* *In vitro*, *ECAM*, 1-11.
- Guha, G., Rajkumar, V., Mathew, L. and Kumar, R.A., 2011, The antioxidant and DNA protection potential of Indian tribal medicinal plants, *Turk J Biol*, 35: 233-242.
- Guimaraes, C.M., Gao, M.S., Martinez, S.S., Pintado, A.I., Pintado, M.E., Bento, L.S. and Malcata, F.X., 2007, Antioxidant activity of sugar molasses, including protective effect against DNA oxidative damage, *J Food Sci.*, 72(1): C039-43.
- Gul, M.K. and Amar, S., 2006, Sterols and the phytosterol content in oilseed rape (*Brassica napus* L.), *Journal of Cell and Molecular Biology*, 5: 71-79.
- Gunnarsson, C.C. and Peterson, C.M., 2007, Water hyacinths as a resource in agriculture and energy production: a literature review, *Waste Management*, 27: 117-129.
- Guo, S. and DiPietro, L.A., 2010, Factors affecting wound healing, *J Dent Res*, 89(3): 219-229.
- Gupta, A., Naraniwal, M. and Kothari, V., 2012, Modern extraction methods for preparation of bioactive plant extracts, *International Journal of Applied and Natural Sciences*, 1(1): 8-26.
- Gupta, A., Upadhyay, N.K., Sawhney, R.C. and Kumar, R., 2008, A poly-herbal formulation accelerates normal and impaired diabetic wound healing, *Wound Repair Regen*, 16(6):784-90.
- Gupta, D., Mann, S., Sood, A. and Gupta, R.K., 2011, Phytochemical, nutritional and antioxidant activity evaluation of seeds of jackfruit (*Artocarpus Heterophyllus* Lam.), *International Journal of Pharma and Bio Sciences*, 2(4): 336-345.
- Gupta, N., Saxena, G. and Kalra, S.S., 2011, Antimicrobial activity pattern of certain Terpenoids, *International Journal of Pharma and Bio Sciences*, 2(1): 87-91.
- Guttula, S.V., Rao, A.A., Sridhar, G. R. and Chakravarthy, M.S., 2011, Protein ligand interaction analysis and *in silico* potential drug target identification in diabetes mellitus and nephropathy, *Journal of Bioinformatics and Sequence Analysis*, 2(5): 95-99.
- Hădărugă, D.I., 2011, Anti-inflammatory oxamic / cyclodextrin supramolecular systems: molecular modeling and docking experiments, *Journal of Agroalimentary Processes and Technologies*, 17(4): 456-465.
- Häkkinen, S., 2000, Flavonols and phenolic acids in berries and berry products. Kuopio University Publications D. Medical Sciences 221, 90 p.
- Halket, J.M., Waterman, D., Przyborowska, A.M., Patel, R.K.P., Fraser, P.D., and Bramley, P.M., 2005, Chemical derivatization and mass spectral libraries in metabolic profiling by GC/MS and LC/MS/MS, *Journal of Experimental Botany*, 56(410): 219–243.
- Halliwell, B. and Gutteridge, J.M.C., 1981, Formation of a thiobarbituric-acid-reactive substance from deoxyribose in the presence of iron salts: The role of superoxide and hydroxyl radicals, *FEBS Letter*, 128: 347-352.
- Hammami, S., Bergaoui, A., Ayed, A. and Mighri, Z., 2009, Phytochemicals from *matthiola longipetala* (ssp *livida*) growing in Tunisia, *J.Soc.Alger.Chim*, 19(2): 159-166.
- Handa, S.S., Khanuja, S.P.S., Longo, G., Rakesh, D.D., 2008, Extraction technologies for medicinal and aromatic plants, IPS-unido, International centre for science and high technology, Trieste, Italy, pp, 22-26
- Hansen, J.A., Nielson, L.S.C. and Norling, T.L., 1999, Use of fatty acid esters as bioadhesive substances, US patent US005955502A.
- Hapsari, R., Elya, B. and Amin, J., 2012, Formulation and evaluation of antioxidant and tyrosinase inhibitory effect from gel containing the 70% ethanolic *Pleurotus ostreatus* extract, *International Journal of Medicinal Aromatic Plants*, 2(1): 135-140.
- Harborne, J.B, 1973, *Phytochemical Methods: A guide to modern techniques of plant analysis*, Chapman and Hall, New York, 279.
- Hasan and Chakrabarti, 2009, Use of algae and aquatic macrophytes as feed in small scale aquaculture - a review, *FAO Fisheries and Aquaculture Technical Paper*, 531, Rome, 123.
- Hayouni, E.A., Miled, K., Boubaker, S., Bellasfar, Z., Abedrabba, M., Iwaski, H., Oku, H., Matsui, T., Limam, F. and Hamdi, M., Hydroalcoholic extract based ointment from *Punica granatum* L. peels with enhanced *in vivo* healing potential on dermal wounds, *Phytomedicine*, 18(11): 976-84.

- Hayouni, E.A., Miled, K., Boubakerc, S., Bellasfar, Z., Abedrabbad, M., Iwaskie, H., Okue, H., Matsuie, T., Limama, F. and Hamdif, M., 2011, Hydroalcoholic extract based-ointment from *Punica granatum* L. Lam. in rats, *Indian J Pharm Sci*, 68: 124-126.
- He, J.X., Fujioka, S., Li, T.C., Kang, S.G., Seto, H., Takatsuto, S., Yoshida, S. and Jang, J.C., 2003, Sterols regulate development and gene expression in arabidopsis, *Plant Physiology*, 131: 1258–1269.
- Helfrich, Y.R., Sachs, D.L. and Voorhees, J.J., 2009, The biology of skin ageing, *Ouchbriefings*, 39-42.
- Henry, T.A., 1949, The plant alkaloids, The Blakiston Company Philadelphia, *Toronto*, 33: 109-110, 152.
- Heravi, G., Khazaeli, P., Mehrabani, M., Rahimi, H. and Nematolahi, N., 2012, Cream formulation and *In vitro* evaluation of depigmenting and cytotoxic effect of *Musa sapientum* pericarp and *Spinacia oleracea* folium, *Research in Pharmaceutical Sciences*, 7(5).
- Himaja, M., Ranjitha, A., Ramana, M.V., Anand, M. and Asif, K., 2010, Phytochemical screening and antioxidant activity of rhizome part of *Curcuma zedoaria*, *International Journal of Research In Ayurvedha and Pharmacy*, 1(2):414-417.
- Hiort, J., Maksimenka, K., Reichert, M., Ottstadt, S.P., Lin, W.H., Wray, V., Steube, K., Schaumann, K., Weber, H., Proksch, P., Ebel, R., Muller, W.E.G. and Bringmann, G., 2004, New Natural Products from the Sponge-Derived Fungus *Aspergillus niger*, *Journal of natural product*, 67: 1532-1543.
- Ho, Y.L., Huang, S.S., Deng, J.S., Lin, Y.H., Chang, Y.S., and Huang, G.J., 2012, *In vitro* antioxidant properties and total phenolic contents of wetland medicinal plants in Taiwan, *Botanical Studies*, 53: 55-66.
- Holscher, D. and Schneider, B., 2005, The biosynthesis of 8-phenylphenalenones from *Eichhornia crassipes* involves a putative aryl migration step, *Phytochemistry*, 66: 59-54.
- <http://allergeaze.com/PDFs/SS/SS501.pdf>
- <http://echa.europa.eu/documents>
- <http://lipidlibrary.aocs.org>
- <http://lipidlibrary.aocs.org/lipids/waxes/index.htm>
- <http://www.inolex.com/pdfs/whitepaper.pdf>
- <http://www.national-toxic-encephalopathy-foundation.org/wp-content/uploads/2012/01/phthalatessafe.pdf>
- <http://www.sigmaaldrich.com>
- Huang, K.F. and Huang, K.W., 2004, Constituents from the stems of *Lantana camara* (III), *J. Chin. Med.*, 15(2): 109-114.
- Hukkeri, V.I., Nagathan, C.V., Karadi, R.V. and Patil, B.S., 2006. Antipyretic and wound healing activities of *Moringa oleifera* Lam. in rats, *Indian Journal of Pharmaceutical Sciences*, 68: 124–126.
- Hussain, J., Bukhari, N., Hussain, H., Bano, N., Naeem, A. and Green, I.R., 2010, Flavonoids and terpenoids from *Phlomis cashmeriana* and their chemotaxonomic significance, *Rec. Nat. Prod*, 4(4): 242-249.
- Ignacimuthu, S. and Shanmugam, N., 2011/10, Antimycobacterial activity of two natural alkaloids, vasicine acetate and 2-acetyl benzylamine, isolated from Indian shrub *Adhatoda vasica* Ness. Leaves, *J. Biosci*, 35(4): 565–570
- Ilaiyaraja, N. and Khanum, F., 2010, Evaluation of antioxidant and toxicological properties of *chicory* leaves, *International Journal of Pharmaceutical and Biological Archives*, 1(2):155–163.
- Ilango, K. and Chitra, V., 2010, Wound healing and anti-oxidant activities of the fruit pulp of *Limonia Acidissima* Linn (Rutaceae) in Rats, *Tropical Journal of Pharmaceutical Research*, 9(3): 223-230
- Ions, L.J., 2011, An investigation of roles for SIRT1 and dietary polyphenols in modulating the ageing process through DNA methylation, Ph.D Thesis, Institute for Cell and Molecular Biosciences, Newcastle University, UK.
- Irkin, R. and Korukluoglu, M., 2007, Control of *Aspergillus niger* with garlic, onion and leek extracts, *African Journal of Biotechnology*, 6(4): 384-387.
- Ishii, T., Naohara, J., Kakai, T. and Koho, J.P., Patent 01, 65, 101 [89, 65, 101], 10. Appl. 87/222,228.
- Ismail, A.M.S. and Naby, M.A.A., 1995, Utilization of water hyacinth cellulose for production of cellobiase-rich preparation by *Aspergillus niger*. *Microbios*, 83: 191-198.
- Ismail, F.M., Levitsky, D.O. and Dembitsky, V.M., 2009, Aziridine alkaloids as potential therapeutic agents, *Eur J Med Chem*, 44(9): 3373-87.

- Issa, M.A., 1988, Structural investigation of water-hyacinth (*Eichhornia crassipes*) polysaccharides. Part I. Water-soluble polysaccharides, *Canadian Journal of Chemistry*, 66: 2777-2781.
- Isvett, J.F.S., Lopez, J.O., Horcaitas, M.D.C.M. and Valdivia, A.C.R., 2002, Biosynthesis of sterols and triterpenes in cell suspension cultures of *Uncaria tomentosa*, *Plant Cell Physiol*, 43(12): 1502-1509.
- Ito, V.M., Martins, P.F., Batistella, C.B. and Maciel, W., 2005, Tocopherols and phytosterols concentration from soybean oil deodorizer distillate, 2nd Mercosur Congress on Chemical Engineering and 4th Mercosur Congress on Process Systems Engineering.
- Iwu, M.W., Duncan, A.R. and Okunji, C.O., 1999, New antimicrobials of plant origin, In: J. Janick (ed.), Perspectives on new crops and new uses, ASHS Press, Alexandria, VA, 457–462.
- Jadhav, S. and Chavan, D.S., 2012, *In vitro* antioxidant activity of *zizyphus oenoplia (l) mill.* Root extract, *International Journal of Pharmacy and Pharmaceutical Sciences*, 4(4): 586-588.
- Jafari, N., 2010, Ecological and socio-economic utilization of water hyacinth (*Eichhornia Crassipes* Mart Solms), *J. Appl. Sci. Environ. Manage*, 14(2): 43–49
- Jaijoy, K., Vannasiri, S., Piyabhan, P., Lerdvuthisopon, N., Boonraeng, S., Khonsung, P., Lertprasertsuke, N. and Sireeratawong, S., 2011, Acute and subchronic toxicity study of the water extract from the fruits of *Piper chaba* Hunter in rats, *International Journal of Applied Research in Natural Products*, 3(4): 29-35.
- Jain, B.S. and Bari, B.S., 2010, Isolation of lupeol, stigmasterol and campesterol from petroleum ether extract of woody stem of *Wrightia tinctoria*, *Asian Journal of Plant Sciences*, 1-5.
- Jamal, A.K., Yaacob, W.A. and Din, L.B., 2008, Chemical study on *Phyllanthus Reticulates*, *J. Phys. Sci*, 19: 45-50.
- Jamuna, K.S., Ramesh, C.K., Srinivasa T.R. and Raghu, K.L., 2011, *In vitro* antioxidant studies in some common fruits, *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(1).
- Jarrahi and Vafaei, 2004, Effect of topical phenytoin cream on linear incisional wound healing in albino rats, *DARU*, 12(4): 156-158
- Jasril, Lajis, N.H., Mooi, L.Y., Abdullah, M.A., Sukari, M.A. and Ali, A.M., 2003, Antitumor promoting and actioxidant activities of anthraquinones isolated from the cell suspension culture of *Morinda elliptica*, *Asian Pacific Journal of Molecular Biology and Biotechnology*, 11(1): 3-7.
- Jayachitra, A. and Krithiga, N., 2012, Study on antioxidant property in selected medicinal plant extract, *Int. J. of Med. Arom. Plants*, 2(3): 495-500.
- Jayashree, B.S., Arora, S. and Nayak, Y., 2008, Antioxidant analgesic and anti-inflammatory activities of some selected heteroaryl substituted coumarins, *Pharmacologyonline*, 2: 404-410.
- Jayasri, M.A., Mathew, L. and Radha, A., 2009, A report on the antioxidant activity of leaves and rhizomes of *Costus pictus D.Don*, *International Journal of Integrative Biology*, 5(1): 20-26.
- Jayaweera, M.W., Dilhani, J.A., Kularatne, R.K. and Wijeyekoon, S.L., 2007, Biogas production from water hyacinth (*Eichhornia crassipes* (Mart.) Solms) grown under different nitrogen concentrations, *Journal of Environmental Science Health And Toxic Hazard Substance Environmental Engineering*, 42(7): 925-32.
- Jin, Z.H., Zhuang, Y.Y., Dai, S.G. and Li, T.L., 2003, Isolation and identification of extracts of *Eichhornia crassipes* and their allelopathic effects on algae, *Bulletin of Environmental Contamination and Toxicology*, 71: 1048-1052.
- John, S., Lorenz, P., Petersen, R.D., Heldermaun, M. and Borchert, S., 2005, Skin-lightening agent with different pathways of action on melanogenesis, *SOFW-Journal*, 131(7): 40-49.
- John, S., Sorokin, A.V. and Thompson, P.D., 2007, Phytosterols and vascular disease, *Current Opinion in Lipidology*, 18: 35–40.
- Johnstone, L. L. and Southcott, W.H. 1954, Dibutyl phthalate used in a lamb-marking dressing, *Australian Veterinary Journal*, 30: 139–142
- Joseph, N.M., Monika, S., Alok, S., Alok, M. and Shruti, R., 2010, *In-Vitro* and *In-Vivo* models for Antioxidant Activity Evaluation: A Review, *International Journal of Pharmaceutical Sciences and Research*, 1(1): 1-11.
- Juang, F.C., Chen, Y.F., Lin, F.M. and Huang, K.F., 2005, Constituents from the leaves of *Lantana Camara* (IV), *J Chin Med*, 16(2-3): 149-155.
- Kaladhar, D., 2012, Computational studies of Sirtuins in the treatment of type ii diabetes mellitus, *JPRHC*, 3(2): 38-42

-
- Kalim, M.D., Bhattacharyya, D., Banerjee, A. and Chattopadhyay, S., 2010, Oxidative DNA damage preventive activity and antioxidant potential of plants used in Unani system of medicine, *BMC Complementary and Alternative Medicine*, 10: 77.
- Kalita, S., Kumar, G., Karthik, L. and Rao, K.V.B., 2012, *In vitro* antioxidant and DNA damage inhibition activity of aqueous extract of *Lantana camara* L. (Verbenaceae) leaves, *Asian specific Journal of Tropical Biomedicine* (Article in press).
- Kamal-Eldin, A. and Moazzami, A., 2009, Plant sterols and stanols as cholesterol-lowering Ingredients in functional food, *Recent Patents on Food, Nutrition & Agriculture*, 1: 1-14.
- Kamboj, A. and Saluja, A.K., 2011, Isolation of stigmaterol and β -sitosterol from petroleum ether extract of aerial parts of *Ageratum Conyzoides* (Asteraceae), *Int J Pharm Pharm Sci*, 3(1): 94-96.
- Kanan, G.J. and Al-Najar, R.A., 2008, *In vitro* antifungal activities of various plant crude extracts and fractions against *Citrus* post-harvest disease agent *Penicillium Digitatum*, 1(3): 89-99.
- Kandasamy, M.K. and Vivekanandan, M., 1983, Biochemical composition of stigmatic exudate of *Eichhornia crassipes* (Mart.) Solms, *Aquatic Botany*, 16: 41-47.
- Kandukuri, V., Goud, J.V., Suryam, A. and Charya, M.A.S., 2009, Biomolecular and phytochemical analyses of three aquatic angiosperms, *African J. Microbiol. Res.*, 3(8): 418-421.
- Kandukuri, V., Vinayasagar, J.G., Suryam, A. and Singara Charya, M.A., 2009, Biomolecular and phytochemical analyses of three aquatic angiosperms, *African Journal of Microbiology Research*, 3: 418-421.
- Kanjanapothi, D., Panthong, A., Lertprasertsuke, N., Taesotikul, T., Rujjanawate, C., Kaewpinit, D., Sudthayakorn, R., Choochote, W., Chaithong, U., Jitpakdi, A. and Pitasawat, B., 2004, Toxicity of crude rhizome extract of *Kaempferia galanga* L. (Proh Hom), *Journal of Ethnopharmacology*, 90: 359-365.
- Kannathasan, K., Senthilkumar, A., Chandrasekaran, M. and Venkatesalu, V., 2007, Differential larvicidal efficacy of four species of *Vitex* against *Culex quinquefasciatus* larvae, *Parasitol Res*, 101: 1721-1723.
- Kannathasan, K., Senthilkumar, A., Chandrasekaran, M. and Venkatesalu, V., 2007, Differential larvicidal efficacy of four species of *Vitex* against *Culex quinquefasciatus* larvae, *Parasitol Res*, 101: 1721-1723.
- Kanta, J., 2011, The role of hydrogen peroxide and other reactive oxygen species in wound healing, *Acta Medica*, 54: 97-101.
- Karou, D., Savadogo, A., Canini, A., Yameogo, S., Montesano, C., Simporé, J., Colizzi, V. and Traore, A.S., 2012, Antibacterial activity of alkaloids from *Sida acuta*, *African Journal of Biotechnology*, 5(2): 195-200.
- Kasal, A., Budesinsky, M. and Griffiths, W.J., 2010, Spectroscopic methods of steroid analysis, *Steroid Analysis*, Springer publication, 27-161.
- Kaur, N., Chaudhary, J., Jain, A. and Kishore, L., 2011, Stigmaterol: A Comprehensive Review, *International Journal of Pharmaceutical Science and Research*, 2(9): 2259-2265.
- Kawsar, S.M.A., Kabir, A.K.M.S., Manik, M.M. and Anwar, M.N., 2012, Selective synthesis of some new carbohydrate derivatives: Antimicrobial screening studies against human and phytopathogens, *Chemical Sciences Journal*, 73: 1-8.
- Kawsar, S.M.A., Kabir, A.K.M.S., Manik, M.M., Hossain, M.K. and Anwar, M.N., 2012, Antibacterial and mycelial growth inhibition of some acylated derivatives of D-glucopyranoside, *International Journal of Biosciences*, 2(7): 66-73.
- Kedare, S.B. and Singh, R.P., 2011, Genesis and development of DPPH method of antioxidant assay, *Journal of Food Science and Technology*, 48(4): 412-422.
- Kensa, V.M., and Neelamegam, R., 2012, Comparison of free radical scavenging activities in the extracts of *Ruellia Tuberosa* L. collected from polluted and unpolluted areas, *Plant Archives*, 12(1): 69-74.
- Khalil, A.B., Dabanch, B.F. and Anfoka, G.H., 2005, Antifungal activity of medicinal plants from Jordan environment, *Plant Pathology Journal*, 4(2): 130-132.
- Khan, A.V. and Khan, A.A., 2005, Antibacterial potential of *Clerodendrum inerme* crude extracts against some human pathogenic bacteria, *Ethnobotanical leaflets*.
- Khan, F.A., Akhtar, S.S. and Sheikh, M.K., 2005, Cancer treatment- objectives and quality of life issues, *Malaysian Journal of Medical Sciences*, 12(1): 3-5.
- Khan, Z.S. and Nasreen, S., 2010, Phytochemical analysis, antifungal activity and mode of action of methanol extracts from plants against pathogens, *Journal of Agricultural Technology*, 6(4): 793-805.
-

- Khathiwora, E., Adsul, V.B., Kulkarni, M., Deshpande, N.R. and Kashalkar, R.V., 2012, Antibacterial activity of Dibutyl Phthalate: A secondary metabolite isolated from *Ipomoea carnea* stem. *Journal of Pharmacy Research*, 5(1): 150-152.
- Kim, J.S. and Kim, M.J., 2010, *In vitro* antioxidant activity of *Lespedeza cuneata* methanolic extracts, *Journal of Medicinal Plants Research*, 4(8): 674-679.
- Kim, M.K., Jang, Y.S., Ahn, Y.J., Lee, D.K. and Lee, H.S., 2002, Larvicidal activity of Australian and Mexican plant extracts against *Aedes aegypti* and *Culex pipiens palens* (Diptera: Culicidae), *J. Asia-Pacific Entomol*, 5(2): 227-231.
- Kim, N.H. and Kang, J.H., 2006, Oxidative damage of DNA induced by the cytochrome c and hydrogen peroxide system, *Journal of Biochemistry and Molecular Biology*, 39(4): 452-456
- Kind T. and Fiehn, O., 2010, Advances in structure elucidation of small molecules using mass spectrometry, *Bioanal. Rev.* 2: 23–60.
- Kiran, K. and Asad, M., 2008, Wound healing activity of *Sesamum indicum* L seed and oils in rats, *Indian Journal of Experimental Biology*, 46: 777-782.
- Kishore, N., Mishra, B.B., Tiwari, V.K. and Vyasji Tripathi, V., 2011, A review on natural products with mosquitocidal potentials, Opportunity, Challenge and scope of Natural Products in Medicinal Chemistry, 335-365.
- Kitchen, D.B., Decornez, H., Furr, J.R. and Bajorath, J., 2004, Docking and scoring in virtual screening for drug discovery: methods and applications, *Nature Reviews Drug Discovery*, 3: 935-949.
- Kolak, U., Ozturk, M., Ozgokc, F. and Ulubelen, A., 2006, Norditerpene alkaloids from *Delphinium linearilobum* and antioxidant activity, *Phytochemistry*, 67: 2170–2175.
- Koleva, I.I., Van Beek, T.A., Linssen, J.P.H., Groot, A.D. and Evstatieva, L.N., 2001, Screening of plant extracts for antioxidant activity: A comparative study on three testing methods, *Phytochem anal*, 13: 8–17.
- Komalamisra *et al*, 2005
- Kopka, J., 2006, Current challenges and developments in GC–MS based metabolite profiling technology, *Journal of Biotechnology*, 124: 312–322
- Kordali, S., Cakirb, A., Akcinc, T.A., Meted, E., Akcine, A., Aydinb, T. and Kilic, H., 2009, Antifungal and herbicidal properties of essential oils and n-hexane extracts of *Achillea gypsicola* Hub-Mor and *Achillea biebersteinii* Afan. (Asteraceae), *Industrial Crops and Products*, 29: 562–570.
- Kosma, D.K., Molina, I., Ohlrogge, J.B. and Pollard, M., 2012, Identification of an arabidopsis fatty alcohol: 1 caffeoyl-coenzyme a acyltransferase required for the synthesis of alkyl hydroxycinnamates in root waxes, *Plant Physiology Preview*.
- Kovendan, K. and Murugan, K., 2011, Effect of medicinal plants on the mosquito vectors from the different agroclimatic regions of Tamil Nadu, India. *Advances in Environmental Biology*, 5(2): 335-344.
- Kovendan, K., Murugan, K., Vincent, S. and Kamalakannan, S., 2011, Larvicidal efficacy of *Jatropha curcas* and bacterial insecticide, *Bacillus thuringiensis*, against lymphatic filarial vector, *Culex quinquefasciatus* Say (Diptera: Culicidae), *Parasitol Res*, 109: 1251–1257
- Kroemer, R.T., 2007, Structure-based drug design: docking and scoring, *Current Protein and Peptide Science*, 8: 312-328.
- Kubo, I., Hori, I.K., Chaudhuri, S.K., Kubo, Y., Saanchez, Y. and Ogura, T., 2000, Flavonols from heterotheca inuloides: Tyrosinase inhibitory activity and structural criteria, *Bioorganic and Medicinal Chemistry*, 8: 1749±1755.
- Kubo, I., Nitoda, T. and Nihei, K.I., 2007, Effects of quercetin on mushroom tyrosinase and B16-F10 melanoma cells, *Molecules*, 12: 1045-1056.
- Kumar, A., Bhatii, V., Kumar, A., Patil, S., Bhatia, V. and Kumar, A., 2011, Screening of various plant extracts for antifungal activity against candida species, *World Journal of Science and Technology*, 1(10): 43-47.
- Kumar, A., Kumari, S. and Bhargavan, N.D., 2012, Evaluation of *In Vitro* Antioxidant potential of ethanolic extract from the leaves of *Achyranthes Aspera*, *Asian Journal of Pharmaceutical and Clinical Research*, 5(3): 146-148.
- Kumar, B., Vijayakumar, M., Govindarajan, R. and Pushpangadan, P., 2007, Ethnopharmacological approaches to wound healing--exploring medicinal plants of India. *J Ethnopharmacol*, 114(2): 103-13.

-
- Kumar, R.S., Kumarnallasivan, P., Anand P.R.V., Pradeepchandran, R., Jayaveera K.N. and Venkatnarayanan, R., 2010, Computer aided drug studies of benzimidazole containing isoxazole derivatives as targeted antibiotics, *Der Pharma Chemica*, 2(3): 100-108.
- Kumari, S., Rastogi, R.P., Singh, K.L., Singh, S.P. and Sinha, R.P., 2008, DNA Damage: Detection Strategies, *EXCLI Journal*, 7: 44-62
- Labed, I., Chibanis, S., Semra, Z., Kabouche, A., Aburjai T., Touzani, R. and Kabouche, Z., 2010, Antibacterial activity and chemical composition of essential oil of *Athamanta sicula* L. (Apiaceae) from Algeria, *E-Journal of Chemistry*, 9(2): 796-800.
- Lafuente, A.G., Guillamon, E., Villares, A., Rostagno, M.A. and Martinez, J. A., Flavonoids as anti-inflammatory agents: implication in cancer and cardiovascular disease, *Inflamm. Res.*, 58: 537–552
- Lakshminarayana, G., Sundar Rao, K., Pantulu, A.J. and Thyagarajan, G., 1984, Composition of lipids in roots, stalks, leaves and flowers of *Eichhornia crassipes* (Mart.) Solms, *Aquatic Botany*, 20: 219-227.
- Lalitha, P. and Sripathi, K.S., 2011, *In Silico* ligand – receptor docking of few cyclitols for type II diabetes using Hex, *Pharma Science Monitor*, 2 (3-1): S22-31.
- Lamounier, K.C., Cunha, L.C.S., DeMoraes S.A.L., de Aquino, F.J.T., Chang, R., do Nascimento, E.A., de Souza, M.G.M., Martins, C.H.G. and Cunha, W.R., 2012, Chemical analysis and study of phenolics, antioxidant activity, and antibacterial effect of the wood and bark of *Maclura tinctoria* (L.) D. Don ex Steud. *Evidence-Based Complementary and Alternative Medicine*, 7.
- Lamprecht, Patrick, J.D., Bouic and Johan, H., 1999, plant sterols and sterolins: A review of their immune-modulating properties, *Altern Med Rev*, 4(3): 170-177.
- Lan, M.S., Cai, Z.Y., Luo, C., Tan, C.H., Chen, L., Wei, S. and Zhu, D.Y., 2012, Study on chemical constituents of the ethyl acetate extract from *Blumea aromatic*, *Article in Chinese*, 35(2): 229-31.
- Langfield, R.D., Scarano, F.J., Heitzman, M.E., Kondo, M., Hammond, G.B. and Neto, C.C., 2004, Use of a modified microplate bioassay method to investigate antibacterial activity in the Peruvian medicinal plant *Peperomia galioides*, *Journal of Ethnopharmacology*, 94: 279–281.
- Lata, N. and Dubey, V., 2010b, Antioxidants of *Eichhornia crassipes*: The World's Worst Aquatic Weed, *International Journal of Contemporary Research and Review*, 1(4): 1-5.
- Lata, N. and Dubey, V., 2010c, Isolation of flavonoids from *Eichhornia crassipes*: The World's worst aquatic plant, *Journal of Pharmacy Research*, 3: 2116-2118.
- Lata, N. and Dubey, V., 2010a, Preliminary phytochemical screening of *Eichhornia crassipes*: the world's worst aquatic Weed, *Journal of Pharmacy Research*, 3: 1240-1242.
- Lata, N. and Dubey, V., 2010d, Quantification and identification of alkaloids of *Eichhornia crassipes*: The World's worst aquatic plant, *Journal of Pharmacy Research*, 3: 1229-1231.
- Lata, N. and Dubey, V., 2010f, *Eichhornia crassipes*: a suitable economic feed: the world's worst aquatic weed, *J Food Technol*, 8: 102-105.
- Lata, N., Ali, H., Sumana, D. and Dubey, V., 2010e, Antioxidants of *Eichhornia crassipes*: The World's worst aquatic plant, *Journal of Pharmacy Research*, 3: 2105-2106.
- Leandro, L.M., de Sousa Vargas, F., Barbosa, P.C.S., Neves, J.K.O., da Silva, J.J. and da Veiga-Junior, V.F., 2012, Chemistry and biological activities of terpenoids from *Copaiba* (*Copaifera* spp.) oleoresins, *Molecules*, 17:3866-3889.
- Ledwani, L., and Singh, M., 2005, Anthraquinone glycoside from stem bark, fatty acids, and sterols from seeds of *Casia reingera*, *Indian journal of chemistry*, 44B: 1970-1971.
- Lee, K.T., Lee, K.S., Jeong, J.H., Jo, B.K., Heo, M.Y. and Kim, H.P., 2003, Inhibitory effectso *flamulus mori* extracts on melanogenesis, *J. Cosmet.c i.*, 54: 133-142.
- Lee, K.T., Lee, K.S., Jeong, J.H., Jo, B.K., Heo, M.Y. and Kim, H.P., 2003, Inhibitory effects of *Ramulus mori* extracts on melanogenesis, *J.Cosmet Sci*, 54(2): 133-42.
- Lee, S.H., Park, S.M., Park, S.M., Park, J.H., Shin, D.Y., Kim, G.Y., Ryu, C.H., Shin, S.C., Jung, J.M., Kang, H.S., Lee, W.S. and Choi, Y.H., 2009, Induction of apoptosis in human leukemia U937 cells by anthocyanins through down-regulation of Bcl-2 and activation of caspases, *International Journal Of Oncology*, 34: 1077-1083.
-

- Leeja, L. and Thoppil, J.E., 2007, Antimicrobial activity of methanol extract of *Origanum majorana* L. (Sweet marjoram), *Journal of Environmental Biology*, 28(1): 145-146.
- Lerin, L., Ceni, G., Richetti, A., Kubiak, G., Oliveira, J.V., Toniazzo, G., Treichel, H., Oestreicher, E.G. and Oliveira, D., 2011, Successive cycles of utilization of novozym 435 in three different reaction systems, *Brazilian Journal of Chemical Engineering*, 28(2): 181 – 188.
- Li, P., Huo, L., Su, W., Lu, R., Deng, C., Liu, L., Deng, Y., Guo, N., LU, C., and He, C., 2011, Free radical-scavenging capacity, antioxidant activity and phenolic content of *Pouzolzia zeylanica*, *J. Serb. Chem. Soc.*, 76(5): 709–717.
- Li, S. and Zheng, Y., 2006, Self-organizing molecular field analysis on a new series of COX-2 selective inhibitors: 1, 5-Diarylimidazoles, *Int. J. Mol. Sci.*, 7: 220-229.
- Li, W.J., Cheng, X.L., Liu, J., Lin, R.C., Wang, G.L., Du, S.S. and Zhi Long Liu, Z.L., 2012, Phenolic compounds and antioxidant activities of *Liriope muscari*, *Molecules*, 17: 1797-1808.
- Li, Y., Mezei, O. and Shay, N.F., 2007, Human and murine hepatic sterol-12- α -hydroxylase and other xenobiotic metabolism mRNA are upregulated by soy isoflavones, *J Nutr*, 137(7):1705-12.
- Liao, Z.H., Chen, M., Gong, Y.F., Miao, Z.Q., Sun, X.F. and Tang, K.X., 2006, Isoprenoid biosynthesis in plants: pathways, genes, regulation and metabolic engineering, *Journal of Biological Sciences*, 6(1): 209-219
- Lieve, M.L., Laurens, Quinn, M., Wychen, S.V., Templeton, D.W. and Wolfrum, E.J., 2012, Accurate and reliable quantification of total microalgal fuel potential as fatty acid methyl esters by in situ transesterification, *Anal Bioanal Chem*, 403: 167–178.
- Lindner, M., Sippl, W. and Radwan, A.A., 2010, Pharmacophore elucidation and molecular docking studies on 5-Phenyl-1-(3-pyridyl)-1H-1,2,4-triazole-3-carboxylic acid derivatives as COX-2 Inhibitors, *Scientia Pharmaceutica*, 78: 195–214.
- Lino, A. and Deogracious, O., 2005, The *In-vitro* antibacterial activity of *Annona senegalensis*, *Securidacca longipendiculata* and *Steganotaenia araliacea* - Ugandan medicinal plants, *African Health Sciences*, 6(1): 31-35.
- Liu, C.C., Zhao, G.L., Li, Y.N., Ding, Z.P., Liu, Q.G. and Li, J.L., 2010, Contribution of phenolics and flavonoids to anti-oxidant activity of ethanol extract from *Eichhornia crassipes*, *Advanced Materials Research*, 156 – 157: 1372-1377.
- Loandos, M.H. and Cabral, M.E.S., 2010, A novel anti-aging skin care cream. Development and physical stability evaluation, Córdoba, Argentina.
- Lu, D., Liu, D., Gu, X., Diao, J. and Zhou, Z., 2010, Stereoselective metabolism of fipronil in water hyacinth (*Eichhornia crassipes*), *Pesticide Biochemistry and Physiology*, 97: 289-293.
- Lu, L.C., Chen Y.W. and Chou, C.C., 2003, Antibacterial and DPPH free radical-scavenging activities of the ethanol extract of propolis collected in Taiwan, *Journal of Food and Drug Analysis*, 11(4): 277-282.
- Luca, V.D. and Pierre, B.S., 2000, The cell and developmental biology of alkaloid biosynthesis, *Trends in plant science*, 5(4): 168-173.
- Maciel, M.V., Morais, S.M., Bevilaqua, C.M.L., Vasconcelos, A.L.F.C., Costa C.T.C. and Castro, C.M.S., 2006, Ovicidal and larvicidal activity of *Melia Azedarach* extracts on *Haemonchus contortus*, *Veterinary Parasitology*, 140: 98–104.
- MacKay, D. and Miller, A.L., 2003, Nutritional support for wound healing, *Alternative Medicine Review*, 8(4): 359-377.
- Madeswaran, M.A., Umamaheswari, M., Asokkumar, K. And Thirumalaisamy, 2012, *In silico* docking studies of cyclooxygenase inhibitory activity of commercially available flavonoids, 2(2):174-181.
- Madhu, S.K. and Vijayan, V.A., 2010, Evaluation of the larvicidal efficacy of extracts from three plants and their synergistic action with propoxur against larvae of the filarial vector *Culex quinquefasciatus* (Say), *Toxicological & Environmental Chemistry*, 92(1): 115–126.
- Madziga, H.A., Sanni, S. and Sandabe, U.K., 2010, Phytochemical and elemental analysis of *Acalypha wilkesiana* Leaf, *Journal of American Science*, 11: 510-514.
- Maestri, D.M., Nepote, V., Lamarque, A.L. and Zygadlo, J.A., 2006, *Phytochemistry: advances in research*, ISBN: 81-308-0034-9, 105-135

-
- Mahamadi, C., 2011, Water hyacinth as a bio sorbent: A review, *African Journal of Environmental Science and Technology*, 5(13): 1137-1145.
- Mahendran, R., Muthu, P. and Suba sri, 2011, Monograph on genomics of ageing gene-Sirt1: Insilico analysis and comparative modeling of ageing gene-Sirt1 by using bioinformatics softwares and tools, LAMBERT academic publishing.
- Mahida, Y. and Mohan, J.S.S., 2007, Screening of plants for their potential antibacterial activity against *Staphylococcus* and *Salmonella spp*, *Natural Product Radiance*, 6(4): 301-305.
- Mahmoud, D.A. Hassanein, N.M., Youssef, K.A. and Abou Zeid, M.A., 2011, Antifungal activity of different neem leaf extracts and the nimonol against some important human pathogens, *Brazilian Journal of Microbiology*, 42: 1007-1016.
- Maiza-Benabdesselam, F., Khentache, S., Bougoffa, K., Chibane, M., Adach, S., Chapeleur, Y., Max, H. and Mattar, D.L., 2007, Antioxidant activities of alkaloid extracts of two Algerian species of *Fumaria*: *Fumaria capreolata* and *Fumaria bastardii*, *Rec. Nat. Prod*, 1(2-3): 28-35.
- Malik, A., 2007, Environmental challenge is a Vis opportunity: The case of waterhyacinth, *Environment International*, 33: 122-138.
- Malik, A., 2007, Environmental challenge vis a vis opportunity: The case of waterhyacinth, *Environment International*, 33: 122-138.
- Malik, A., Kushnoor, A., Saini, V., Singhal, S., Kumar, S. and Yadav, Y.C., 2011, *In vitro* antioxidant properties of *Scopoletin*, *J. Chem. Pharm. Res.*, 3(3): 659-665.
- Malik, J., Singhai, A.k. and Mishra, S., 2012, *In-Vitro* antioxidant activity of leaves extract of *Rumex Dentatus*, Lap Lambert Academic publication.
- Mallikharjuna, P.B., Rajanna, L.N., Seetharam, Y.N. and Sharanabasappa, G., 2007, Phytochemical Studies of *Strychnos potatorum* L.f.- A Medicinal Plant, *E-Journal of Chemistry*, 4: 510-518.
- Manju, K., Jat, R.K., Gunjan, P. and Anju, G., 2012, Review on introduction to molecular docking software technique in medicinal chemistry, *International Journal of Drug Research and Technology*, 2(2): 189-197.
- Mapunya, M.B., Nikolova, R.V. and Lall, N., 2012, Melanogenesis and antityrosinase activity of selected South African plants, *Evidence-Based Complementary and Alternative Medicine*, 6 pages.
- Mariappan, V. and Shanthi, G., 2012, Antimicrobial and phytochemical analysis of *Aloe vera* L., *International Research Journal of Pharmacy*, 3(10): 158-161.
- Marinova, G. and Batchvarov, V., 2011, Evaluation of the methods for determination of the free radical scavenging activity By DPPH, *Bulgarian Journal of Agricultural Science*, 17(1): 11-24.
- Mark Zappi, P.E., Hernandez, R., Sparks, D., Horne, J., Brough, M., Sumesh, M., Arora, W. and Motsenbocker, D., 2003, Mississippi Biomass Council Jackson, MS MSU E-TECH Laboratory Report ET-03-003
- Martyn, R.D. and Cody, Y.S., 1983, Isolation of phenol cells from water hyacinth leaves and possible effects on the growth of foliar pathogens, *Journal of Aquatic Plant Management*, 21: 58-61.
- Martyn, R.D., Samuelson, R.D. and Freeman, T.E., 1983, Phenol storing cells in water hyacinth leaves, *Journal of Aquatic Plant Management*, 21: 49-53.
- Masuda, T., Fujitha, N., Odaka, Y., Takeda, Y., Yonemori, S., Nakamoto, K. and Kuninaga, H., 2007, Tyrosinase inhibitory activity of ethanol extracts from medicinal and edible plants cultivated in Okinawa and identification of a water soluble inhibitor form the leaves of *Nandina Domestica*, *Biosci.Biotechnol.Biochem*, 71(9): 2316-2320.
- Mathew, J.A. and Raj, N.N., 2009, Docking studies on anticancer drugs for breast cancer using *Hex*, *Proceedings of the international multi conference of engineers and computer Scientists*, 1, Hong Kong.
- Maurya, P., Mohan, L., Sharma, P., Batabyal, L. and Srivastava, C.N., 2007, Larvicidal efficacy of *Aloe barbadensis* and *Cannabis sativa* against the malaria vector *Anopheles stephensi* (Diptera: Culicidae), *Entomological Research*, 37: 153–156.
- Mausner, J., 1995, Skin cream composition, US005391373A.
- Mausner, J., 1995, Skin cream composition, US005922331A.
-

- Meena, N., Renu, S., Manoj, A. and Hemant, S., 2009, Synthesis, characterization and antimicrobial activities of some mixed ligand complexes of Co(II) with thiosemicarbazones and N-protected amino acids, *Journal of Enzyme Inhibition and Medicinal Chemistry*, 24(1): 197-204.
- Mehrotra, S., Srivastava, A.K. and Nandi, S.P., 2010, Comparative antimicrobial activities of Neem, Amla, Aloe, Assam Tea and Clove extracts against *Vibrio cholerae*, *Staphylococcus aureus* and *Pseudomonas aeruginosa*, *Journal of Medicinal Plants Research*, 4(18): 2473-2478.
- Meng, Y., Wang, G., Yang, N., Zhou, Z., Li, Y., Liang, X., Chen, J., Li, Y. and Jilun, L., 2011, Two-step synthesis of fatty acid ethyl ester from soybean oil catalyzed by *Yarrowia lipolytica* lipase, *Biotechnology for Biofuels*, 4: 6
- Mescalchin, A., Wunsche, W. and Sandr, 2006, Specific binding of a hexanucleotide to HIV-1 reverse transcriptase: A novel class of bioactive molecules.
- Mezhoud, S., Derbre, S., Ameddah, S., Mekkiou, R., Boumaza, O., Seghiri, R., Benayache, S., Richomme, P. and Benayache, 2012, Antioxidant activity and chemical constituents of *Warionia sahare Benth.* & Coss (Compositae) from Algeria, *Indian Journal of Medicine Aromatic Plants*, 2(3): 509-513.
- Mishima, D., Tateda, M., Ike, M. and Fujita, M., 2006, Comparative study on chemical pretreatments to accelerate enzymatic hydrolysis of aquatic macrophyte biomass used in water purification processes, *Bioresource Technology*, 97: 2166-2172.
- Mitchell, D.S., 1985, Surface-floating aquatic macrophytes, In *the Ecology and Management of African Wetland Vegetation*, Denny P. (Ed.). Dr W Junk Publishers Dordrecht, 109-124.
- Mitchell, D.S., Varshney, C.K. and Rzoska, J., 1976, The growth and management of *Eichhornia crassipes* and *Salvinia* spp. in their native environment and in alien situations, *Aquatic weeds in Southeast Asia*, 396.
- Mohanta, T.K., Patra, J. K., Rath, S.K., Pal, D.K. and Thatoi, H.N., 2007, Evaluation of antimicrobial activity and phytochemical screening of oils and nuts of *Semecarpus anacardium* L.f, *Scientific Research and Essay*, 2(11): 486-490.
- Molyneux, P., 2004, The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity *Songklanakarin, J. Sci. Technol.*, 26(2): 211-219.
- Molyneux, R.J., Gardner, D.R., James, L.F. and Colegate, S.M., 2002, Polyhydroxy alkaloids: chromatographic analysis, *Journal of Chromatography A*, 967: 57-74.
- Moon, J.Y., Yim, E.Y., Song, G., Lee, N.H. and Hyun, C.G., 2010, Screening of elastase and tyrosinase inhibitory activity from Jeju Island plants, *EurAsia J BioSci*, 4(6): 41-53.
- Morikawa, T., Mizutani, M., Aoki, N., Watanabe, B., Saga, H., Saito, S., Oikawa, A., Suzuki, H., Sakurai, N., Shibata, D., Wadano, A., Sakata, K. and Ohtaa, D., 2006, Cytochrome P450 CYP710A encodes the sterol C-22 desaturase in arabidopsis and Tomato, *The Plant Cell*, 18: 1008-1022
- Mossi, A.J., Mazutti, M., Paroul, N., Corazza, M.L., Dariva, C., Cansian, R.L. and Oliveira, J.V., 2009, Chemical variation of tannins and triterpenes in Brazilian populations of *Maytenus ilicifolia* Mart. Ex Reiss, *Braz. J. Biol.*, 69(2): 339-345.
- Motwani, M., Seth, R., Dagainawala, H.F. and Khanna, P., 1993, Microbial production of 2, 3-butanediol from waterhyacinth, *Bioresource Technology*, 44: 187-195.
- Moura, D.J., Richter, M.R., Boeira, J.M., Henriques J.A.P. and Saffi, J., 2007, Antioxidant properties of β -carboline alkaloids are related to their antimutagenic and antigenotoxic activities, *Mutagenesis*, 22(4): 293-302.
- Mughrabi, K.I., 2003, Antimicrobial activity of extracts from leaves, stems and flowers of *Euphorbia macroclada* against plant pathogenic fungi, *Phytopathol. Mediterr.*, 42: 245-250.
- Muhi-eldeen, Z., Al-Shamma, K.J., Al-Hussainy, T.M., Al-Kaissi, E.N., Al-Daraji, A.M. and Ibrahim, H., 2008, Acute toxicological studies on the extract of Iraqi peganum Harmala in rats, *European Journal of Scientific Research*, 22(4): 494-500.
- Muhit, A., Tareq, S.M., Apu, A.S., Basak, D. and Islam, M.S., 2010, Isolation and identification of compounds from the leaf extract of *Dillenia indica* Linn, *Bangladesh Pharm J*, 13: 49-53.
- Mullai, K. and Jebanesan, A., 2007, Larvicidal, ovicidal and repellent activities of the leaf extract of two cucurbitaceous plants against filarial vector *Culex quinquefasciatus* (Say) (Diptera: Culicidae), *Tropical Biomed*, 24: 1-6.
- Mustarichie, R., Udin, L.Z., Muchtaridi and Supriyatna, 2012, Identification and antibacterial activity of methanol extract of *Iuffa acutangula roxb.*, *Medical and Health Science Journal*, 12: 70-77.

- Muthu, A.K., Borse, L.B., Thangatripathi, A. and Borse, S.L., 2012, Antimicrobial activity of heartwood of *Tecoma stans*, *International Journal of Pharmacy and Pharmaceutical Sciences*, 4(3): 384-386..
- Muthunayanan, V., Santhiya, M., Swabna, V., and Geetha, A., 2011, Phytodegradation of textile dyes by Water Hyacinth (*Eichhornia Crassipes*) from aqueous dye solutions, *International Journal of Environmental Sciences*, 1(7): 1702-1711.
- Mythili, S., Sathiavelu, A. and Sridharan, T.B., 2011, Evaluation of antioxidant activity of *Cassytha Filiformis*, *International Journal of Applied Biology and Pharmaceutical Technology*, 2(2): 380-385.
- Nagappan, T., Ramasamy, P., Wahid, M.E.A., Segaran, T.C. and Vairappan, C.S., 2011, Biological activity of carbazole alkaloids and essential oil of *Murraya koenigii* against antibiotic resistant microbes and cancer cell lines, *Molecules*, 16: 9651-9664.
- Nagar, P.K. and Saha, S., 1985, Distribution of cytokinin-like activity in different plant parts of the water hyacinth, *Eichhornia crassipes*, *Plant Physiology*, 64: 328-332.
- Nagarajan, K., Mazumder, A. and Ghosh, L.K., 2006, Comparative anti – microbial evaluation studies of the extracts and isolates of leaves & bark of *Wrightia Tomentosa*, *Ancient science of life*, XXVI (1&2): 12-18.
- Nagori, B.P. and Solanki, R., 2011, Role of medicinal plants in wound healing, *Res J Med Plant*, 5: 392-405.
- Nandanwar, R., Gurjar, H., Sahu, V.K. and Saraf, H., 2010, Studies on wound healing activity of gel formulation containing cow ghee and *Aloe vera*, *International Journal of Pharmaceutical Sciences and Research*, 1(3): 50-54.
- Nantachit, K., Bunchoo, M., Khantava, B. and Khamvan, C., 2010, Antimicrobial activity of alkaloid from roots of *Vetiveria zizanoides* (L.) Nash ex Small, *Thai Pharm Health Sci J*, 5(2): 99-102
- Napar, A.A., Bux, H., Zia, M.A., Ahmad, M.Z., Iqbal, A., Roomi, S., Muhammad, I. and Shah., 2012, Antimicrobial and antioxidant activities of *Mimosaceae* plants; *Acacia modesta* Wall (Phulai), *Prosopis cineraria* (Linn.) and *Prosopis juliflora* (Swartz), *Journal of Medicinal Plants Research*, 6(15): 2962-2970.
- Narayanasamy, N., Duraisamy, A. and Balakrishnan, K.P., 2011, Screening of some medicinal plants for their antityrosinase and antioxidant activities, *International Journal of PharmTech Research*, 3(2): 1107-1112.
- Narayanaswamy, N., Rohini, S., Duraisamy, A. and Balakrishnan, K.P., 2011, Antityrosinase and antioxidant activities of various parts of *Mimusops Elengi*: A comparative study, *International Journal of Research in Cosmetic Science*, 1(1): 17-22.
- Nassar, Z., Aisha, A. and Majid, A.A., 2010, The pharmacological properties of terpenoids from *Sandoricum Koetjap*, *Web Med Central Complementary Medicine*, 1(12): WMC001311
- Nayak, B.S and Pereira, L.M.P., 2006, *Catharanthus roseus* flower extract has wound-healing activity in Sprague Dawley rats, *BMC Complementary and Alternative Medicine*, 6: 41.
- Nayak, S., Pereira, L.P. and Maharaj, 2007, Wound healing activity of *Carica papaya* L. in experimentally induced diabetic rats, *Indian Journal of experimental biology*, 45: 739-743.
- Ndubuisi, J., Aneke, Oguziea, E. And Ukiwe, N.L., 2007, Physicochemical properties of choloform extract of water hyacinth (*Eichhornia crassipes*), *The African J. Plant Sci. and Biotech*, 1(1): 40-42.
- Neogi, S. and Rajagopal, K., 1949, A method for the production of carotene concentrate from water hyacinth (*Eichhornia crassipes*), *Journal of Scientific and Industrial Research India*, 8: 119-121.
- Nesic, N. and Jovanovic, L., 1996, Potential use of water hyacinth (*E. crassipes*) for wastewater treatment in Serbia, *Journal of Wastewater Treatment using Aquatic plants*, 13: 1-10.
- Nessa, F., Ismailb, Z. and Mohamed, N., 2012, Antimicrobial activities of extracts and flavonoid glycosides of Corn Silk (*Zea mays* L), *International Journal of Biotechnology for Wellness Industries*, 1: 115-121.
- Neto, M.J.O., Da silva, F.D.G.F., Fo, E.R., Fernandes, J.B., Vieira, P.C. and Pinheiro, A.L., Norlimonoids from seeds of *Toona Ciliata*, *Phytochemistry*, 38 (4): 0258-0262, 0887.
- Nijveldt, R.J., Nood, E.V., Hoorn, D.E.C.V., Boelens, P.G., Norren, K.V. and Leeuwen, P.A.M.V., 2001, Flavonoids: a review of probable mechanisms of action and potential applications, *Am J Clin Nutr*, 74: 418–25.
- Nikhath, F., Satynarayana, D. and Subhramanyam, E.V.S., 2009, Isolation, characterisation and screening of antioxidant activity of the roots of *Syzygium cuminii* (L) skeel, *Asian J Res Chem*, 2: 218-221.
- Nithya, G. and Koria, L., 2011, Synthesis of fatty acid methyl ester from rice bran oil, *Journal of Ecobiotechnology*, 3(12): 07-09.

- Nyananyo, B.L., Gijo, A.H. and Ogamba, E.N., 2007, The physico-chemistry and distribution of water hyacinth (*Eichhornia crassipes*) on the river nun in the Niger Delta, *Journal of Applied Sciences & Environmental Management*, 11:133-137.
- Odjegba, V.J. and Fasidi, I.O., 2007, Changes in antioxidant enzyme activities in *Eichhornia crassipes* (Pontederiaceae) and *Pistia stratiotes* (Araceae) under heavy metal stress, *Revista de Biología Tropical*, 55: 815-823.
- Odunbaku, O.A., Ilusanya, O.A. and Akasoro, K.S., 2008, Antibacterial activity of ethanolic leaf extract of *Ficus exasperata* on *Escherichia coli* and *Staphylococcus albus*, *Scientific Research and Essay*, 3 (11): 562-564.
- Ogalde, J.P., Arriaza, B.T. and Soto, E.C., 2009, Identification of psychoactive alkaloids in ancient Andean human hair by gas chromatography/mass spectrometry, *Journal of Archaeological Science*, 36: 467–472.
- Ogbonnia, S.O., Mbaka, G.O., Anyika, E.N., Osegbo, O.M. and Igbokwe, N.H., 2012, Evaluation of acute toxicity in mice and subchronic toxicity of hydroethanolic extract of *Chromolaena odorata* (L.) King and Robinson (Fam. Asteraceae) in rats, *Agriculture and Biology Journal of North America*, 1(5): 859-865.
- Ogunlesi, M., Okiei, W., Ademoye, M. and Osibote, E.A., 2010, Analysis of wssential oil from the stem of *Chansmanthera dependens*, *Journal of Natural Products*, 3: 47-53.
- Ogunlesi, M., Okiei, W., Azeez, L., Obakachi, V., Osunsanmi, M. and Nkenchor, G., 2010, Vitamin C contents of tropical vegetables and foods determined by voltammetric and titrimetric methods and their relevance to the medicinal uses of the plants, *Int. J. Electrochem. Sci*, 5: 105-115.
- Ogunlesi, M., Okiei, W., Ofor, E. and Osibote, A.E., 2009, Analysis of the essential oil from the dried leaves of *Euphorbia hirta* Linn (Euphorbiaceae), a potential medication for asthma, *African Journal of Biotechnology*, 8(24): 7042-7050.
- Ogwal-Okeng, J.W., Obua, C. and Anokbonggo, W.W., 2003, Acute toxicity effects of the methanolic extract of *Fagara zanthoxyloides* (Lam.) root-bark, *Afr Health Sci*, 3(3): 124-6.
- Ohlrogge, J.B. and Jaworski, J.G., 1997, Regulation of fatty acid synthesis, *Annu. Rev. Plant Physiol. Plant Mol. Biol*, 48: 109–136.
- Ohya, T. and Hayakawa, S., 1992, Magnetic recording medium lubricant comprising a phthalic acid diester and fatty acid ester, US patent, US005104751A
- Ohyama, K., Suzukia, M., Kikuchia, J., Saitoa, K. and Muranakaa, T., 2009, Dual biosynthetic pathways to phytosterol via cycloartenol and lanosterol in Arabidopsis, *PNAS*, 106(3): 725-730.
- Ojeifo, M., Ekokotu, P.A., Olele, N.F. and Ekelemu, J.K., 2002, A review of the utilization of water hyacinth control measures for a noxious weed, Proceedings of the International Conference on Water Hyacinth, Oct 27- Nov 1, New-Bussa, pp: 71-78.
- Okigbo, R.N. and Nmeka, I.A., 2005, Control of yam tuber rot with leaf extracts of *Xylopi aethiopica* and *Zingiber officinale*, *African Journal of Biotechnology*, 4(8): 804-807.
- Oktay, M., Gulcin, I. and Kufrevioglu, O.I., 2003, Determination of *In vitro* antioxidant activity of fennel (*Foeniculum vulgare*) seed extracts *Lebensum.Wiss, U.Technol*, 36: 263-271.
- Omara, S., Marcottea, M., Fieldsb, P., Sanchezc, P.E., Povedac, L., Matad, R., Jimenezd, A., Dursta, T., Zhanga, J., MacKinnona, S., Leamana, D., Arnasona, J.T. and Philogenea, B.J.R., 2007, Antifeedant activities of terpenoids isolated from tropical rutales. *Journal of Stored Products Research* 43: 92–96
- Onar, H.C., Yusufoglu, A., Turker, G. and Yanardag, R., 2012, Elastase, tyrosinase and lipoxygenase inhibition and antioxidant activity of an aqueous extract from *Epilobium angustifolium* L. leaves, *Journal of Medicinal Plants Research*, 6(5): 716-726.
- Opande, G.O., Onyango, J.C. and Wagai, S.O., 2004, Lake Victoria: The water hyacinth (*Eichhornia crassipes* [Mart.] Solms), its socio-economic effects, control measures and resurgence in the Winam gulf, *Journal of Limnology*, 34: 105-109.
- Oudhia, P., 2001, Tradional medicinal knowledge about an obnoxious weed *Jal Kumbhi* (*Eichhornia crassipes*) in Chhattisgarh (India), Aquaphyte Online.
- Owens, C.S. and Madsen, J.D., 1995, Low temperature limits of waterhyacinth, *Journal of Aquatic Plant Management*, 33: 63-68.
- Oyaizu, M., 1986, Studies on product of browning reaction prepared from glucose amine, *Jpn J Nutr*, 07: 307 - 15.Ozer, O., Mutlu, B. and Kivcak, B., 2007, Antityrosinase activity of some plant extracts and formulations containing ellagic acid, *Pharmaceutical Biology*, 45(6): 519–524.

- Ozolua, R.I., Anaka, O.N., Okpo, S.O. and Idogun, S.E., 2009, Acute and sub-acute toxicological assessment of the aqueous seed extract of *Persea Americana* Mill (*Lauraceae*) in Rats, *Afr J Tradit Complement Altern Med*, 6(4):573–578.
- Padmawar, A. and Bhadoriya, U., 2010, Phytochemical investigation and comparative evaluation of *in vitro* free radical scavenging activity of Triphala & Curcumin, *Asian Journal of Pharmacy and Medical Science*, 1(1).
- Panchanadikar, V.V., Joshi, S.P., Babu, S.S., Bhide, S.R. and Pat, U.S., 2005, 424725000 (USPTO), A61K035/78 (Intl Class) 09/29/05, 20050214389.
- Panda, V., Sonkamble, M. and Patil, S., 2011, Wound healing activity of *Ipomoea batatas* tubers (sweet potato), *Functional Foods in Health and Disease*, 1(10): 403-415.
- Pandey, S., Sah, S.P., Sah, M.L. and Mishra, D., 2010, An antioxidant potential of hydromethanolic extract of *urtica Parviflora* Roxb, *Journal of Basic and Clinical Pharmacy*, 1(3): 191-195.
- Paniwnyk, L., Beaufof, E., Lorimer, J.P. and Mason, T.J., 2001, The extraction of rutin from flower buds of *Sophora japonica*, *Ultrasonics Sonochemistry*, 8: 299-301
- Parekh, J. and Chanda, S., 2008, *In vitro* antifungal activity of methanol extracts of some Indian medicinal plants against pathogenic yeast and Moulds, *African Journal of Biotechnology*, 7(23): 4349-4353.
- Parhoodeh, P., Rahmani, M., Mohd, N., Mohd, H., Sukari, A. and Lian ee, G.C., 2012, Alkaloid constituents of *Haplophyllum laevisculum* (Rutaceae), *Sains Malaysiana*, 41(1): 47–52.
- Pasko, P., Barton, H., Zagrodzki, P., Gorinstein, S., Folta, M. and Zachwieja, Z., 2009, Anthocyanins, total polyphenols and antioxidant activity in amaranth and quinoa seeds and sprouts during their growth, *Food Chemistry*, 115: 994–998.
- Pateh, U.U., Haruna, A.K., Garba, M., Iliya, I., Sule, I.M., Abubakar M.S. and Ambi A.A., 2009, Isolation of stigmaterol, β -sitosterol and 2-hydroxyhexadecanoic acid methyl ester from the rhizomes of *Stylochiton lancifolius* Pyer and *Kotchy* (Araceae) *Nig. Journ. Pharm. Sci*, 8: 19.
- Patel, U.H., Barot, R.A., Patel, B.D., Shah, D.A. and Modh, R.D., 2012, Docking studies of pyrrole derivatives using Hex, *International journal of environmental sciences*, 2(3).
- Patil, J.H., AntonyRaj, M., Gavimath, C.C. and Mali, B.M., 2011, A study effect of volatile fatty acid on biomethanation of water hyacinth, *International Journal of Advanced Biotechnology and Research*, 2(2): 257-262.
- Patil, M.V.K., Amit, D.K. and Bhise, S.D., 2012, Pharmacological evaluation of ethanolic extract of *Daucus carota* Linn root formulated cream on wound healing using excision and incision wound model, *Asian Pac J Trop Biomed*, 1-10.
- Patil, P.S., Venkatnarayanan, R., Argade, P.D., Ghule, R.S. and Shinde, P.R., 2012, *International Journal of Research in Pharmaceutical and Biomedical Sciences*, 3(3): 1294-1299.
- Pattanaargson and Limphong, 2001, Stability of octyl methoxycinnamate and identification of its photodegradation product, *International Journal of Cosmetic Science*, 23: 153-160.
- Pattanayak, S.P., Mazumder, P.M. and Sunita, P., 2012, Total phenolic content, flavonoid content and *In vitro* antioxidant activities of *Dendrophthoe falcata* (L.f.) ettingsh, *Res. J. Med. Plant*, 6: 136-148.
- Pavithra, P.S., Janani, V.S., Charumathi, K.H., Indumathy, R., Potala, S. and Varma, R.S., 2010, Antibacterial activity of plants used in Indian herbal medicine, *International Journal of green pharmacy*, 22-27.
- Pavithra, P.S., Sreevidya, N. and Verma, R.S., 2009, Antibacterial and antioxidant activity of methanol extract of *Evolvulus Nummularius*, *Indian J Pharmacol*, 41(5): 233-236.
- Pawar, R.S. and Toppo, F.A., 2012, Plants that heal wounds. A review, *Kerba Polonica*, 58(1): 47-64.
- Peck, B., Chen, C.Y., Ho, K.K., Fruscia, P.D., Myatt, S.S., Coombes, R.C., Fuchter, M.J., Hsiao, C.D. and Lam, E.W.F., 2010, SIRT Inhibitors Induce Cell Death and p53 Acetylation through Targeting Both SIRT1 and SIRT2, *Molecular Cancer Therapeutics*, 9(4):844-855.
- Peer, S.M., Prabhu, P.C., Panchapakesan, S. and Ramanathan, A., 2010, Pathomorphological and Biochemical studies on the effect of *Aloe vera*, *Aristolochia bracteata* and *Curcuma longa* based formulation on surgically excised wounds in Wistar rats, *Indian Journal of Veterinary Pathology*, 34(1): 69-75.
- Pegel, K.H., 1997, The importance of sitosterol and sitosterolin in human and animal nutrition, *South African Journal of Science*, 93.

- Pelegri, P.B., del Sarto, R.P., Silva, O.N., Franco, O.L. and Grossi-de-Sa M.F., 2011, Antibacterial peptides from plants: What they are and how they probably work, *Biochemistry Research International*, Hindawi Publishing Corporation, 9 pages.
- Pereira, S., Fonseca, L.P., Capelo, J.L., Armas, T., Vilhena, F., Pinto, A. P., Gonçalves, M.L.S. and Mota, A.M., 2010, Comparative study between probe focussed sonication and conventional stirring in the evaluation of cadmium and copper in plants, *Anal Bioanal Chem*, 398: 2315–2324.
- Person, A.K., Chudgar, S.M., Norton, B.L., Tong, B.C. and Stout, J.E. 2010, *Aspergillus niger*: an unusual cause of invasive pulmonary aspergillosis, *Journal of Medical Microbiology*, 59: 834.
- Phung, T.H., Nguyen, H.A., Nguyen, Q.C, Nguyen, T.D. and Nguyen, T.H., 2012, Chemical composition and effects on carbohydrate metabolism of chloroform fraction of Coix lachryma-jobi (L) stem extract, *Mahidol University Journal of Pharmaceutical Science*, 39(1): 19-24.
- Pieme, C.A., Penlap, V.N., Nkegoum, B., Taziebou, C.L., Tekwu, E.M., Etoa, F.X. and Ngongang, J., 2006, Evaluation of acute and subacute toxicities of aqueous ethanolic extract of leaves of *Senna alata* (L.) Roxb (Cesalpiniaceae), *African Journal of Biotechnology*, 5(3): 283-289.
- Pin-Der Duh, 1998, Antioxidant activity of *budrock* (*Arctium lappa* Linn): Its scavenging effect on free radical and active oxygen, *J Am Oil Chem Soc*, 75: 455-461.
- Pires, R.M., Costa, H.C., Ferreira, A.G.M. and Fonseca, I.M.A., 2007, Viscosity and density of water + ethyl acetate + ethanol mixtures at 298.15 and 318.15 K and atmospheric pressure, *J. Chem. Eng. Data*, 52: 1240-1245
- Polterait, O., 1997, Antioxidants and free-radical scavengers of natural origin, *Current Org. Chem.*, 1: 415-440
- Pontiki, E., Litina, D.H., Litinas, K., Nicolotti, O. and Carotti, A., 2011, Design, synthesis and pharmacobiological evaluation of novel acrylic acid derivatives acting as lipoxygenase and cyclooxygenase-1 inhibitors with antioxidant and anti-inflammatory activities, *European Journal of Medicinal Chemistry*, 46: 191-200.
- Pothitirat, W., Pluenglamai, J., Satniyom, S., Leelamanitaya, W. and Gritsanapan, W., 2010, Development of whitening skin lotion from selected medicinal plants and its antityrosinase activity, *Planta Medica*, 76: 174.
- Powthong, P., Jantrapanukorn, B., Thongmee, A. and Suntornthiticharoen, P., 2012, Evaluation of endophytic fungi extract for their antimicrobial activity from *Sebania grandiflora* (L.) Pers., *International Journal of Pharmaceutical and Biomedical Research*, 3(2): 132-136.
- Prabakar, K. and Jebanesan, A., Larvicidal efficacy of some Cucurbitaceous plant leaf extracts against *Culex quinquefasciatus* (Say), *Bioresource Technology*, 95: 113–114.
- Prabuseenivasan, S., Jayakumar, M. and Ignacimuthu, S., 2006, *In vitro* antibacterial activity of some plant essential oils, *BMC Complementary and Alternative Medicine*, 6: 39.
- Prachayasittikul, S., Suphapong, S., Worachartcheewan, A., Lawung, R., Ruchirawat, S. and Prachayasittikul, V., 2009, Bioactive metabolites from *Spilanthes acmella* Murr. *Molecules*, 14: 850-867.
- Prachayasittikul, S., Worachartcheewan, A., Yainoy, S., Lomchoey, N., Kittiphatcharin, P., Ruchirawat, S. and Prachayasittikul, V., 2012, Antioxidant and antimicrobial activities of *Saraca thaipingensis* Cantley ex, *Asian. Pac. J. Trop Biomed*, S796-S799.
- Prashanth, S., Kumarb, A.A., Madhub, B. and Kumar, Y.P., 2010, Antihyperglycemic and antioxidant activity of ethanolic extract of *Madhuca Longifolia* Bark, 5(3).
- Prosper-Cabral, N.B., Agbor, G.A., Oben, J.E. and Ngogang, J.Y., Phytochemical studies and antioxidant properties of four medicinal plants used in Cameroon, *Afr J Tradit Complement Altern Med*, 4(4): 495–500.
- Pundir, R.K. and Jain, P., 2010. Comparative studies on the antimicrobial activity of black pepper (*Piper Nigrum*) and turmeric (*Curcuma Longa*) extracts, *IJABPT*, 1(2): 491-501.
- Quayum, S.L., 2007, Effect of water hyacinth root extract on arsenic level in different organs of arsenic-treated rat, *Bangladesh Journal of Pharmacology*, 2: 73-80.
- Quilez, J., Lorda, P.G. and Salvado, J.S., 2003, Potential uses and benefits of phytosterols in diet: present situation and future directions, *Clinical Nutrition* 22(4): 343–351.
- Raaman, N., 2006, Phytochemical Techniques, New Indian Publishing Agencies, New Delhi, 2006: 19.

- Rackova, L., Oblozinsky, M., Kostalova, D., Kettmann, V. and Bezakova, L., 2007, Free radical scavenging activity and lipoxygenase inhibition of *Mahonia aquifolium* extract and isoquinoline alkaloids, *Journal of Inflammation*, 4: 15:1-7.
- Radulovic, N.S. and Dordevic, N.D., 2011, Steroids from poison hemlock (*Conium maculatum* L.): a GC–MS analysis, *J. Serb. Chem. Soc.*, 76(11): 1471–1483
- Rahman, S. and Islam, R., 2011, Mammalian Sirt1: insights on its biological Functions, *Rahman and Islam Cell Communication and Signaling*, 9: 11.
- Rahmatullah, M., Mollik, A.H., Rashid, H., Tanzin, R., Ghosh, K.C., Rahman, H., Alam, J., Faruque, O., Hasan, M., Jahan, R. and Khatun, A., 2010, A comparative analysis of medicinal plants used by folk medicinal healers in villages adjoining the Ghaghot, Bangali and Padma Rivers of Bangladesh. *Am-Eurasian J Sustain Agric*, 4:70–85
- Rahuman, A., Gopalakrishnan, G., Venkatesan, P. and Geetha, K., 2008, Isolation and identification of mosquito larvicidal compound from *Abutilon indicum* (Linn.) Sweet, *Parasitol Res*, 102: 981–988.
- Raj Mohan, D. and Ramaswamy, M., 2007, Evaluation of larvicidal activity of the leaf extract of a weed plant, *Ageratina adenophora*, against two important species of mosquitoes, *Aedes aegypti* and *Culex quinquefasciatus*, *African Journal of Biotechnology*, 6(5): 631-638.
- Rajkannan, R. and Malar, E.J.P., 2007, Docking of B-cell epitope antigen to specific hepatitis B antibody, *J. Chem. Sci.*, 119(5): 553–558.
- Rajkumar, S. and Jebanesan, A., 2001, Larvicidal and adult emergence inhibition effect of *centella asiatica* *Brahmi* (Umbelliferae) against mosquito *Culex quinquefasciatus* Say (Diptera: Culicidae), *African Journal of Biomedical Research*, 8: 31–33.
- Ramalakshmi, S. and Muthuchelian, K., 2011, Analysis of bioactive constituents from the leaves of *Mallotus tetracoccus* (roxb.) kurz, by gas chromatography - mass spectrometry, *International Journal of Pharmaceutical sciences and research*, 2(6): 1449-1454.
- Ramawat, K.G. (ed.), 2009, Herbal drugs: Ethnomedicine to modern medicine, *Springer-Verlag Berlin Heidelberg*, 7DOI 10.1007/978-3-540-79116-42.
- Rameshthangam, P. and Ramasamy, P., 2007, Antiviral activity of bis(2-methylheptyl)phthalate isolated from *Pongamia pinnata* leaves against white spot syndrome virus of *Penaeus monodon* Fabricius. *Virus Res*, 126(1-2): 38-44.
- Rana, I.S., Rana, A.S. and Rajak, R.C., 2011, Evaluation of antifungal activity in essential oil of the *Syzygium Aromaticum*(L) by extraction, purification and analysis of its main component eugenol, *Brazilian Journal of Microbiology*, 42: 1269-1277.
- Rao, T.M., Rao, B.G. and Y. Venkateswara Rao, Y.V., 2012, Antioxidant activity of spilanthes acmella extracts, *International Journal of Phytopharmacology*, 3(2): 216-220.
- Rao, V.S. and Srinivas, K., 2011, Modern drug discovery process: An *in silico* approach, *Journal of Bioinformatics and Sequence Analysis*, 2(5): 89-94.
- Rasal, V.P., Sinnathambi, A., Ashok, P. and Yeshmaina, S., Wound Healing and Antioxidant Activities of *Morinda Citrifolia* Leaf Extract in Rats, *Iranian Journal of Pharmacology & Therapeutics*, 7: 49-52.
- Rasul, A. and Akhtar, N., 2012, Anti-aging potential of a cream containing milk thistle extract: Formulation and in vivo evaluation, *African Journal of Biotechnology*, 11(6): 1509-1515.
- Rates, S.M.K., 2001, Plants as source of drugs, *Toxicon*, 39: 603–613.
- Rathna, R.A. and Sheeba, J., 2008, Inhibitors for Cyclooxygenase-2 –A molecular modeling approach, *Project of Bachelor of Technology*.
- Rawani, A., Ghosh, K.M.H.A. and Chandra, G., 2009, Larvicidal activities of three plants against filarial vector *Culex quinquefasciatus* Say (Diptera: Culicidae), *Parasitol Res*, 105: 1411–1417.
- Raza, H. and John, A., 2007, *In vitro* protection of reactive oxygen species-induced degradation of lipids, proteins and 2-deoxyribose by tea catechins, *Food Chem*, 45: 1814-20.
- Recanatini, M., Bottegoni, G. and Cavalli, A., 2004, *In silico* antitarget screening, *Drug Discovery Today Technologies*, 1(3): 209-215.
- Reddy, A.S., Pati, S.P., Kumar, P.P., Pradeep, H.N. and Sastry, G.N., 2007, Virtual screening in drug discovery – A computational perspective, *Current Protein and Peptide Science*, 8: 000-000.
- Reddy, G.A.K., Priyanka, B., Sai Saranya, C.H. and Ashok Kumar, C.K., 2012, Wound healing potential of Indian medicinal plants, *International Journal of Pharmacy Review and Research*, 2(2): 75-87.

- Reddy, K.R. and Sutton, D.L., 1984, Water hyacinths for water quality improvement and biomass production, *Journal of Environmental Quality*, 13: 1-8.
- Reddy, U. and Seetharam, Y.N., 2009, Antimicrobial and analgesic activities of *Trikatu Churna* and its ingredients, *Pharmacologyonline*, 3: 489-495.
- Reeve, V.E., Bosnic, M., Wilcox, C.B. and Ley, R.D., 1991, Differential protection from two sunscreens for UV-Radiation – Induced Immunosuppression, *J Invest Dermatol*, 97: 624-628.
- Ren, G., Cai, Z.Y., Luo, Z.P., Huang, H.L., Shao, F., Li, G.H., Zhou, C.X. and Liu, R.H., 2012, Study on the chemical constituents of the roots of *Dendropanax chevalieri*, *Article in Chinese*, 35(1): 62-4.
- Ren, W., Qiao, Z., Wang, H., Zhu, L. and Zhang, L., 2003, Flavonoids: promising anticancer agents, *Medicinal Research Reviews*, 23(4): 519-534.
- Riederer, M. and Müller, C., 2006, Biology of the plant cuticle, Blackwell Publishing, Oxford, UK, 154.
- Rios, J.L. and Recio, M.C., 2005, Medicinal plants and antimicrobial activity, *Journal of Ethnopharmacology*, 100: 80–84.
- Rispail, N., Nash, R.J., Webb, K.J., Marquez, A.J., Stougaard, J., Udvardi, M.K., Parniske, M., Spaink, H.P., Saalbach, G., Webb, K.J., Chiurazzi, M. and Marquez, A.J., (eds), 2005b, Secondary metabolite profiling In: *Lotus japonicus* handbook. Springer, Dordrecht, pp: 341–348
- Riyanto, S., 2007, Identification of the isolated compounds from *zingiber amaricans bl. rhizome*, *Indo. J. Chem.*, 7(1): 93 – 96.
- Roberts, M.F. and Wink, M., 1998, Alkaloids Biochemistry, Ecology, and Medicinal Applications, 5, Plenum Press, NewYork.
- Robles, W., Madsen, J.D. and Wersal, R.M., 2010, Potential for remote sensing to detect and predict herbicide injury on Water hyacinth (*Eichhornia crassipes*), *Invasive Plant Science and Management*, 3: 440–450.
- Rodriguez, R.V.G., Cevallos, G.C., Siordia, G., Jiménez-Arellanes, M.A., Chávez-Soto, M.A. and Meckes-Fischer, M., 2012, *Sphaeralcea angustifolia* (Cav.) G. Don extract, a potential phytomedicine to treat chronic inflammation, *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas*, 11 (5): 454 – 463.
- Roeder and Wiedenfeld, 2009, Pyrrolizidine alkaloids in medicinal plants of Mongolia, Nepal and Tibet, *Pharmazie*, 64: 699–716.
- Rohmer, M., Seemann, M. and Grosdemange-Billiard, C. 2005. Biosynthetic routes to the building blocks of Isoprenoids, *Biopolymers Online*, 49-55.
- Rongsriyam, Y., Trongtokit, Y., Komalamisra, N., Sinchaipanich, N., Apiwathnasorn, C., and Mitrejet, A., 2006, Formulation of tablets from the crude extract of *Rhinacanthus Nasutus* (Thai local plant) against *Aedes Aegypti* and *Culex Quinquefasciatus* larvae: a preliminary study, *Southeast Asian J Trop Med Public Health*, 37(2): 265-271.
- Rosas, L., Veiga, T.A.M., Feranandes, J.B., Vieira, P.C. and Da Silva, M.F.G.F., 2011, Prenylindole alkaloids from *Raputia Praetermissa* (Rutaceae) and their chemosystematic significance, *Journal of Brazilian Chemical Society*, 22(7): 1346-1353.
- Roy, A., Sahu, R.K. and Dwivedi, J., 2012, *In vitro* methods to evaluate the efficiency of skin care cosmetic formulations: A Review, *Asian Pacific Journal of Tropical Biomedicine*, 1-9.
- Ruikar, A.D., Gadkari, T.V., Phalgune, U.D, Puranik, V.G. and Deshpande, N.R., 2011, Dibutyl phthalate, a secondary metabolite from *Mimusops elengi*, *Chemistry of Natural Compounds*, 46(6): 55.
- Sa, R.A., Nataly Santos, D.D.L., Silva, C.S.B.D., Napoleao, T.H., Gomes, F.S., Cavada, B.S.C., Coelho, L.C.B.B., Navarro, D.M.D.A.F., Bieber, L.W. and Paiva, P.M.G.P., 2009, Larvicidal activity of lectins from *Myracrodruon urundeuva* on *Aedes aegypti*, *Comparative Biochemistry and Physiology*, Part C 149: 300–306.
- Sachin, J., Neetesh, J., Tiwari, A., Balekar, N. and Jain, D.K., 2009, Simple evaluation of wound healing activity of polyherbal formulation of roots of *Ageratum conyzoides* Linn, *Asian J. Research Chem*, 2(2).
- Sadeghian, A., Ghorbani, A., -Nejad, A.M. and Rakhshandeh, H., 2011, Antimicrobial activity of aqueous and methanolic extracts of pomegranate fruit skin, *Avicenna Journal of Phytomedicine*, 1(2): 67-63.
- Saeed, M.K., Deng, Y., Parveen, Z., Dai, R., Ahmaad, W. and Yu, Y., 2007, Studies on the chemical constituents of *Torreya grandis* Fort.Ex Lindl, *Journal of Applied Sciences*, 7: 269-273.
- Safi, N.E.E., Ghidouche, S. and Ducrot, P.H., 2007, Flavonoids: hemisynthesis, reactivity, characterization and free radical scavenging activity, *Molecules*, 12: 2228-2258.

- Saha, S., Subrahmanyam, E.V.S., Kodangala, C. and Shastry, S.C., 2011, Isolation and characterization of triterpenoids and fatty acid ester of triterpenoid from leaves of *Bauhinia variegata*, *Der Pharma Chemica*, 3(4): 28-37
- Saito, S.T., Trentin, D.S., Macedo, A.J., Pungartnik, C., Gosmann, G., Silveira, J.D., Guecheva, T.N., Henriques, J.A.P. and Brendel, M., 2012, Bioguided Fractionation shows *Cassia alata* extract to inhibit *Staphylococcus epidermidis* and *Pseudomonas aeruginosa* growth and biofilm formation, *Evidence-Based Complementary and Alternative Medicine*, 13.
- Sakthivadivel, M., and Thilagavathy, D., 2003, Larvicidal and chemosterilant activity of the acetone fraction of petroleum ether extract from *Argemone Mexicana* L. Seed, *Bioresource Technology*, 89: 213–216.
- Salalvkar, S.M., Tamaneekar, R.A. and Athawale, R.B., 2011, Antioxidants in skin ageing-future of dermatology, *International Journal of Green Pharmacy*, 5: 161-168.
- Salar, R.K. and Suchitra, 2009, Evaluation of antimicrobial potential of different extracts of *Solanum xanthocarpum* Schrad. and Wendl., *African Journal of Microbiology Research*, 3(3): 097-100.
- Salgado, S.G., Nieto, M.A.Q. and Simon, M.M.B., 2006, Optimisation of sample treatment for arsenic speciation in alga samples by focused sonication and ultrafiltration, *Talanta*, 68: 1522–1527.
- Sandhar, H.K., Kumar, B., Prasher, S., Tiwari, P., Salhan, M. and Sharma, P., 2011, A review of phytochemistry and pharmacology of flavonoids. *Internationale Pharmaceutica Scientia*, 1(1): 25-42
- Sani, U.M. and Pateh, U.U., 2009, Isolation of 1, 2-benzenedicarboxylic acid bis(2-ethylhexyl) ester from methanol extract of the variety minor seeds of *Ricinus communis* Linn. (*Euphorbiaceae*), *Nigerian Journal of Pharmaceutical Sciences*, 8(2): 107-114.
- Sanja, S.D., Sheth, N.R., Patel, N.K., Patel, D. and Patel, B., 2009, Characterization and evaluation of antioxidant activity of *Portulaca Oleracea*, *International Journal of Pharmacy and Pharmaceutical Sciences*, 1(1).
- Santana, O., Reina, M., Fraga, B.M., Sanz, J. Coloma, A.G., 2012, Antifeedant activity of fatty acid esters and phytosterols from *Echium wildpretii*, 9(3):567-76.
- Santos, N.D., Gomes, D.L., Costa, L.S., Cordeiro, S.L., Costa, M.S.S.P., Trindade, E.S., Franco, C.R.C., Scortecchi K.C., Leite E.L. and Rocha, H.A.O., 2012, Freshwater Plants Synthesize Sulfated Polysaccharides: Heterogalactans from Water Hyacinth (*Eichhornia crassipes*), *International Journal of Molecular Sciences*, 13: 961-976.
- Sarathy, S.M., Ga, S., Syed, S.A., Thomson, M.J. and Dagaut, P., 2007, A comparison of saturated and unsaturated C4 fatty acid methyl esters in an opposed flow diffusion flame and a jet stirred reactor, *Proceedings of the Combustion*.
- Sarker, S.D., Latif, Z. and Gray, A.I., 2006, *Natural Product Isolation*, 2nd Edition, Humana Press, Totowa, New Jersey, pp: 27-31.
- Sasidharan, S., Logeswaran, S. and Latha, L.Y., 2012, Wound healing activity of *Elaeis guineensis* Leaf Extract Ointment, *Int J Mol Sci*, 13: 336-347.
- Sasidharan, S., Nilawaty, R., Xavier, R., Latha, L.Y. and Amala, R., 2010, Wound healing potential of *Elaeis guineensis* Jacq Leaves in an infected albino rat model, *Molecules*, 15: 3186-319.
- Sasikumar, J.M., Jinu, U. and Shamna, R., 2009, Antioxidant activity and HPTLC analysis of *Pandanus odoratissimus* L. Root, *European Journal of Biological Sciences*, 1(2): 17-22.
- Sathish Kumar, T., Shanmugam, S., Palvannan, T. and Bharathi Kumar, V.M., 2008, Evaluation of antioxidant properties of *Elaeocarpus ganitrus* Roxb. Leaves, *Iranian Journal of Pharmaceutical Research*, 7(3): 211-215.
- Satish, S., Mohana, D.C., Ranhavendra, M.P. and Raveesha, K.A., 2007, Antifungal activity of some plant extracts against important seed borne pathogens of *Aspergillus sp.*, *Journal of Agricultural Technology*, 3(1): 109-119.
- Satish, S., Raghavendra M.P. and Raveesha, K.A., 2008, Evaluation of the antibacterial potential of some plants against human pathogenic bacteria, *Advances in Biological Research*, 2(3-4): 44-48.
- Saxena, R.C., Dixit, O.P. and Sukumaran, P., 1992, Laboratory assessment of indigenous plant extracts for anti-juvenile hormone activity in *Culex quinquefasciatus*, *Indian J Med Res*, 95: 204-206.
- Schlicker, C., Boanca, G., Lakshminarasimhan, M. and Steegborn, C., 2011, Structure-based development of novel sirtuin inhibitors, *Aging*, 3(9): 852–872.
- Sermakkani, M., 2012, Potential antimicrobial activity of butter fruit (*Butyrospermum parkii*, Kotschy) peel, *Journal of Pharmacy Research*, 5(3): 1467-1470.

- Seruga, M., Novak, I. and Jakobek, L., 2011, Determination of polyphenols content and antioxidant activity of some red wines by differential pulse voltammetry, HPLC and spectrophotometric methods, *Food Chem*, 124: 1208–1216.
- Shafaghat, A., Salimi, F. and Mahmoodi, R., Antioxidant, antimicrobial activity and chemical analysis of the flavonoid from *Chaerophyllum macropodum* (Boiss.), *Journal of Medicinal Plants Research*, 6(11): 2111-2116,
- Shafiuddin, M.D., Khan, A. and Ali, S., 2009, Wound healing activity of traditional herbal formulation, *Int. J. Chem. Sci*, 7(2): 639-643.
- Shanab, S.M.M. and Shalaby, E.A., 2012, Biological activities and anticorrosion efficiency of water hyacinth(*Eichhornia crassipes*), *Journal of Medicinal Plants Research*, 6(23): 3950-3962.
- Shanab, S.M.M., 2007, Antioxidant and antibiotic activities of some seaweeds (Egyptian Isolates), *Int. J. Agri. Biol.*, 9(2): 220-225.
- Shanab, S.M.M., Ameer, M.A., Fekry, A.M., Ghoneim, A.A. and Shalaby, E.A., 2011, Corrosion resistance of magnesium alloy (AZ31E) as orthopaedic biomaterials in sodium chloride containing antioxidantly active compounds from *Eichhornia crassipes*, *Int. J. Electrochem. Sci.*, 6: 3017–3035
- Shanab, S.M.M., Shalaby, E.A., Lightfoot, D.A. and El-Shemy, H.A., 2010, Allelopathic effects of water hyacinth [*Eichhornia crassipes*], *Plus One* 5.
- Sharma, A.R. and Nayar, R.C., 1980, Pharmacognostical studies on the root and rhizome of *Eichhornia crassipes* (Mart.) Solms, *Bulletin of Medicinal and Ethnobotanical Research*, 1: 37-45.
- Sharma, P., 2011, Cinnamic acid derivatives: A new chapter of various of pharmacological activities, *Journal of Chemical and Pharmaceutical Research*, 3(2): 403-423.
- Sharshar, K.M. and Haroon, A.M., 2009, Comparative investigations on some biological and biochemical in fresh water cray fish (*procambarus clarkia*) fed on *Eichhornia crassipes*, *Echinochloa stagnina* L. and *Polygonum tomentosum* L. *American Eurasian Journal of Agricultural and Environmental sciences*, 5(4): 579-589.
- Sheeba, M., Emmanuel, S., Revathi, K. and Ignachimuthu, 2009, Wound healing activity of *Cassia occidentalis* L in albino Wistar rats, *International Journal of Integrative Biology*, 8(8): 1-6.
- Sheffield, C.W., 1967, Water hyacinth for nutrient removal, *Hyacinth Control J*, 6: 27–30
- Shekar, 2008, Alkaloids, <http://shekhar-alk.blogspot.in/2008/08/l-k-l-o-i-d-s-b-y-s-h-e-k-h-r.html>
- Shen, Y.C., Prakash, C.V.S., Wang, L.T., Chien, C.T. and Hung, M.C., 2003, New Triterpenoid Fatty Acid Esters from the Small Twigs of *Viburnum odoratissimum*, *Journal of the Chinese Chemical Society*, 50: 297-302.
- Sheu, S.R., Wang, C.C., Chang, S.Y., Yang, L.C., Jang, M.J. and Cheng, P.J., 2009, Influence of extraction manufacturing process on caffeine concentration, proceedings of the *International Multi Conference of Engineers and Computer Scientists*, 2.
- Shi, L.S., Kuo, P.C., Tsai, Y.L., Damu A.G. and Wu, T.S., 2004, The alkaloids and other constituents from the root and stem of *Aristolochia elegans*, *Bioorganic and Medicinal Chemistry*, 12: 439–446.
- Shirasugi, I., Sakakibara, Y., Yamasaki, M., Nishiyama, K., Matsui, T., Liu, M.C. and Suiko, M., 2010, Novel screening method for potential skin-whitening compounds by a luciferase reporter assay, *Biosci Biotechnol Biochem*, 74(11): 2253-8.
- Shirwaikar, A., Somashekar, A.P., Udupa, A.L., Udupa, S.L. and Somashekar, S., 2003, Wound healing studies of *Aristolochia bracteolata* Lam. with supportive action of antioxidant enzymes, *Phytomedicine*, 10: 558–562.
- Shohaib, T., Shafique, M., Dhanya, N. and Divakar, M.C., 2011, Importance of flavonoids in therapeutics, *Journal for Drugs and Medicines*, 3(1):1-18.
- Shukla, A., Rasik, A.M., Jain, G.K., Shankar, R., Kulshrestha, D.K. and Dhawan, B.N., 1999, *In vitro* and *in vivo* wound healing activity of asiaticoside isolated from *Centella asiatica*, *J Ethnopharmacol*, 65: 1–11.
- Shukla, Y.N., Srivastava, A., Kumar, S. and Kumar, S., 1999, Phytotoxic and antimicrobial constituents of *Argyrea speciosa* and *Oenothera biennis*, *Journal of Ethnopharmacology*, 67: 241–245.
- Silva, I.G., Zanon, V.O.M. and Silva, H.H.G., 2003, Larvicidal activity of *Copaifera reticulata* ducke oil-resin against *Culex quinquefasciatus* say (Diptera: Culicidae), *Neotropical Entomology*, 32(4): 729-732.
- Silva, N.C.C. and Júnior, A.F., 2010, Biological properties of medicinal plants: a review of their antimicrobial activity, *J Venom Anim Toxins incl Trop Dis*, 16(3): 402-413.

- Singariya, P., Kumar, P. and Mourya, K.K., 2012, An activity guided Isolation and evaluation of various solvent extracts of the leaves of *Anjan Grass*, *Hygeia.J.D.Med.vol*, 4 (2).
- Singh, A., Duggal, S., Kaur, N. and Singh, J., 2010, Berberine: Alkaloid with wide spectrum of pharmacological activities, *Journal of Natural Products*, 3: 64-75.
- Singh, G. and Kumar, P., 2012, Evaluation of antimicrobial activity of alkaloids of *Terminalia chebula* Retz. against some multidrug –resistant microorganisms, *International Journal of Green Pharmacy*, 6: 57-62
- Singh, G., Kumar, P. and Jindal, A., 2012, Antibacterial potential of sterols of some medicinal plants, *International Journal of Pharmacy and Pharmaceutical Sciences*, 4(3): 159-162.
- Singh, N., Mahmood, U., Kaul, V.K. and Jirovetz, L., 2006, A new phthalic acid ester from *Ajuga bracteosa*., *Nat Prod Res*, 20(6): 593-7.
- Singh, R.P. and Agarwal, R., 2002, Flavonoid antioxidant silymarin and skin cancer, *Antioxid Redox Signal*, 4: 655-63.
- Sini, K.R., Mishal, T.K., Dhanya, K. And Jose, M.K., 2010, Antioxidant potential of dried root powder of *Capparis Grandiflora* wall ex hook.f and Thomson, *International Journl of Pharma Research and Development*, 2(9):50-55.
- Sircar, S.M. and Chakraverty, R., 1962, The effect of gibberellic acid and growth substances from the root extract of water hyacinth, *Eichhornia crassipes*, on rice and gram, *Indian Journal of Plant Physiology*, 5: 1-2.
- Sircar, S.M. and Ray, A., 1961, Growth substances separated from the root of water hyacinth by paper chromatography, *Nature*, 190: 1213-1214.
- Smahelova, A., Zadak, Z., Hyspler, R., Haas, T. and Lek, V., 2004, [Significance of plant sterols in diabetes], 50(2): 147-52.
- Smit, N., Vicanova, J. and Pavel, S., 2009, The hunt for natural skin whitening agents, *Int J Mol Sci*, 10(12): 5326–5349.
- Smith, C.J., Zhang, Y., Koboldt, C.M., Muhammad, J., Zweifel, B.S., Shaffer, A., Talley, J.J., Masferrer, J.I., Seibert, K. and Isakson, P.C., 1998, Pharmacological analysis of cyclooxygenase-1 in inflammation, *Proc. Natl. acad. sci.*, 95: 13313–13318.
- Solanki, R., 2010, Some medicinal plants with antibacterial activity, *International Journal of Comprehensive Pharmacy*, Pharmacie Globale, 4(10): 1-4.
- Solano, F., Briganti, S., Picardo, M. and Ghanem, G., 2006, Hypopigmenting agents: an updated review on biological, chemical and clinical aspects, *Pigment Cell Res*, 19:550–571.
- Soni, H. and Singhai, A.K., 2012, A recent update of botanicals for wound healing acitivity, *International Research Journal of Pharmacy*, 3(7): 1-7
- Souli, M., Galani, I. and Giamarellou, H., 2008, Emergence of extensively drug-resistant and pandrug-resistant gram-negative *Bacilli* in Europe, *Eurosurveillance*, 13(47): 1-11.
- Sravanthi, K.C., Manthri, S., Srilakshmi, S. and Ashajyothi, V., 2010, Wound healing herbs – a review, *International Journal Of Pharmacy & Technology*, 2(4): 603- 624.
- Sreena, K.P., Poongothai, A., Soundariya, S.V., Srirekha, G., Santhi, R. and Annapoorani, S., 2011, Evaluation of *in vitro* free radical scavenging efficacy of different organic extracts of *morinda tinctoria* leaves, *International journal of pharmacy and pharmaceutical sciences*, 3(3):207-209.
- Srinivasan, G.V., Sharanappa, P., Leela, N.K., Sadashiva, C.T. and Vljayan, K.K., 2009, Chemical composition and antimicrobial activity of the essential oil of *Leea indica* (Burm.f.)Mer.Flowers, *Natural Product Radiance*, 8(5): 488-493.
- Srivastava, S. and Mishra, N., 2009, Evaluation of polyherbal formulation for wound healing activity, *Der Pharmacia Lettre*, 1(1): 157-161.
- Sruthi, H.V., Kanniganti, M., Sulthana, S., Yellapu, N.K., Pradeep Kumar, A., Reddy, B.R., Naidu, N.V., Saragandla, S., Nandi, S.A. and Enaganti, S., 2012, Insilico evaluation of Anti-inflammatory activity of Natural compounds against Modeled COX2, *Journal of Pharmacy Research*, 5(2):1091-1097.
- Staton, J., 2009, Efficacy testing of skin whitening products, *Personal Care*
- Stephenson, M., Turner, G., Pope, P., Colt, J. and Knight, A., 1980, The use and potential of aquatic species for wastewater treatment, *California State Water Resources Control Board* 65.
- Subhadhirasakul, S. and Pechpongs, P., 2005, A terpenoid and two steroids from the flowers of *Mammea siamensis*, *Songklanakarin J. Sci. Technol.*, 27(2): 555-561.

- Subhashini, N., Thangathirupathi, A. and Iavanya, N., 2011, Antioxidant activity of *Trigonella Foenum Graecum* using various *In Vitro* and *Ex Vivo* models, *Int J Pharm Pharm Sci*, 3(2): 96-102.
- Sujitha, R., M.Phil Chemistry Dissertation, 2012, Avinashilingam Institute for Home Science and Higher Education for Women University,
- Sumazian, Y., Syahida, A., Hakiman, M. and Maziah, M., 2010, Antioxidant activities, flavonoids, ascorbic acid and phenolic contents of Malaysian vegetables, *Journal of Medicinal Plants Research*, 4(10): 881-890.
- Sumitraa, M., Manikandana, P. and Suguna, L., 2005, The Efficacy of *Butea monosperma* on dermal wound healing in rats, *International Journal of Biochemistry & Cell Biology*, 37: 566-573
- Sun, T., Powers, J.R. and Tang, J., 2007, Evaluation of the antioxidant activity of asparagus, broccoli and their juices, *Food Chemistry*, 105: 101-106.
- Suntar, I.P., Koca, U., Akkol, E.K., Yilmazer, D. and Alper, M., 2011, Assessment of wound healing activity of the aqueous extracts of *Colutea cilicica* Boiss. & Bal. Fruits and Leaves, *Evidence-Based Complementary and Alternative Medicine*, 1-7.
- Susidarti, R.A., Rahman, M., Ali, A.M., Sukari, M.A., Ismail, H.B.M., Kulip, J. and Waterman, P.G., 2007, 8-Methoxycapnolactone and stigmaterol from *Micromelum minutum*, *Majalah Farmasi Indonesia*, 18: 105-109.
- Sutthanont, N., Choochote, W., Tuetun, B., Junkum, A., Jitpakdi, A., Chaithong, U., Riyong, D. and Pitasawat, B., 2010, Chemical composition and larvicidal activity of edible plant-derived essential oils against the pyrethroid-susceptible and -resistant strains of *Aedes aegypti* (Diptera: Culicidae), *Journal of vector ecology*, 35(1): 106-115.
- Suzana, Irawati, N. and Budiati, T., 2010, Synthesis octyl p-methoxycinnamate as sunblock by transesterification reaction with the starting material ethyl p-methoxycinnamate, *Indonesian Journal of Cancer Chemoprevention*, 2(2): 216-220.
- Suzuki, M., Xiang, T., Ohyama, K., Seki, H., Saito, K., Muranaka, T., Hayashi, H., Katsube, Y., Kushiro, T., Shibuya, M. and Ebizuka, Y., 2006, Lanosterol synthase in dicotyledonous plants, *Plant Cell Physiol*, 47(5): 565-571
- Suzuki, R., Matsumoto, T., Tanaka, K., Takeuchi, Y. and Taketomi, T., 2001, Synthesis of azacrown ethers modified with side-chains containing Germanium, *Journal of Organometallic Chemistry*,
- Tadtong, S., Viriyaroj, A., Vorarat, S., Nimkulrat, S. and Suksamrarn, S., 2009, Antityrosinase and antibacterial activities of *Mangosteen Pericarp* extract, *Health Res*, 23(2): 99-102.
- Tamokou, J.D.D., Kuate, J.R., Tene, M., Julbelin, T., Nwemeguela, K. and Tane, P., 2011, The antimicrobial activities of extract and compounds Isolated from *Brillantaisia lamium*, *Iran. J. Med. Sci.*, 36(1): 24-31.
- Tan, D.X., Manchester, L.C., Helton, P. and Reiter, R.J., 2007, Reiter phyto-remediation capacity of plants enriched with melatonin, *Plant Signaling and Behaviour*, 2: 514-516.
- Tan, D.X., Manchester, L.C., Mascio, P.D., Martinez, G.R., Prado, F.M., Reiter, R.J. and 2007, Novel rhythms of N1-acetyl-N2-formyl-5-methoxykynuramine and its precursor melatonin in water hyacinth: importance for phyto-remediation, *The Journal of the Federation of American Societies for Experimental Biology*, 21: 1724-1729.
- Tapas, A.R., Sakarkar, D.M., and Kakde, R.B., 2008, Flavonoids as Nutraceuticals: A Review, *Tropical Journal of Pharmaceutical Research*, 7(3): 1089-1099.
- Tashino, K., Suzuki, Y., Nishiyama, I., Ogawa, H., Yoshida, T., Hosaka, M. and Sato, M., 2003, Phthalic diester derivatives and electron donors, US Patent, US6670497B2
- Tehrani, M.H.H., Fakhrehoseini, E., Nejad, M.K., Mehregan, H. and Vala, M.H., 2012, Search for proteins in the liquid extract of edible mushroom, *Agaricus bisporus*, and studying their antibacterial effects, *Iranian Journal of Pharmaceutical Research*, 11(1): 145-150
- Tesso, H., 2005, PhD Thesis, Isolation and structure elucidation of natural products from plants, Institute of Organic Chemistry, University
- Thakur, R., Jain, N., Pathak, R., and Sandhu, S.S., 2011, Practices in wound healing studies of plants, *Evidence-Based Complementary and Alternative Medicine*, 17.
- Thamaraiselvi, Lalitha, P. and Jayanthi, P., 2012, Preliminary studies on phytochemicals and antimicrobial activity of solvent extracts of *Eichhornia crassipes* (Mart.) Solms, *Asian Journal of Plant Science and Research*, 2(2): 115-122.
- Thangavelu, N.R. and Thomas, S., 2010, *International Journal of Biological & Medical Research*, 1(4): 188-192.

- Thilagavathi, R. and Chakraborti, A.K., 2005, Importance of alignment in developing 3-D QSAR models of 1,5-Diaryl Pyrazoles for the prediction of COX-2 inhibitory activity, *Internet Electron. J. Mol. Des.*, 4: 603-612.
- Thilza, I.B., Sanni, S., Isah, Z.A., Sanni, F.S., Talle, M. and Joseph, M.B., 2010, *In vitro* Antimicrobial activity of water extract of *Moringa oleifera* leaf stalk on bacteria normally implicated in eye diseases, *Academia Arena*, 2(6): 80-82.
- Thoppil, R.J. and Bishayee, A., 2011, Terpenoids as potential chemopreventive and therapeutic agents in liver cancer, *World J Hepatol*, 3(9): 228-249
- Thorat, L.J. and Nath, B.B., 2010, Effects of water hyacinth *Eichhornia crassipes* root extracts on midge *Chironomus ramosus* larvae: a preliminary note, *Physiological Entomology*, 35: 391-393.
- Thring, T.S.A., Hili, P. and Naughton, D.P., 2009, Anti-collagenase, anti-elastase and anti-oxidant activities of extracts from 21 plants, *BMC Complementary and Alternative Medicine*, 9: 27.
- Thu, N.V., 2011, Effects of water hyacinth (*Eichhornia Crassipes* Mart Solms) in local cattle diets on nutrient utilization, Humen parameters and microbial protein synthesis
- Tiwari, P., Kumar, K., Panik, R., Pandey, A., Pandey, A. and Sahu, P.K., 2011, Antimicrobial activity evaluation of the root of *Carica papaya* Linn., *International Journal of PharmTech Research*, 3(3): 1641-1648.
- Toki, K., Saito, N., Imura, K., Suzuki, T. and Honda, T., 1994, (Delphinidin 3-gentiobiosyl) (apigenin 7-glucosyl) malonate from the flowers of *Eichhornia crassipes*, *Phytochemistry*, 36: 1181-1183.
- Torres, J.J.M., Estrada, A.Z., Ledesma, M.G. and Valencia, J.M.T., 2007, The Antibacterial Metabolites and Proacacipetalin from *Acacia cochliacantha*, *J. Mex. Chem. Soc.*, 51(4): 228-231.
- Torti, S.D., Dearing, M.D. and Kursar, T.A., 1995, Extraction of phenolic compounds from fresh leaves: A comparison of methods, *Journal of Chemical Ecology*, 21(2): 117-125.
- Ubalua, A.O. and Oti, E., 2008, Evaluation of antimicrobial properties of some medicinal plants for fresh Cassava Roots Preservation, *Pakistan Journal of Nutrition*, 7 (5): 679-681.
- Uddin, M.D., Rao, P.N.P. and Knaus, E.E., 2003, Design and synthesis of novel celecoxib analogues as selective cyclooxygenase-2 (COX-2) inhibitors: replacement of the sulfonamide pharmacophore by a sulfonylazide bioisostere, *Bioorganic and Medicinal Chemistry*, 11: 5273-5280.
- Umar, M.I., Asmawi, M.Z., Sadikun, A., Atangwho, I.J., Yam, M.F., Altaf, R. and Ahmed, A., 2012, Bioactivity-guided isolation of Ethyl-*p*-methoxycinnamate, an anti-inflammatory constituent, from *Kaempferia galanga* L.Extracts, *Molecules*, 17: 8720-8734.
- Upadhyay, S.U., Patel, V.B., Patel, A.A., Upadhyay, U.M., Patel, N.M., 2011, *Ajuga Bracteosa*: A Promising Herb, *Pharmac Science Monitor*, Online Published.
- Vadlapudi, V., 2010, *In vitro* antimicrobial activity of methanolic extract of selected Indian medicinal plants, *Pharmacophore*, 1(3): 214-219.
- Vahitha, R., Venkatachalam, M.R., Murugan, K. and Jebanesan, A., 2002, Larvicidal efficacy of *Pavonia zeylanica* L. and *Acacia ferruginea* D.C. against *Culex quinquefasciatus* Say, *Bioresource Technology*, 82: 203-204.
- Vane, J.R., Bakhle, Y.S. and Botting, R.M., 1998, Cyclooxygenases 1 and 2, *Annu. Rev. Pharmacol. Toxicol.*, 38: 97-120
- Vashist, H., and Jindal, A., 2012, Antimicrobial activities of medicinal plants –Review, *International Journal of Research in Pharmaceutical and Biomedical Sciences*, 3(1): 222-230.
- Vasu, K., Goud, J.V., Suryam, A., and Charya, M.A.S., 2009, Biomolecular and phytochemical analyses of three aquatic angiosperms, *African J. Microbiol. Res.*, 3(8): 418-421.
- Velanganni, J. and Kadamban, D., 2011, Phytoconstituents of ethanol extract of *Mallotus philippensis* (lam.) mull. arg. var. *philippensis* (euphorbiaceae), *International Journal of Pharmaceutical Research & Development*, 3(8): 73-76
- Velmurugan, S., Babu, M.M., Punitha, S.M.J., Viji, V.T. and Citarasu, T., 2012, Screening and characterisation of antiviral compounds from *Psidium guajava* Linn. root bark against white spot syndrome virus.
- Veloso, K.M., Poon, T.H., Elliot, J.A. and Chung, C., 2011/12, A comparison of the LDL-cholesterol lowering efficacy of plant stanols and plant sterols over a continuous dose range: Results of a meta-analysis of randomized, placebo-controlled trials *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 85(1): 9-28.

- Veloze, L.S.M., Ferreira, M.J.P., Santos, M.I.S., Moreira, D.L., Emerenciano, V.P. and Kaplan, M.A.C., 2006, Unusual chromenes from *Peperomia blanda*, *Phytochemistry*, 67: 492–496.
- Venkatachalam, M.R. and Jebanesan, A., 2001, Repellent activity of *Ferronia elephantum* Corr. (Rutaceae) leaf extract against *Aedes aegypti* (L.), *Bioresource Technology*, 76: 287-288.
- Venkatanarayana, D., Saravana Kumar, A. and Mohana Lakshmi, S., 2010, Review on natural wound healing agents, *International Journal of Phytopharmacy Research*, 1(1): 1-4.
- Viado, G., 2006, Phytochemical, microbiological screening and pharmacologic testing of waterhyacinth (*Eichhornia crassipes* Linn) and Kataka-taka (*Kalanchoe pinnata* Linn), Thesis, University of Northern Philippines.
- Vijaya Bharathi, R., Veni, B.K., Jayashree, Suseela, L. and Thirumal, M., 2010, Antioxidant and wound healing studies on different extracts of *Stereospermum colais* leaf, *Int J Res Pharm Sci*, 1: 435-439.
- Vijayasanthi, M., Kannan, V., Venkataswamy, R. and Doss, A., 2012, Evaluation of the antibacterial potential of various solvent extracts of *Acacia nilotica* linn. Leaves, *Hygeia.J.D.Med.*, 4(1).
- Villamagna, A.M. and Murphy, B.R., 2010, Ecological and socio-economic impacts of invasive waterhyacinth (*Eichhornia crassipes*): A review, *Freshwater Biology*, 55: 282-298..
- Vinatoru, M., 2001, An overview of the ultrasonically assisted extraction of bioactive principles from herbs, *Ultrasonics Sonochemistry*, 8: 303-313.
- Vio-Michaelis, Sofia, Hidalgo, G.A., Gómez, M., Vera, R.P. and Montenegro, G., 2012, Antifungal activity of three Chilean plant extracts on *Botrytis Cinerea*, *Botanical Sciences*, 90(2): 179-183.
- Virabalin, R., Kositsup, B. and Punnapayak, H., 1993, Leaf protein concentrate from waterhyacinth, *Journal of Aquatic Plant Management*, 31: 207-209.
- Vogel, A.I., Tatchell, A.R., Furnis, B.S., Hannaford, A.J. and Smith, P.W.G., 2004, Vogel's Textbook of Practical Organic Chemistry (5th Edition)
- Vora, R.A. and Prajapati, A.K., 2001, New mesogenic homologous series of *a*-methylcinnamates, *Proc. Indian Acad. Sci. (Chem. Sci.)*, 113(2): 95–102.
- Wahab, H.A.A.A.E., Abdel-Rahman, H.M., Alkaramany, G.E.S. and El-Gendy, M.A., 2011, Synthesis, biological evaluation and molecular modeling study of substituted 1,2,4-triazole-3-acetic acid derivatives, *Der Pharma Chemica*, 3(6): 540-552.
- Waliwitiya, R., Kennedy, C.J. and Lowenberger, C.A., 2009, Larvicidal and oviposition-altering activity of monoterpenoids, trans-anethole and rosemary oil to the yellow fever mosquito *Aedes aegypti* (Diptera: Culicidae), *Pest Manag Sci*, 65: 241–248.
- Waller, G.R., Mangiafico, S. and Ritchey, C.R., 1978, A chemical investigation of *Aloe Barbadensis* Miller, *Proc. Okla. Acad. Sci.*, 58: 69-76.
- Walum, E., 1998, Acute oral toxicity, *Environmental Health Perspectives*, 106(2): 97-503.
- Wandji, J., Tillequin, F., Mulholl, D.A., Wansi, J.D., Fomum, T.Z., Fuendjie, V., Libot, F. and Tsabang, N., . 2002, Fatty acid esters of triterpenoids and steroid glycosides from *Gambeya africana*, *Planta Med*, 68(9): 822-6.
- Wang, B.J., Lien, Y.H. and Yu, Z. R., 2004, Supercritical fluid extractive fractionation – study of the antioxidant activities of propolis, *Food Chemistry*, 86: 237–243.
- Wang, L. and Weller, C.L., 2006, Recent advances in extraction of nutraceuticals from plants, *Trends in Food Science & Technology*, 17: 300–312.
- Wang, M.Z., Caia, X.H. and Luo, X.D., 2011, New phenylphenalene derivatives from water hyacinth (*Eichhornia crassipes*), *Helvetica Chimica Acta*, 94: 61-66.
- Wang, S.F., Furumo, T. and Cheng, Z., 2002, Study of extraction of phytosterol from *Masson Bin Era* dall oil, *Journal of Food Sciences*, 48: 505-511.
- Wang, T., Yuan, Y., Wang, J., Han, C. and Chen, G., 2012, Anticancer activities of constituents from the stem of *Polyalthia rumphii*, *Pak.J.Pharm.Sci*, 25(2): 353-356.
- Wasan, K.M. and Wasan, E.K., 2010, Formulations for the oral administration of therapeutic agents and related methods, US Patent, US 2010/ 0273728 A1.
- Weed Science Society of America (WSSA), 1984, Composite list of weeds, *Weed Science*, 32: 1.

- Westlake, D.F., 1963, Comparison of plant productivity, *Biological Reviews*, 38: 385-425. EPA, U.S., 1988, US Environmental Protection Agency, Report no. EPA/625/188/022. Office of Research and Development, Cincinnati, 83.
- Wilson, J.R., Rees, M., Holst, N., Thomas, M.B. and Hill, G., 2001, In *Biological and Integrated Control of Water Hyacinth, Eichhornia crassipes*, Hill MH, Centre TD, Jianqing D. (Eds). Canberra, ACIAR Proceedings, 102.
- Wong, S.P., Lai, P.L. and Jen, H.W.K., 2006, Antioxidant activities of aqueous extracts of selected plants, *Food Chem*, 99: 775-783.
- Woodard, D.R. and Luke, E.E., 2004, *Laboratory medicine*, 35: 438-440.
- World Health Organization, 1981, WHO Expert Committee on Insecticide. Instructions for determining the susceptibility or resistance of mosquito larvae to insecticides. WHO/VBC/8.807.
- Wretensjo, 2004, Characterisation of borage oil by GC-MS. Ph.D thesis, University Stockholm, Stockholm, pp: 16-25.
- Wretensjo, I. and Karlberg, B., 2002, Characterisation of sterols in refined borage oil by GC-MS, *JAOCS*, 79(11): 1069-1074.
- Wu, H., Zhou, H., Huang, S., Na, K., Lao, X., Yu, S., Sun, W. and Yu, Z., 1991, A novel steroid from *Eichhornia crassipes*, *Chinese Chemical Letters*, 2: 509-512.
- Wu, J., Li, M., Xiao, Z. and Zhou, Y., 2006, Butyrospermol fatty acid esters from the fruit of a Chinese mangrove *Xylocarpus granatum*, *Z. Naturforsch*, 61b: 1447-1449.
- Wu, J., Lin, L. and Chau, F.T., 2001, Ultrasound assisted extraction of ginseng saponins from ginseng roots and cultured ginseng cells, *Ultrasonics Sonochemistry*, 8: 347-352.
- www.anamed.net/water_hyacinth/...Water_Hyacinth.../
- www.chinaplasticizer.com
- www.ilo.org/safework_bookshelf/english?content&nd
- www.npi.gov.au
- www.ping.be/chlorophiles
- www.specialpathogenslab.com
- www.webnawab.com
- Xavier, M.O., Sales, M.P.U., Camargo, J.J.P., Pasqualotto, A.C. and Severo, L.C., 2008, *Aspergillus niger* causando traqueobronquite e aspergilose pulmonar invasiva em transplantado de pulmão: relato de caso, *Revista Da Sociedade Brasileira De Medicina Tropical*, 41: 200-201.
- Yadav, R., Srivastava, V.K., Chandra, R. and Singh, A., 2002, Larvicidal activity of latex and stem bark of *Euphorbia tirucalli* plant on the mosquito *Culex quinquefasciatus*, *J Commun Dis*, 34(4): 264-9.
- Yahya, M.A.A., Yaacob, W.A. and Nazlina, I., 2011, Isolation of chemical constituents from rhizomes of *Etlingera sphaerocephala* var. *Grandiflora*, *Malaysian. J. Anal. Sci*, 15: 22-26.
- Yamato and Gayor, 2002, Thepeutic potential of inhibitory of the NF.KB pathway in the treatment of inflammation and cancer, *Journal of Clinical Investigation*, 493-503.
- Yamunadevi, M., Wesely, E.G. and Johnson, M., 2011, Phytochemical studies on the terpenoids of medicinally important plant *Aerva lanata* L. using HPTLC, *Asian Pacific Journal of Tropical Biomedicine*, S220-S225.
- Yang, M., Liu, X.H. and Huang, J.B., 2008, Study on flavonoids extraction of microwave method and ethanol from Lotus leaves, *Storage and Process*, 8: 31-33.
- Yang, S., Yu, Z., Sun, W., Wen, Z.B., Wen, Y.S., Ming, W.H., Yu, H.S., Qiang, Z.H., Kan, M. and Fei, L.X., 1992, Isolation and identification of antialgal compounds from root system of water hyacinth, *Acta Phytophysiological Sinica*, 18: 399-402.
- Yang, W., Ajapur, V.K., Krishnamurthy, K., Feng, H., Yang, R. And Rababah, T.M., 2009, Expedited extraction of xylan from corncob by power ultrasound, *Int J Agric & Biol Eng*, 2(4): 76-83
- Yen, G.C. and Chen, H.Y., 1995, Antioxidant activity of various tea extracts in relation to their antimutagenicity, *J. Agric. Food Chem.*, 43: 27-32.

-
- Yermakov, A.I., Khlaifat, A.L., Qutob, H., Abramovich, R.A. and Khomyakov, Y.Y., 2010, Characteristics of the GC-MS mass spectra of terpenoids, *Chemical Sciences Journal*, CSJ-7: 1-10.
- Yokota, T., Nomura, T. and Nakayama, M., Identification of brassinosteroids that appear to be derived from campesterol and cholesterol in tomato shoots, *Plant Cell Physiol*, 38(11): 1291-1294.
- Yoo, I.S., Park, S.J. and Yoon, H.H., 2007, Enzymatic synthesis of sugar fatty acid esters, *J. Ind. Eng. Chem.*, 13(1): 1-6.
- Yoo, K.Y. and Park, S.Y., 2012, Terpenoids as potential anti-alzheimer's disease therapeutics, *Molecules*, 17: 3524-3538.
- Yoshida, Y. and Niki, E., 2004, Detection of lipid peroxidation *in vivo*: total hydroxyoctadecadienoic acid and 7-hydroxycholesterol as oxidative stress marker, *Free Radic Res*, 38(8): 787-94.
- Yoshimura, M., Watanabe, Y., Kasai, K., Yamakoshi, J. and Koga, T., 2005, Inhibitory effect of an ellagic acid - rich pomegranate extract on tyrosinase activity and Ultra violet induced pigmentation, *Biosci.Biotechnol.Biochem*, 69(12): 2368-2373.
- Zakaria, N.A., Ibrahim, D., Sulaiman, S.F. and Supardy, N.A., 2011, Assessment of antioxidant activity, total phenolic content and *invitro* toxicity of Malaysian red seaweed, *Acanthophora spicifera*, *J. Chem. Pharm. Res.*, 3(3):182-191.
- Zarghi, A., Rao, P.N.P. and Knaus, E.E., 2007, Design and synthesis of new rofecoxib analogs as selective cyclooxygenase-2 (COX-2) inhibitors: Replacement of the methanesulfonyl pharmacophore by an *N*-acetyl sulfonamido Bioisostere, *J Pharm Pharmaceut Sci*, 10(2): 159-167.
- Zhang, J.M., Shi, X.F., Ma, Q.H., He, F.J., Wang, D.D., Liu, D.Y. and Fan, B., 2010, Studies on the chemical constituents from pine needles of *Cedrus deodara* (II)], *Zhong Yao Cai*. 33(7): 1084-6
- Zhang, L., Shan, Y., Tang, K. and Putheti, R., 2009, Ultrasound-assisted extraction flavonoids from Lotus (*Nelumbo nucifera* Gaertn) leaf and evaluation of its anti-fatigue activity, *International journal of physical sciences*, 4 (8): 418-422.
- Zhang, X.W., 2005, Allelopathy analysis of aqueous leachates and root exudates of invasive alien weed, *Ageratina adenophora* (Spreng.) (Asteraceae), Beijing, China: Master thesis, Chinese Academy of Agricultural Sciences.
- Zhong, S., Wu, Y., Soo-mi, A., Zhao, J., Wang, K., Yang, S., Ho, Y.J. and Zhu, X., 2006, Depigmentation of melanocytes by the treatment of extracts from traditional Chinese Herbs: a Cell Culture Assay, *Biol. Pharm. Bull.*, 29(9): 1947-1951.
- Zhou, B., Jin-Ping, P., Guo, J. and Tang, S., 2009, Research on the antibacterial activities of extract from *Eichhornia crassipes*, *Jiangsu Journal of Agricultural Science*, 25: 547-550.
- Zwenger, S. and Basu, C., 2008, Plant terpenoids: applications and future potentials, *Biotechnology and Molecular Biology Reviews*, 3(1): 001-007.
-

PUBLICATIONS

1. Jayanthi, P. and Lalitha, P., 2011, Reducing power of the solvent extracts of *Eichhornia crassipes* (mart.) Solms, *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(3): 126-128.
2. Jayanthi, P. and Lalitha, P., 2011, Determination of the *invitro* reducing power of the aqueous extract of *Eichhornia crassipes* (Mart.) Solm, *Journal of Pharmacy Research* , 4(11): 4003-4005.
3. Jayanthi, P. and Lalitha, P., 2012, DPPH scavenging assay of the solvent extracts and fractionates of *Eichhornia crassipes* (Mart.) Solms, *Journal of Pharmacy Research*, 5(2): 946-948.
4. Lalitha, P., Shubashini, K.S. and Jayanthi, P., 2012, Secondary Metabolites of *Eichhornia crassipes* (Waterhyacinth): A Review (1949 to 2011), *Natural Product Communications*, 7(9): 1249-1256.
5. Jayanthi, P. and Lalitha, P., 2011, Phytochemical investigation of the extracts of *Eichhornia crassipes* and its solvent fractionates, *Journal of Pharmacy Research*, 4(5): 1405-1406.
6. Lalitha, P., Shubashini, K.S. and Jayanthi, P., 2012, Acute toxicity study of extracts of *Eichhornia crassipes* (mart.) Solms, *Asian Journal of Pharmaceutical and Clinical Research*, 5(4): 59-61.
7. Jayanthi, P. and Lalitha, P., 2012, Incision wound healing activity of polyherbal formulation and extracts of *Eichhornia crassipes*(Mart.)Solms, *International Journal of Pharmaceutics*, 28(10): 351-357.
8. Jayanthi, P., Lalitha, P. & Aarthi, N., 2012, Larvicidal and pupicidal activity of extracts and fractionates of *Eichhornia crassipes* (Mart.) Solms against the filarial vector *Culex quinquefasciatus* Say, *Parasitology Research*, 111(5): 2129-35.
9. Jayanthi, P. and Lalitha, P., 2012, Comparison of conventional and sound assisted methods for extraction of *Eichhornia crassipes* (mart.) solms, Communicated in *Asain Journal of*
10. Lalitha, P., Shubashini, K.S. and Jayanthi, P., 2012, Isolation of Stigmasterol in quantitative yields from the ethyl acetate extract of *Eichhornia crassipes* (Mart.) Solms, communicated in *Arabian Journal of Chemistry*