
วชิรวดี จันหวัชชัย 1660704022

หลักการให้คะแนน

- 5 = เป็นแหล่งทรัพยากรเด่นมาก
- 4 = สูง
- 3 = ปานกลาง
- 2 = มีโอกาสพบ/ผลิตได้พอสมควร
- 1 = มีน้อย
- 0 = ไม่ใช่ทรัพยากรหลักของ TERRAIN นั้น



CONIFER FOREST

--> GRASSLAND



DESCRIPTION

CONIFER FORESTS ARE DOMINATED BY NEEDLE-LEAVED TREES SUCH AS PINE, FIR, AND SPRUCE. THEY CAN OCCUR IN TEMPERATE AND COOLER REGIONS, WHERE CONIFEROUS TREES ARE WELL ADAPTED TO SEASONAL OR COLD CONDITIONS.

LOCATION

COMMON IN NORTH AMERICA, EUROPE, AND ASIA, INCLUDING WESTERN NORTH AMERICA AND OTHER TEMPERATE OR HIGH-LATITUDE REGIONS.

UI VERSION (SHORTER)

FORESTS DOMINATED BY PINE, FIR, AND SPRUCE. COMMON IN TEMPERATE AND COOLER REGIONS OF NORTH AMERICA, EUROPE, AND ASIA.

RESOURCES

FOOD	TOBACCO	ORE	FUR	LUMBER
4	1	1	3	4

BROADLEAF FOREST

--> PRAIRIE



DESCRIPTION

BROADLEAF FORESTS ARE DOMINATED BY TREES WITH WIDE, FLAT LEAVES, SUCH AS OAK AND MAPLE. TEMPERATE BROADLEAF FORESTS USUALLY HAVE SEASONAL CHANGES AND MANY TREES LOSE THEIR LEAVES DURING COLDER PERIODS.

LOCATION

MAJOR REGIONS INCLUDE EASTERN NORTH AMERICA, WESTERN EUROPE, AND NORTHEASTERN ASIA.

UI VERSION (SHORTER)


FORESTS OF WIDE-LEAVED TREES SUCH AS OAK AND MAPLE. COMMON IN TEMPERATE REGIONS OF NORTH AMERICA, EUROPE, AND ASIA.

RESOURCES

FOOD	COTTON	ORE	FUR	LUMBER
5	2	1	2	4

SAVANNA WOODLAND

--> SAVANNAH



DESCRIPTION

SAVANNA WOODLANDS HAVE AN OPEN TREE CANOPY WITH GRASSES GROWING BENEATH SCATTERED TREES. THEY USUALLY OCCUR IN WARM REGIONS WITH DISTINCT WET AND DRY SEASONS.

LOCATION

THEY ARE ESPECIALLY COMMON IN AFRICA, WITH SIMILAR SAVANNA ENVIRONMENTS FOUND IN AUSTRALIA, SOUTH AMERICA, AND PARTS OF ASIA.

UI VERSION (SHORTER)

OPEN WOODLAND WITH SCATTERED TREES AND GRASS. COMMON IN WARM REGIONS OF AFRICA, AUSTRALIA, AND SOUTH AMERICA.

RESOURCES

FOOD	SUGAR	ORE	FUR	LUMBER
4	3	1	2	3

MIXED FOREST

--> PLAIN



DESCRIPTION

MIXED FORESTS CONTAIN BOTH BROADLEAF AND CONIFEROUS TREES, COMBINING CHARACTERISTICS OF BOTH FOREST TYPES. THEY ARE GENERALLY ASSOCIATED WITH TEMPERATE CLIMATES AND CAN SUPPORT DIVERSE PLANT AND ANIMAL COMMUNITIES.

LOCATION

FOUND ACROSS PARTS OF EUROPE, NORTH AMERICA, AND ASIA, PARTICULARLY IN TEMPERATE REGIONS WHERE BROADLEAF AND CONIFEROUS FORESTS OVERLAP.

UI VERSION (SHORTER)


A MIXTURE OF BROADLEAF AND CONIFEROUS TREES. COMMON ACROSS TEMPERATE REGIONS OF EUROPE, NORTH AMERICA, AND ASIA.

RESOURCES

FOOD	COTTON	ORE	FUR	LUMBER
5	3	2	2	4

BOREAL FOREST / TAIGA

--> TUNDRA



- **DESCRIPTION**

BOREAL FORESTS, OR TAIGA, ARE DOMINATED BY CONIFERS SUCH AS SPRUCE, PINE, AND FIR. THEY HAVE LONG, COLD WINTERS AND SHORT SUMMERS, CREATING A HARSH ENVIRONMENT WITH A LIMITED GROWING SEASON.

- **LOCATION**

THE TAIGA FORMS A HUGE BELT ACROSS ALASKA, CANADA, SCANDINAVIA, AND RUSSIA, LYING SOUTH OF THE ARCTIC TUNDRA.

- **UI VERSION (SHORTER)**

COLD FORESTS DOMINATED BY SPRUCE, PINE, AND FIR. FOUND ACROSS NORTHERN CANADA, ALASKA, SCANDINAVIA, AND RUSSIA.

- **RESOURCES**

FOOD	T/C/S	ORE	FUR	LUMBER
1	0	2	5	5

SCRUB FOREST

--> DESERT



DESCRIPTION

SCRUB FORESTS ARE DRY, LOW-GROWING ENVIRONMENTS DOMINATED BY SHRUBS AND SMALL DROUGHT-TOLERANT TREES. THEY TYPICALLY OCCUR IN AREAS WHERE LIMITED RAINFALL PREVENTS THE DEVELOPMENT OF DENSE FORESTS.

LOCATION

THEY CAN OCCUR IN DRY AND SEMI-ARID REGIONS, INCLUDING AREAS AROUND DESERTS AND OTHER WATER-LIMITED ENVIRONMENTS.

UI VERSION (SHORTER)

DRY WOODLAND DOMINATED BY SHRUBS AND SMALL TREES. COMMON IN ARID AND SEMI-ARID REGIONS NEAR DESERTS.

RESOURCES

FOOD	T/C/S	ORE	FUR	LUMBER
0	0	3	1	1

TROPICAL RAINFOREST

--> SWAMP



DESCRIPTION

TROPICAL RAINFORESTS ARE DENSE, WARM, AND EXTREMELY WET FORESTS WITH VERY HIGH BIODIVERSITY. THEY CONTAIN TALL TREES AND MULTIPLE LAYERS OF VEGETATION, CREATING ONE OF THE RICHEST TERRESTRIAL ECOSYSTEMS ON EARTH.

LOCATION

THE LARGEST TROPICAL RAINFORESTS ARE FOUND AROUND THE AMAZON BASIN IN SOUTH AMERICA, THE CONGO BASIN IN AFRICA, AND SOUTHEAST ASIA, WITH OTHER RAINFOREST REGIONS IN CENTRAL AMERICA AND PARTS OF AUSTRALIA.

UI VERSION (SHORTER)

DENSE, HOT, AND EXTREMELY WET FORESTS WITH EXCEPTIONAL BIODIVERSITY. FOUND MAINLY AROUND THE AMAZON, CONGO, AND SOUTHEAST ASIA.

RESOURCES

FOOD	SUGAR	ORE	FUR	LUMBER
4	1	0	2	5