

OrganiPhos1-14-0.6 + 18% Ca

Certified Organic Biological Phosphorus Starter Granule

OrganiPhos is a certified organic biological phosphorus starter granule designed for seed-placed, side-band, and fall broadcast application. Three phosphorus sources release in sequence from establishment through grain fill, supported by BSFL frass chitin that activates phosphorus solubilizing bacteria in the root zone. On alkaline prairie soils where phosphorus fixation limits availability, OrganiPhos delivers biologically activated phosphorus, calcium, and sulfur where the crop needs it most.

14%

Available P2O5

18%

Calcium

3-phase

P release profile

OMRI


Certification status

FORMULA COMPOSITION
Derived from certified organic and naturally mined sources. OrganiPhos combines three staggered phosphorus sources with biological activators, high-calcium mineral inputs, and a sulfate-sulfur fraction in a compressed granule format designed for seed-row, side-band, and fall broadcast placement.

Phosphorus sources: Bone ash, volcano phos, fishbone meal
Biological activation: BSFL frass chitin, worm castings, alfalfa triacontanol
Calcium and sulfur: Gypsum (sulfate-S), volcano phos, bone ash
Availability support: Humalite Ag4, kelp meal
Retention: Zeolite

GUARANTEED ANALYSIS	
Total Nitrogen (N)	1.0%
Available Phosphate (P ₂ O ₅)	14.0%
Soluble Potash (K ₂ O)	0.6%
Sulfur (S)	1.3%
Calcium (Ca)	18.0%

NUTRIENTS DELIVERED PER ACRE		
	Seed-placed 50 lbs	Side-band 70 lbs
P2O5	7.0 lbs	9.8 lbs
Nitrogen	0.50 lbs	0.70 lbs
Sulfur	0.65 lbs	0.91 lbs
Calcium	9.0 lbs	12.6 lbs
K2O	0.30 lbs	0.42 lbs



HOW IT WORKS
Phase 1 W1-4 Fishbone meal delivers fast organic phosphorus at germination. BSFL frass chitin activates phosphorus solubilizing bacteria.
Phase 2 W5-10 Volcano phos reactive phosphate mineralizes through tillering. Humalite prevents phosphorus fixation on alkaline soils.
Phase 3 W8-16 Bone ash sustains phosphorus through grain fill. Calcium supports cell development and seed formation.

APPLICATION	
Crops	Wheat, triticale, barley, oats, rye, canola, lentils, chickpeas, field peas, sunflowers, potatoes, and forage establishment
Seed-placed	50 lbs per acre at seeding
Side-band	70 lbs per acre on phosphorus deficient fields
Broadcast	Up to 200 lbs per acre for fall soil building applications prior to seeding
Advisory	Always refer to a current soil test to determine application rate and identify any additional nutrient requirements specific to your field.