

Product 566867:Spec 001, VMTMBG Mesh Legging:Legging

Created Date	12/26/2019 6:33 CST	Source	001 : Sae-A Trading Company Ltd.
Product Name	566867, VMTMBG Mesh Legging	Specification	001 : Legging
Packet Type			

Specification Summary

Specification Stage	Pre-Production	ABO Style	No
----------------------------	----------------	------------------	----

Additional Specification Attributes

Vendor Style #		Product Shrinkage	4%x4%
-----------------------	--	--------------------------	-------

Product General Attributes

Division	KIDS APPAREL	Adjacency	GIRLS
Department	032-GIRLS 4-16 SEPARATES	Brand	More than Magic
Program Name		Collection Designator	
Material Category	Knit	Design Strategy	Internal design
Product Claims		Number of styles in PID	1
		Comments	

Product Season Attributes

Set Date	05/03/2020	Fabric/Product Calendar	
Design Cycle	2020 C2 Summer		

Specification Internal Comments :


User	Entered On	Comments
Charlotte.Martin	09/27/2019 6:40 GMT	1) This style is preferred. Complete DSW and begin the sample evaluation. 2) The BOM has been copied from a similar style; please complete

User	Entered On	Comments
		entirely. 3) Complete the following sections in the packet based on the sketch: a. Upload technical sketch in Image section. Ensure all layers are in tact. b. BOM – add material, trim information for all materials used in style and remove any that do not apply. c. Measurement Set – copied from a similar style. Add any points of measure needed to the evaluation and remove any that do not apply. d. Construction Set – copied from a similar style. Add any assembly and construction information for this style to the evaluation and remove any that do not apply. 4) Size range to be XS-XL 5) BP upload detailed CAD that calls out all primary and secondary color information including thread color, lining, rib, etc. of all components into Image Pages. BOM will only house components and fabric information, NO colors/art.

Specification External Comments :

User	Entered On	Comments







BOM Materials**BOM Name:** 001 : All Colorways**BOM Status:** In Progress**Section: Fabric**

	Component or Location	Material	Material Description	Impression Intents	Merchandise Vendor Fabric Wash?	Fabric Subtype	Total Fiber Content	Total Fabric Weight X-Mill	Mechanical	Chemical	Thread Count EPI + PPI	Courses Per Inch - CPI	Wales Per Inch - WPI	Supplier Name	Supplier Article #	Comments
	Body	FS117353	GVS JERSEY 300GSM 88/12 POLY/SPAN 84X42 PE 1500D DTY SD SP 70D S AOP	S, AOP		Jersey	88% Polyester, 12% Spandex	300.00	N/A	N/A	0	84	42	Sae-A Trading Company Ltd.	SS-2019-3662	

Section: Vendor Sourced Fabric

	Component or Location	Material	Impression Intents	Merchandise Vendor Fabric Wash?	Fabric Subtype	Fiber Content	Construction	Fabric Finish	Ex-Mill Weight	Supplier	Supplier Article #	Comments
	BOTTOM INSET	Mesh			Mesh	78% Polyester, 22% Spandex			130			

Section: Trim

	Component or Location	Material	Trim Type	TGT Code	Trim Finish	Trim Coating	Trim Color	Supplier	Supplier Article #	Qty	UOM	Trim Size	Trim Size UOM	Comments
	See Label Placement Sketch	T20960, MM19_03 A01, Moonbeams Loop Label, Printed,	Label	MM19_03 A01				Merchandise Vendors					mm	
	See Label Placement Sketch	T20973, MM19_03 G01, Moonbeams Size/COO for Loops, Printed,	Label	MM19_03 G01				Merchandise Vendors					mm	
	Care Label	T5484, TA05_05 A1, TNB Satin Generic Care TA00000 0018628, Printed, White	Label	TA05_05 A1				Merchandise Vendors					mm	
	DPCI Label	T13930, TNB16_03 F01, DPCI Tracking-soft recycled, Printed, White	Label	TNB16_03 F01				Merchandise Vendors					mm	
	Seams + Topstitching	T15090, Spun Polyester Thread, Spun polyester	Thread					Merchandise Vendors					Tex	
	Looper Thread	T15470, Textured Polyester Thread, Textured polyester	Thread					Merchandise Vendors					Tex	

Section: Trim

	Component or Location	Material	Trim Type	TGT Code	Trim Finish	Trim Coating	Trim Color	Supplier	Supplier Article #	Qty	UOM	Trim Size	Trim Size UOM	Comments
	PRIMARY HANGTAG: MTM19_50 A01	T10009, HANGTAG, PACKAGING - Hangtag, Printed,	Label	HANGTAG				Merchandise Vendors						

Section: Vendor Sourced Trim

	Component or Location	Material	Trim Type	Trim Finish	Trim Coating	Trim Color	Supplier	Supplier Article #	Qty	UOM	Trim Size	Trim Size UOM	Comments
	Waist	E-band	Elastic - Knit								0.375"		

BOM Colorways				
BOM Name: 001 : All Colorways		BOM Status: In Progress		
Section: Fabric				
Component or Location		Material	Color	
Body		FS117353		
Section: Vendor Sourced Fabric				
Component or Location		Material	Color	
BOTTOM INSET		Mesh		
Section: Trim				
Component or Location		Material	Trim Color	Color
See Label Placement Sketch		T20960, MM19_03A01, Moonbeams Loop Label, Printed,		
See Label Placement Sketch		T20973, MM19_03G01, Moonbeams Size/COO for Loops, Printed,		
Care Label		T5484, TA05_05A1, TNB Satin Generic Care TA000000018628, Printed, White		
DPCI Label		T13930, TNB16_03F01, DPCI Tracking- soft recycled, Printed, White		
Seams + Topstitching		T15090, Spun Polyester Thread, Spun polyester		
Looper Thread		T15470, Textured Polyester Thread, Textured polyester		
PRIMARY HANGTAG: MTM19_50A01		T10009, HANGTAG, PACKAGING - Hangtag, Printed,		
Section: Vendor Sourced Trim				
Component or Location		Material	Trim Color	Color
Waist		E-band		

Technical Overview**Name** 001C2 2020-Active**Size Definition****Base Size** M**Size Definition Template****Grade Rule Template**

Girls Knit Grade Template-Active

Last Updated

11/27/2019 1:34 CST


Note: Shaded areas are critical**Measurement Set:** 001C2 2020-Active **Sample Size:** M **UOM:** in


POM #(-)POM Name	POM Special Instructions	Tol (+)	Tol (-)	XS	S	M	L	XL	XXL
C03.R-CF WAIST POS FR NAT WAIST		0.000	0.000	2.000	2.000	2.000	2.000	2.000	2.000
C04.R-CB WAIST POS FR NAT WAIST		0.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000
C16.R-WAIST RIGID/ELASTIC RELAXED	UPDATED	0.750	0.750	21.000	22.000	23.000	25.000	27.000	28.500
C18.R-WAIST EXTD		0.750	0.750	23.500	25.500	27.500	31.000	34.500	36.500
D01.R-CB/SS WAIST TO LO HIP POS		0.250	0.250	3.750	4.750	5.000	5.500	6.500	6.500
D16.R-LOW HIP/SEAT, FROM CB		0.750	0.750	23.500	25.500	27.500	31.000	34.500	36.500
R01.R-TOTAL RISE		0.500	0.500	14.750	16.750	18.250	20.750	22.250	22.750
V01.CL-LEG OPNG-Capri Length		0.750	0.750	8.125	9.125	10.000	11.250	12.625	13.250
X01.CL-INSEAM LNGTH-Capri Length		0.250	0.250	11.750	13.375	15.000	16.500	18.125	18.375

Construction Overview**Name:** 001all colorways-Active**Note: Shaded areas are critical****Construction Detail - 001all colorways-Active**

Section	Detail	Placement	Update
Care	VENDOR IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH CARE LABELING REGULATIONS AND GUIDANCE – If appropriate for the product, Target prefers that owned brand products use the following care labeling instructions – “Machine Wash-Tumble Dry”. VENDOR provides settings per FTC Reg + Bleach/Iron. See https://www.ftc.gov/tips-advice/business-center/guidance/clothes-captioning-complying-care-labeling-rule#writing . If product's care labeling deviates from “machine wash tumble dry”, VENDOR must contact Target TD.		
Other Details	Vendor is responsible to ensure all label placements meet FTC and custom requirements.		
Other Details	Review Garment Standards and A&A Construction Guides from POL specific to division, fabrication and silhouette. For all children's garments, contact 3rd party lab for latest version of requirements.		
Other Details	Childrens apparel - Please reference POL for childrens safety guide		
Other Details	Measurements are for core size only. Vendor to grade other sizes accordingly where noted with *.		
Garment Standards	For Ultimate / Performance Claims, review Target Ultimate / Performance claim garment standards on POL.		
Packing Instructions	Hanging Product – Follow POL Floor Ready Standards for:		
Seams/Topstitch	605 3 needle, 5 thread coverstitch, 0.25 inch	all topstitching unless otherwise specified	
Seams/Topstitch	301 lockstitch, all kinds of tacking		
Seams/Topstitch	406 2 needle coverstitch, 1/8 inch	at inside of WB	
Seams/Topstitch	514, Double Needle Overlock 2 needle, 4 thread overlock		
SPI	12,+2/-1		

	<div data-bbox="1031 121 1230 153" data-label="Section-Header"> COLORWAYS </div> <div data-bbox="980 191 1318 590" data-label="Image"> </div>
STYLE#	566867
Body	88% POLYESTER 12% SPANDEX Jersey 300gsm AOP20_002B + violet villa back
MESH	78% POLYESTER 22% SPANDEX TRUE WHITE
Thread for body	DTM WHITE
E-band @ Waist	0.375" double white
Main label	Main label (MM19-03A01) + size label (MM19-03G01)





Bottoms Label Placement-Children's

Bottom One Side Sew Label

*Main label (if applicable) must be centered from left to right at back waist

* DPCI under fiber and care label (if fiber and care label are applicable)

* Fiber and care placed at wearer's left side seam

***Other**

NIT SNP- place fiber and care label 8" down from wearer's left armhole seam

NIT Tops/Skirts- place fiber and care label 2" up from hem

NIT Dresses- place fiber and care label 4" up from hem

NIT Bottoms-place fiber and care label 2" below WB seam

***This generic image is for label placement only. Please follow the style specific image for all details.**

Comments

As this style does not have side seam, Please apply care label on the waist seam with 301 lock stitch, 1 inches apart from the CB seam on wearer's right side.

Care Label Responsibility

IMPORTANT: Target may furnish, specify or adopt product specifications, performance standards, drawings, product claims, instructions, descriptions and/or other information related to the goods you sell to Target (the "Specifications"). Regardless of the Specifications, **VENDOR IS RESPONSIBLE** for: (1) product and packaging safety; (2) compliance with all applicable laws, rules, regulations, standards, codes, orders, directives, judicial and administrative decisions, and ordinances, of the country of origin, the country of transit, the United States and Canada, any state, province, or other subdivision thereof, and any agency or entity of the foregoing, including all laws relating to packaging and labeling (the "Laws"); (3) accuracy and substantiation of all product and packaging claims; (4) evaluating the necessity for, and creation of, product warnings; (5) providing products and packaging to Target that do not infringe the proprietary rights of any third party; and (6) compliance with all terms set forth on Target's Partners Online system and/or any other system used by Target. In addition, each vendor's products and packaging must comply with any specifications furnished, specified or adopted by Target. If a vendor believes there to be a conflict between Target's specifications and product safety, Laws, or the intellectual property rights of others, the vendor must contact Target promptly to discuss Target's specifications and ensure product safety and compliance with Laws. Vendors are **NOT** relieved from any obligations or liability for any reason or because of any action by Target or any third party including, but not limited to, any of the following: (a) the vendor has received a satisfactory lab test result, (b) Target has conducted testing, (c) Target has accepted or approved the vendor's product, designs, claims, materials or packaging, (d) Target has reviewed claim substantiation, and/or (e) Target has authorized an override of testing protocol or testing results. Target reserves the right to amend its testing protocols and packaging production guides at any time. No subsequent or prior communication between Target and a vendor may operate to modify the obligations set forth in this paragraph, unless specifically agreed to in a writing signed by a Target Vice President or Senior Vice President.