

# QUANTITATIVE APTITUDE

## INDEX

|   |                  |
|---|------------------|
| <b>1. Number System .....</b>                           | <b>(3 – 8)</b>   |
| (i) Sum of series                                       |                  |
| (ii) Finding the sum "upto n terms"                     |                  |
| (iii) Finding A Number                                  |                  |
| <b>2. Problem of Ages .....</b>                         | <b>(9 – 11)</b>  |
| <b>3. Time and Work .....</b>                           | <b>(12 – 14)</b> |
| <b>4. Time and Distance .....</b>                       | <b>(15 – 21)</b> |
| (i) Problem on Train                                    |                  |
| (ii) Trains Meeting                                     |                  |
| <b>5. Clock .....</b>                                   | <b>(22 – 24)</b> |
| <b>6. Percentage .....</b>                              | <b>(25 – 26)</b> |
| <b>7. Profit &amp; Loss .....</b>                       | <b>(27 – 28)</b> |
| <b>8. Ratio and Proportion .....</b>                    | <b>(29 – 30)</b> |
| <b>9. Simple Interest &amp; Compound Interest .....</b> | <b>(31 – 32)</b> |
| (i) Simple Interest                                     |                  |
| (ii) Compound Interest                                  |                  |
| <b>10. Average .....</b>                                | <b>(33 – 35)</b> |
| (i) Average Speed                                       |                  |
| <b>11. Probability .....</b>                            | <b>(36 – 37)</b> |
| (i) Coins   |                  |
| (ii) Dice   |                  |
| <b>12. Permutation .....</b>                            | <b>(38 – 39)</b> |

|                               |           |
|-------------------------------|-----------|
| 13. Combination .....         | (40 - 41) |
| 14. Square & Cube Roots ..... | (42 - 43) |
| 15. Logarithms .....          | (44 - 45) |
| Solutions .....               | (46 - 56) |

# NUMBER SYSTEM

## SUM OF SERIES

Model : 1

Natural Numbers

$$1 + 2 + 3 + 4 + \dots + n$$

$$\left[ \frac{n(n+1)}{2} \right]$$

Where n = last digit

$$1^2 + 2^2 + 3^2 + \dots + n^2$$

$$\left[ \frac{n(n+1)(2n+1)}{6} \right]$$

$$1^3 + 2^3 + 3^3 + 4^3 + \dots + n^3 = ?$$

$$\text{Sum} = \left[ \frac{n(n+1)}{2} \right]^2$$

Model : 2

$$1 + 3 + 5 + 7 \dots + 33$$

$$(x^2)$$

$$\text{where } \left[ x = \frac{n+1}{2} \right]$$

n = last digit

$$2 + 4 + 6 + 8 \dots + 50$$

$$x(x+1)$$

$$\text{where } \left[ x = \frac{n}{2} \right]$$

n = last digit

$$51 + 53 + 55 \dots + 65$$

Case : When series doesn't

Start from 1 or 2 and start

From in between

**Q.1**  $1 + 2 + 3 + \dots + 30 = ?$

**Sol.** 
$$\frac{n(n+1)}{2} = \frac{30 \times 31}{2}$$
$$= 15 \times 31$$
$$= 45$$

**Q.2**  $1^2 + 2^2 + 3^2 + \dots + 12^2 = ?$

**Sol.** 
$$\frac{n(n+1)(2n+1)}{6} = \frac{12 \times 13 \times 25}{6}$$
$$= 50 \times 13$$
$$= 650$$

**Q.3**  $1^3 + 2^3 + 3^3 + \dots + 9^3 = ?$

**Sol.** 
$$\left[ \frac{n(n+1)}{2} \right]^2 = \left( \frac{9 \times 10}{2} \right)^2$$
$$= 45^2$$
$$= 2025$$

**Q.4**  $1 + 3 + 5 + \dots + 49 = ?$

**Sol.**  $x^2$   
We know,  $x = \frac{n+1}{2}$ 
$$= \frac{49 + 1}{2}$$
$$= 25$$
$$\therefore x^2 = (25)^2$$
$$= 625$$

**Q.5**  $2 + 4 + 6 + \dots + 5 + 58 = ?$

**Sol.**  $x(x+1)$   
We Know,  $x = \frac{n}{2}$ 
$$= \frac{58}{2}$$
$$= 29$$
$$\therefore x(x+1) = 29(29+1)$$
$$= 29 \times 30$$

$$= 870$$

**Q.6**  $51 + 53 + 55 \dots + 99 = ?$

**Sol.**  $(1 + 3 + 5 + \dots 99) - (1 + 3 + 5 \dots + 49)$

For  $1 + 3 + 5 + \dots 99$

by using formula:  $x^2$

$$\begin{aligned} \text{Trick: } x &= \frac{n+1}{2} \\ &= \frac{99+1}{2} \end{aligned}$$

$$x = 50$$

$$x^2 = (50)^2$$

$$= 2500$$

For  $1 + 3 + 5 \dots + 49$

Solving:  $(1 + 3 + 5 + \dots 99) - (1 + 3 + 5 \dots + 49)$

$$= 2500 - 625$$

$$= 1875$$

This method can be used when series starts from random number in between. That is series doesn't starts from 1, 2 etc.

**Trick:  $x^2$**

$$\begin{aligned} x &= \frac{x+1}{2} \\ &= \frac{49+1}{2} \end{aligned}$$

$$= 25$$

$$x^2 = (25)^2$$

$$= 625$$

### Question to Practice

**Q.7**  $10^2 + 11^2 + 12^2 + \dots + 20^2 = ?$

**FINDING THE SUM “UPTO N TERMS”**

**Formula:**  $S_n = \frac{n}{2}[2a + (n - 1)d]$

where  $a = 1^{\text{st}}$  Digit,  $d = \text{difference}$ ,  $n = n^{\text{th}}$  term

**Q.8 Find the sum**

$$1 + 3 + 5 + 7 + 9 \cdots \text{upto 15 terms}$$

**Sol.**  $S_n = \frac{n}{2}[2a + (n - 1)d]$

$$S_{15} = \frac{15}{2}[2(1) + (15 - 1)2]$$

$$= \frac{15}{2}[2 + 28]$$

$$= \frac{15}{2} \times 30$$

$$= 225 \quad \{d = \text{difference, so difference between any 2 digits as per question is 2}\}$$

In this, we don't know what exactly is 15th term, so we used formula of Arithmetic Progression

**Question to Practice****Q.9 Find the sum of first 19 terms of the sequence 2, 7, 12, 17, ...?**

**FINDING A NUMBER**

**Q.10** What is two third of half of 369?

**Sol.**  $\frac{2}{3} \times \frac{1}{2} \times 369 = ?$   
 $= 123$

**Q.11** If one-third of one-fourth of a number is 15, then three-tenth of the number is?

**Sol.**  $\frac{1}{3} \times \frac{1}{4} \times x = 15$

$$x = 15 \times 4 \times 3$$

$$x = 180$$

Now, three-tenth of this number

$$= \frac{3}{10}x$$

$$= \frac{3}{10} \times 180$$

$$= 54$$

**Q.12** If the sum of two numbers, one of which is  $\frac{2}{5}$  times the other is so, then the numbers are?

**Sol.** Let's take first no. = x

Then according to question, second no. =  $\frac{2}{5}x$

$$x + \frac{2}{5}x = 50$$

$$\frac{5x + 2x}{5} = 50$$

$$7x = 250$$

$$x = \frac{250}{7}$$

$\therefore$  first no. = x

$$= \frac{250}{7}$$

Second no. =  $\frac{2}{5}x$

$$= \frac{2}{5} \times \frac{250}{7}$$

$$= \frac{100}{7}$$



**Q.13** If  $\frac{1}{2}$  is added to a number & the sum is multiplied by 3, then the result is 21 then the number is?

**Sol.** Let the no. be x

$$\left(\frac{1}{2} + x\right) \times 3 = 21$$

$$\frac{3}{2} + 3x = 21$$

$$3x = 21 - \frac{3}{2}$$

$$3x = \frac{42 - 3}{2}$$

$$3x = \frac{39}{2} \Rightarrow \boxed{x = \frac{13}{2}}$$

#### Question to Practice


**Q.14** If  $\frac{4}{5}$ th of a number exceeds its  $\frac{3}{4}$ th by 8, then the number is

**Q.15** If  $\frac{3}{4}$  of a number is 7 more than  $\frac{1}{6}$  of the number, then  $\frac{5}{2}$  of the number is?

## PROBLEMS ON AGES

**Q.16** The present ages of A and B are in the ratio 4 : 5 and after 5 years they will be in the ratio 5 : 6. The present age of A is?

**Sol.** Let age be 'x'



$$4x : 5x$$

$$\text{After 5 years} \Rightarrow 4x + 5 : 5x + 5 = 5 : 6$$

$$\frac{4x + 5}{5x + 5} = \frac{5}{6} \quad \left\{ a : b = \frac{a}{b} \right\}$$


$$\text{By cross Multiplication } 24x + 30 = 25x + 25$$

$$x = 5$$

$$\begin{aligned} \therefore \text{Present Age of A} &= 4x \\ &= 4 \times 5 \\ &= 20 \text{ years} \end{aligned}$$

$$\begin{aligned} \text{Present Age of B} &= 5x \\ &= 5 \times 5 \\ &= 25 \text{ years} \end{aligned}$$

**Q.17** The ratio of present ages of two brothers is 1 : 2 and 5 years back, the ratio was 1 : 3 what will be the ratio of their ages after 5 years?



$$x - 5 : 2x - 5 = 1 : 3$$

$$\frac{x - 5}{2x - 5} = \frac{1}{3}$$

$$3x - 15 = 2x - 5$$

$$x = 10$$

After 5 years, ratio of their ages

$$\Rightarrow x + 5 : 2x + 5$$

$$\therefore x = 10$$

$$10 + 5 : 2(10) + 5$$

$$15 : 25$$

**Q.18 I am three times as old as my son. 15 years hence, 9 will be twice as old as my son. The sum of our ages is?**

**Sol.** Father                      Son  
 $3x$                                $x$   
 After 15 years  
 $3x + 15$                        $x + 15$   
 $3x + 15 = 2(x + 15)$   
 $3x + 15 = 2x + 30$   
 $x = 15$   
 Son age ( $x$ ) = 15 years  
 Father age ( $3x$ ) =  $3 \times 15$   
 $= 45$  years  
 $\therefore$  Sum of their ages =  $45 + 15$   
 $= 60$  years

**Q.19 10 years ago daughter's age was two-fifth of her mother's age that time. while 10 years hence her age will be three-fifth of her mother's age then Find the difference in the ages of the two**

**Sol.** Let daughter's age =  $x$   
 Let Mother's age =  $y$   
 10 year ago  
 $(x - 10) = \frac{2}{5}(y - 10) \rightarrow (1)$   
 10 year hence  
 $(x + 10) = \frac{3}{5}(y + 10) \rightarrow (2)$   
 An solving equ. (1)  
 $5x - 50 = 2y - 20$   
 $5x - 2y = 30 \rightarrow (3)$   
 On solving equ. (2)  
 $5x + 50 = 3y + 30$   
 $5x - 3y = 20 \rightarrow (4)$   
 Solving equ. (3) & (4)

$$\begin{array}{r} 5x - 2y = 30 \\ -5x + 3y = 20 \\ \hline y = 50 \end{array}$$

$$5x - 2y = 30$$

$$5x - 100 = 30$$

$$x = 26$$

Difference of ages = Mother age - daughter age

$$= 50 - 26$$

$$= 24$$

### Question to Practice

**Q.20** 4 years ago, the ratio of the ages of A and B was 2: 3 and after 4 years, it will become 5: 7.

Find their present ages

**Q.21** The present age of a father is 3 year more than three times the age of his son. 3 years hence, father's age will be 10 years more than twice the age of son. The father's present age is?

## TIME AND WORK

### Based On Chain Rule

#### Formula 1:

$$\frac{P_1 H_1 D_1}{P_2 H_2 D_2} = \frac{w_1}{w_2}$$

#### Formula 2:

$$P_1 H_1 D_1 = P_2 H_2 D_2$$

P = No. of person

H = No. of hours

D = No. of days

w = Work

**Q.22** 15 min can type 3240 pages in 6 days working 2 hours per day. How many men would be required to type 5400 pages working 4 hours per day for 3 days?

**Sol.**  $P_1 = 15$ ,  $w_1 = 3240$ ,  $H_1 = 2$ ,  $D_1 = 6$

$P_2 = ?$ ,  $w_2 = 5400$ ,  $H_2 = 4$ ,  $D_2 = 3$

$$\frac{P_1 H_1 D_1}{P_2 H_2 D_2} = \frac{w_1}{w_2}$$

$$\frac{15 \times 2 \times 6}{x \times 4 \times 3} = \frac{3240}{5400}$$

$$\frac{15}{x} = \frac{81}{135}$$

$$x = \frac{135 \times 15}{81}$$

$$\boxed{x = 25}$$

$\therefore$  No. of men required = 25

**Q.23** 39 persons can repair a road in 12 days working 5 hours a day. In how many days will 30 persons working 6 hours a day can complete the work?

**Sol.**  $P_1 = 39$   $D_1 = 12$   $H_1 = 5$  hours

$P_2 = 30$   $D_2 = ?$   $H_2 = 6$  hours

$$P_1 H_1 D_1 = P_2 H_2 D_2$$

$$39 \times 5 \times 12 = 30 \times x \times 6$$

$$\boxed{x = 13}$$

No. of days = 13 days

**Q.24** Ajay & Sunil together can complete a piece of work in 10 days, Sunil & Sanjay in 15 days & Sanjay and Ajay in 20 days. They worked together for 6 days, and then Ajay leaves. Sunil and Ajay worked for 4 more days, and Sunil leaves How long will Sanjay take to complete the work?

**Sol.** Work done in 1 day:

$$\text{Ajay} + \text{sunil} = \frac{1}{10}$$

$$\text{Sunil} + \text{Sanjay} = \frac{1}{15}$$

$$\begin{array}{rcccl} \text{Sanjay} & + & \text{Ajay} & = & \frac{1}{20} \\ + & + & + & & \end{array}$$

$$2 \text{ Sunil} + 2 \text{ Ajay} + 2 \text{ Sanjay} = \frac{1}{10} + \frac{1}{15} + \frac{1}{20}$$

$$\text{Sunil} + \text{Ajay} + \text{Sanjay} = \frac{1}{2} \left[ \frac{13}{60} \right]$$

$$\text{Sunil} + \text{Ajay} + \text{Sanjay} = \frac{13}{120} \quad \dots (1)$$

$$\text{Work done in 6 days} = \frac{13}{20} \times 6$$

$$= \frac{13}{20}$$

$$\text{Work done in 4 days} = \frac{1}{15} \times 4$$

$$\text{By Sunil \& Ajay} = \frac{4}{15}$$

$\therefore$  Sunil left after 4 days, Ajay left after 6 days

$$\text{Remaining work} = 1 - \left[ \frac{\text{Work done}}{\text{in 6 days}} + \frac{\text{Work done}}{\text{in 4 days}} \right]$$

$$= 1 - \left[ \frac{13}{20} + \frac{4}{15} \right]$$

$$= 1 - \frac{55}{60}$$

$$\text{Remaining work} = \frac{1}{2} \text{ [to be completed by Sanjay alone]}$$

No. of days required, from equ. (1)

$$\text{Sanjay} + \underbrace{\text{Ajay} + \text{Sunil}} = \frac{13}{120}$$

$$\text{Sanjay} + \boxed{\frac{1}{10}} = \frac{13}{120}$$

(given in question)

That Ajay & Sunil take 10 days

$$\text{Sanjay} = \frac{13}{120} - \frac{1}{10}$$

$$\text{Sanjay} = \frac{1}{120}$$

⇒ Sanjay can complete the work in 120 days.

$$\text{We know, Remaining work} = \frac{1}{12}$$

$$\therefore \text{Days req. to complete } \frac{1}{12} \text{ work by Sanjay} = 120 \times \frac{1}{12}$$

$$= \boxed{10 \text{ days}}$$

Sanjay will take 10 days to complete work

### Question to Practice

**Q.25** 'A' can complete  $\frac{2}{3}$  of a work in 4 days & 'B' can complete  $\frac{3}{5}$  of the work in 6 days. In how many days can both A and B together complete the work?

**Q.26** If 72 men can build a wall of 280 m length in 21 days, how many men could take 18 days to build a similar type of wall of length 100 m?

## TIME AND DISTANCE

**Q.27** Two friends started for a place one by motorcycle and other by car. The speed of motorcycle is 30 km/hr. and that of car is 24 km/hr. The first one takes 6hr. 12 min to reach the destination. Find the time of reaching of second one.

- (A) 8:00 hr.                      (B) 7.25 hr.                      (C) 7.50 hr.                      (D) 7.75 hr.

**Sol.** Motorcycle : 30 km/hr.      6 hr./2min.

$$\Rightarrow 1 \text{ hr.} = 30 \text{ km}$$

$$\begin{aligned} \therefore \text{Distance for 6 hrs.} &= 6 \times 30 \text{ km} \\ &= 180 \text{ km} \end{aligned}$$

$$1 \text{ hr.} = 60 \text{ min}$$

$$60 \text{ mins} = 30 \text{ km}$$

$$1 \text{ min} = \frac{30}{60} = \frac{1}{2} \text{ km}$$

$$\begin{aligned} \therefore \text{Distance for 12 min} &= \frac{1}{2} \times 12 \\ &= 6 \text{ km} \end{aligned}$$

$$\begin{aligned} \text{Distance covered in 6 hrs. 12 min} &= 180 + 6 \\ &= 186 \text{ km} \end{aligned}$$

$$\text{Speed} = 24 \text{ km/hr.}$$

$$\text{Time} = \text{Distance/Speed}$$

$$= \frac{186}{24}$$

$$\Rightarrow \boxed{\text{Time} = 7.75 \text{ hr.}}$$

**Q.28** Kamal left for the City A from City B at 5:20 AM He travelled at a speed of 80Km/ hr. for 4 hrs. 1 min. After that, the speed was reduced to 60 km/hr. If the distance between two cities is 350 km, at what time did Kamal reach City A?

- (A) 9:20 AM                      (B) 9:25 AM                      (C) 9:35 AM                      (D) 9:45 AM

**Sol.**



$$1 \text{ hr.} = 80 \text{ km}$$



$$\text{Distance} = \text{Speed} \times \text{Time}$$

$$= 80 \times 4 \text{ hr.}$$

$$= 320 \text{ km}$$

$$1 \text{ hr.} = 80 \text{ km}$$

$$60 \text{ min} = 80 \text{ km}$$

$$1 \text{ min} = \frac{80}{60}$$

$$15 \text{ mins} = \frac{80}{60} \times 15$$

$$= 20 \text{ km}$$

$$\text{So Total distance travelled in 4 hr. 15 min} = 320 + 20$$

$$= 340 \text{ km}$$

$$\text{Given, Total distance between A to B} = 350 \text{ km}$$

$$\& \text{ distance travelled by B} = 340 \text{ km From 4 hrs. 15 min}$$

$$\text{So remaining distance} = 350 - 340$$

$$= 10 \text{ km}$$

$$\text{Given speed} = 60 \text{ km/hr.}$$

$$\Rightarrow 1 \text{ hr.} = 60 \text{ km}$$

$$\Rightarrow 60 \text{ min} = 60 \text{ km}$$

$$\Rightarrow 1 \text{ min} = 1 \text{ km}$$

$$\therefore 10 \text{ km} = 10 \text{ min}$$

$$\text{So 10 mins more to reach city A to travel 350 km}$$

$$\text{So total time} = 4 \text{ hrs. 15 mins}$$

$$+ 10 \text{ mins}$$

$$\underline{4 \text{ hrs. 25 mins}}$$

$$\text{Journey started at 5: 20 AM}$$

$$+ 4: 25$$

$$\underline{9: 45 \text{ AM}}$$

**Q.29** A man goes to his office by Scooter at a speed of 30 Km/hr. & reaches 6 min earlier. He goes at the speed of 24 km/hr., he reaches 5 minutes late. The distance of his office is

(A) 20 Km

(B) 21 km

(C) 22 km

(D) 24 km

**Sol.**  $T_1 \sim T_2 = 11 \text{ min}$

$$\frac{D}{S} \sim \frac{D}{S} = 11 \text{ min}$$

$$\frac{D}{30 \text{ km/hr.}} - \frac{D}{24 \text{ km/hr.}} = 11 \text{ min}$$

$$\frac{D}{30 \text{ km/hr.}} - \frac{D}{24 \text{ km/hr.}} = \frac{11}{60} \text{ hr.}$$

$$\frac{4D - 5D}{120} = \frac{11}{60}$$

$$D = \frac{11 \times 12}{6} \text{ km}$$

$$\boxed{D = 22 \text{ km}}$$

Just to Understand

Let's consider man goes to Office at 10:00 AM



### Question to Practice

**Q.30** A car travelling at a speed of 40 km / hr. can complete a journey in 9 hr. How long will it take to travel the same distance at 60 km / hr.

## PROBLEMS ON TRAIN

- A 100 m long train crossed a (rock/Pole/standing man) then, the distance travelled = Length of Train
- A 100 m long trains crossed a (Platform / Tunnel) of length 200 m, then:  
The distance travelled by Train = Length of Train + Platform Length
- $(-)$   
 Subtract Speed  $\left\{ \begin{array}{l} \text{Train - 1 overtakes Train - 2} \\ \text{Train - 1 \& Train - 2 running in Parallel direction} \end{array} \right.$
- $(+)$   
 Add Speed  $\left\{ \begin{array}{l} \text{Train - 1 crosses Train 2} \\ \text{Train - 1 Train 2 proceeds towards each other} \end{array} \right.$

**Q.31** A train 300 m long is running at a speed such that it will cross a bridge of 200 meters in?

**Sol.** Distance = 300 + 200, Speed = 25 m/sec.  
= 500 m

$$T = \frac{D}{S}$$

$$T = \frac{500 \text{ m}}{25 \text{ m/sec.}}$$

$$T = 20 \text{ sec.}$$

**Q.32** On train travelling at a speed of 30 m / sec crosses a platform, 600 m long in 30 seconds. The length (in meter) of train is?

**Sol.**  $S = 30 \text{ m/s}$   $P_L = 600 \text{ m}$   
 $T = 30 \text{ sec.}$

$$D = S \times T$$

$$\left\{ \begin{array}{l} \text{If train crosses platform, } D = \frac{\text{Platform Length}}{600} + \frac{\text{Platform Train}}{x} \\ = 600 + x \end{array} \right.$$

$$600 + x = 30 \text{ m/sec.} \times 30 \text{ sec.}$$

$$600 + x = 900 \text{ m}$$

$$\boxed{x = 300 \text{ m}}$$

### Question to Practice

**Q.33** A train takes 18 seconds to pass through a platform 162 m long and 1 second to pass through another platform 120 m long. The length of the train (in m) is:

## TRAINS MEETING

### Type - I:



Train speed,  
distance between  
stations, length  
of both Train will be  
given in the question

To find at what distance & time both Trains meet

### Formula:

$$\text{Distance} = S_1 \left[ \frac{d + S_2 T}{S_1 + S_2} \right] \text{ km}$$

$$\text{Time} = \left[ \frac{d + S_2 T}{S_1 + S_2} \right] \text{ hours}$$

where,  $S_1$  = speed of 1<sup>st</sup> Train

$S_2$  = speed of 2<sup>nd</sup> Train

### Type - II:



To find distance between 2 stations

### Formula:

$$d \left[ \frac{S_1 + S_2}{S_1 \sim S_2} \right] \text{ km}$$

### Type - III:



(Trains starting from same station but there will be a delay)

To find: Distance at which both trains meet

### Formula:

$$\left[ \frac{S_1 \times S_2 \times T}{S_1 \sim S_2} \right] \text{ km}$$

To find: Time at which both Trains meet

$$\text{Time} = \left[ \frac{S_1 T}{S_1 \sim S_2} \right] \text{ hours}$$

**Q.34** Two trains start at the same time from A & B and proceeds towards B & A at 36 kmph & 42 kmph respectively. When they meet, it is found that one train has traveled 48 km more than the other. What is the distance between A & B?

**Sol.** Type - II

$$\begin{aligned} d &= \left[ \frac{S_1 + S_2}{S_1 \sim S_2} \right] \text{ km} \\ &= 48 \left[ \frac{36 + 42}{36 \sim 42} \right] \\ &= 48 \times \frac{78}{6} \\ &= 48 \times 13 \\ &= 624 \text{ km} \end{aligned}$$

### Question to Practice

**Q.35** The distance between two stations A & B is 300 km. A train leaves Station 'A' at the speed of 30 km / hr. At the same time another train departs from Station B at speed of 45 km / hr. What will be the distance of the points Where both trains meet from point A?

**Q.36** A train leaves the station at 5 am at 60 km / hr. Another train leave the same station at 6:30 am at 75 km / hr. & travels in the direction of the first train. At What time and at what distance from the station will they meet?

**Sol.** Type - III

$$\begin{aligned} d &= \left[ \frac{S_1 \times S_2 \times T}{S_1 \sim S_2} \right] \text{ km} \\ &= \frac{60 \times 75 \times \frac{3}{2}}{15} \\ &= 450 \text{ km} \\ t &= \left[ \frac{S_1 T}{S_1 \sim S_2} \right] \text{ hours} \\ &= \left[ \frac{60 \times \frac{3}{2}}{15} \right] \text{ hours} \\ &= 60 \text{ hours} \end{aligned}$$

$$\left\{ \begin{array}{l} T = 5 \text{ AM} \\ = 6:30 \text{ AM} \\ = 1\frac{1}{2} \\ = \frac{3}{2} \end{array} \right\}$$

∴ 1<sup>st</sup> Train starts at 5 am & 2<sup>nd</sup> Train starts at 6:30 am

So adding 6 hrs to 6:30

⇒ Both Trains meet at = 6:30

+ 6

12:30

12:30 PM

APNA  
COLLEGE

wadhwanisaranish2@gmail.com

## CLOCK

### To Find Angle between Hour & Minute Hand

#### Formula:

$$\theta = \left| 30H - \frac{11}{2}M \right|$$

H = Hour

M = Minutes

By using formula, If the angle between hour hand & minute hand is greater than  $180^\circ$ , then use:

$360^\circ - \text{angle obtained by formula method}$

**Q.37** What is the angle between minute hand and hour hand at 1: 20?

**Sol.** Using Formula:

$$\theta = \left| 30(H) - \frac{11}{2}(M) \right|$$

$$\theta = \left| 30(1) - \frac{11}{2}(20) \right|$$

$$\theta = |-80|$$

$$\theta = 80^\circ$$

**Q.38** Find at what time between 1:00 and 2:00, the hands of clock will be together

**Sol.**  $\theta = 30H - \frac{11}{2}M$

$$0 = 30 \times 1 - \frac{11}{2}M$$

$$-30 = -\frac{11}{2}M$$

$$30 = \frac{11}{2}M$$

$$M = \frac{30 \times 2}{11}$$

$$= \frac{60}{11}$$

$$= 5 \frac{5}{11}$$

$$\Rightarrow 1:05: \frac{5}{11} \text{ sec}$$

$\theta = 0^\circ$   
 { as hands of clock  
 will be together }

{ For H consider lower  
 value between which  
 we have to find,  
 eg - between 1 and 2  
 lower value is 1. }

**Q.39 Find at what time between 3: 00 & 4: 00, the hands of clock will be at a right angle**

**Sol.**  $\theta = 30H - \frac{11}{2}M$

If  $\theta = +90^\circ$

$$90 = 30 \times 3 - \frac{11}{2}(M) \quad \{\theta = \pm 90^\circ\}$$

$$90 - 90 = -\frac{11}{2}M$$

$$0 = -\frac{11}{2}M \Rightarrow M = 0$$

If  $\theta = -90^\circ$

$$-90 = 30 \times 3 - \frac{11}{2}M$$

$$-90 - 90 = -\frac{11}{2}M$$

$$\neq 180 = \neq \frac{11}{2}M$$

$$M = \frac{180 \times 2}{11}$$

$$= \frac{360}{11}$$

$$= 32 \frac{8}{11} \text{ sec}$$

**Q.40 At what time between 4: 00 & 5: 00, the hands of Clock will be in opposite direction?**

**Sol.**  $\theta = 30 H - \frac{11}{2}M$

$\theta = \pm 180^\circ$  (Because opposite direction)

If  $\theta = +180^\circ$

$$180 = 30 \times 4 - \frac{11}{2}M$$

$$180 = 120 - \frac{11}{2}M$$

$$60 = -\frac{11}{2}M$$

$$M = \frac{60 \times 2}{11}$$



{ therefore we  
cannot consider }  
 $\theta = +180^\circ$



$$M = \frac{120}{11}$$

If we observe 4:10:  $\frac{10}{11}$  sec.

$$= 10 \frac{10}{11}$$

$$\Rightarrow 4:10: \frac{10}{11} \text{ sec.}$$

└ not Possible as it won't form  $180^\circ$

If  $\theta = -180^\circ$

$$-180 = 30 \times 4 - \frac{11}{2} \times M$$

$$-180 - 120 = -\frac{11}{2}M$$

$$-300 = -\frac{11}{2}M$$

$$M = \frac{300 \times 2}{11}$$

$$= \frac{600}{11}$$

$$= 54 \frac{6}{11}$$

At 4:54:  $\frac{6}{11}$  sec. the hands of clock will be in opposite direction.



### Question to Practice

**Q.41** What is the angle between minute hand and hour hand at 10:10

**Q.42** At what time between 3:00 & 4:00, will the hands of a clock be together?

**Q.43** Find at what time between 5:30 & 6:00, the hands of clock will be at right angle.

PERCENTAGE

**Q.44** If 50% of P = 25% of Q, then P = x% of Q Find x.

(A) 0.5

(B) 20

(C) 50

(D) 30

**Sol.** ~~50~~<sub>2</sub>% of P = ~~25~~<sub>1</sub>% of Q

$$2P = Q$$

To Find : P = x% of Q

$$\frac{Q}{2} = \frac{x}{100} \times Q$$

$$x = \frac{100}{2}$$

$$x = 50$$

**Q.45** In an examination, there were 1000 boys & 800 girls. 60 % of the boys and 50 % of girls passed Find the percent of Candidates failed?

**Sol.** 1000 Boys

800 Girls

60 % Passed

50 % Passed

{Total students Present = 1000 Boys + 800 Girls = 1800}

40 % Failed

50 % Failed

$$\Rightarrow \frac{40}{100} \times 1000 = \frac{50}{100} \times 800$$

$$= 400 \text{ Boys Failed} = 400 \text{ Girls Failed}$$

$$\Rightarrow 400 (\text{Boys}) + 400 (\text{girls}) = 800 \text{ failed}$$

$$\% \text{ of candidates} = \frac{\text{Total students who failed}}{\text{Total students present in exam}}$$

$$= \frac{800}{1800} \times 100$$

$$= 44.44 \%$$

**Q.46** Rath spends 40 % of her salary on food, 20 % on house rent and, 10 % on entertainment & 10 % on conveyance. If her savings at the end of a month are Rs 1500, then her salary per month (in Rs) is:

**Sol.** Savings : 100 % - expenditure

$$= 100 \% - [40 \% + 20 \% + 10 \% + 10 \%]$$

$$= 100\% - 80\%$$

$$= 20 \%$$

$$20 \% = 1500$$

$$\therefore 100 \% = x$$

$$x = \frac{1500 \times 100}{200}$$

$$\boxed{x = 7500}$$

**Question to Practice**

**Q.47** If 20 % of (P + Q) = 50 % of (P: Q)

(A) 7: 8

(B) 7: 3

(C) 7: 5

(D) 5: 7

**Q.48** For an examination, it is required to get 36 % of maximum marks to pass. A student got 113 marks and failed. What are the maximum marks for the examination?

**Q.49** 30 % of 2800 =?

APNA  
COLLEGE

wadhwanisaranish2@gmail.com

## PROFIT & LOSS

### Formula:

$$\% \text{ gain} = \frac{SP - CP}{CP} \times 100$$

$$\left\{ \begin{array}{l} SP = \text{Selling Price} \\ CP = \text{cost Price} \end{array} \right\}$$

$$\% \text{ loss} = \frac{CP - SP}{CP} \times 100$$

$$CP = \frac{100}{100 - \text{loss \%}} \times SP$$

$$CP = \frac{100}{100 + \text{gain \%}} \times SP$$

$$SP = \frac{100 + \text{gain \%}}{100} \times CP$$

$$SP = \frac{100 - \text{loss \%}}{100} \times CP$$

$$\% \text{ change} = a + b + \frac{ab}{100}$$

$$a = 1^{\text{st}} \text{ Selling Price}$$

$$b = 2^{\text{nd}} \text{ Selling Price}$$

**Q.50** By selling a cycle for Rs 4860, a student loses 19 % His cost Price is?

$$\begin{aligned} \text{Sol. } CP &= \frac{100}{100 - \text{Loss \%}} \times SP \\ &= \frac{100}{100 - 19} \times 4860 \\ &= \frac{100}{81} \times 4860 \end{aligned}$$

$$\boxed{CP = 6000}$$

**Q.51** By selling a cell phone for Rs 2400, a shopkeeper makes a profit of 25%. Then, his profit percentage if he had sold it for Rs 2040, is?

$$\begin{aligned} \text{Sol. } CP &= \frac{100}{100 + 25} \times 2400 \\ &= \frac{100}{125} \times 2400 \end{aligned}$$

$$\boxed{CP = 1920}$$

$$\text{If } SP = 2040, \text{ gain \%} = ?$$

$$\left\{ \because CP = \frac{100}{100 + \text{gain \%}} \times SP \right\}$$

$$\begin{aligned}\text{gain \%} &= \frac{\text{SP} - \text{CP}}{\text{CP}} \times 100 \\ &= \frac{2040 - 1920}{1920} \times 100 \\ &= \frac{120}{1920} \times 100\end{aligned}$$

$$\boxed{\text{gain \%} = 6.25\%}$$

**Q.52** Rehaan purchased a bike for Rs 54,000. He sold it a Loss of 8%. with that money he again purchased another bike & sold it at a profit of 10%. What is his overall loss/ Profit?

**Sol.** 
$$\boxed{\% \text{ change} = a + b + \frac{ab}{100}}$$

a = 1<sup>st</sup> selling Price

b = 2<sup>nd</sup> Selling Price

{ If sold at Loss then put negative sign for a or b }  
{ If sold at Profit then put positive sign for a or b }

a = -8 (Loss)

b = +10 (Profit)

$$\% \text{ change} = -8 + 10 - \frac{80}{100}$$

$$= 2 - 0.8$$

$$= 1.2\%$$

$$\text{Overall Profit} = \text{CP} \times \% \text{ change}$$

$$= 54000 \times \frac{1.2}{100}$$

$$= \text{Rs. } 648$$

### Question to Practice

**Q.53** A Calculator is bought for Rs.350 and sold at a gain of 15% what will be the selling Price of Calculator?

**Q.54** By selling an article for Rs.720, a man loss 10% At what price should he sell at, to gain that 10%?

## RATIO AND PROPORTION

**Q.55** If  $A : B = \frac{1}{2} : \frac{1}{3}$

and  $B : C = \frac{1}{2} : \frac{1}{3}$

then  $A : B : C = ?$

**Sol.**  $A : B = \frac{1}{2} : \frac{1}{3}$        $B : C = \frac{1}{2} : \frac{1}{3}$

Taking L.C.M.

$$= \frac{3 : 2}{6}$$

$$\boxed{A : B = 3 : 2}$$

Taking L.C.M.

$$= \frac{3 : 2}{6}$$

$$\boxed{B : C = 3 : 2}$$

$\left( \begin{array}{l} \text{Put closest value} \\ \therefore B \text{ is } 3 \\ \therefore \text{Closest to } C = 3 \end{array} \right)$ 
 $\left( \begin{array}{l} \text{Put value which is closest} \\ \therefore B = 2 \\ \therefore \text{closest value to } C = 2 \end{array} \right)$

$$\begin{array}{r}
 A : B : C \\
 \boxed{3} : \boxed{2} : \boxed{2} \\
 \times \quad \times \quad \times \\
 \hline
 9 : 6 : 4
 \end{array}$$

By multiplying both ratios

**Q.56** If  $a : b = 5 : 7$

and  $c : d = 2a : 3b$

then  $ac : bd = ?$

**Sol.**  $a : b = 5 : 7$ ,       $c : d = 2a : 3b$

$$\frac{a}{b} = \frac{5}{7}$$

$$\frac{c}{d} = \frac{2a}{3b}$$

$$\frac{ac}{bd} = ?$$

Putting above values

$$\frac{ac}{bd} = \frac{5}{7} \times \frac{2}{3} \left( \frac{a}{b} \right) \leftarrow \text{(Substitute Value of } \frac{a}{b} \text{)}$$

$$= \frac{5}{7} \times \frac{2}{3} \times \frac{5}{7}$$

$$\frac{ac}{bd} = \frac{50}{147}$$

**Q.57** Divide Rs. 1250 among A, B, C, so that A gets  $\frac{2}{9}$  of B's share and C gets  $\frac{3}{4}$  of A's share  
Find the shares of A, B and C.

**Sol.** Given:  $A = \frac{2}{9}B$ ,       $C = \frac{3}{4}A \leftarrow \text{(Substitute value of A)}$

$$\frac{A}{B} = \frac{2}{9}, \quad C = \frac{2}{4} \times \frac{2}{9} B$$

$$A : B = 2 : 9$$

$$\frac{C}{B} = \frac{1}{6}$$

$$\frac{B}{C} = \frac{6}{1}$$

$$B : C = 6 : 1$$

Put nearest value      Put nearest value

$$\begin{array}{ccc} A & : & B & : & C \\ \hline 2 & : & 9 & : & 9 \\ 6 & : & 6 & : & 1 \\ \hline 12 & : & 54 & : & 9 \end{array}$$

On Simplifying

$$A : B : C = 12^4 : 54^{18} : 9^3$$

$$= 4 : 18 : 3$$

### Question to Practice

**Q.58** A mixture contains alcohol & water in the ratio 4: 3. If 5 litres of water is added to mixture the ratio becomes 4:5. find the quantity of alcohol in given mixture.

**Q.59** If  $A : B = 2 : 3$   
and  $B : C = 4 : 5$  then  
 $A : B : C = ?$

**Q.60** If  $3A = 5B$   
and  $4B = 6C$  then  
 $A : C = ?$

## SIMPLE INTEREST & COMPOUND INTEREST

### Simple interest

$$S \cdot I = \frac{PRT}{100}$$

$$A = P \left[ 1 + \frac{RT}{100} \right]$$

P = Principal  
R = Rate of Interest  
T = Time Duration  
A = Total amount

### Compound Interest

$$CI = P \left\{ \left[ 1 + \frac{R}{100} \right]^n - 1 \right\}$$

$$A = P \left( 1 + \frac{R}{100} \right)^n$$

where

P = Principal

R = Rate of Interest

n = no of years

A = Total amount

Maturity Amount  
Total amount  
Amount becomes } = A

### Compound Interest

(i) for half-yearly

**Formula:**

$$A = P \left[ 1 + \frac{R/2}{100} \right]^{2n}$$

(ii) for Quarterly

**Formula:**

$$A = P \left[ 1 + \frac{R/4}{100} \right]^{4n}$$

**Q.61** Dinesh deposit an amount of Rs 65800 to obtain simple Interest at 14% per annum for 4 years. What total amount will Dinesh get at the end of 4 years?

**Sol.**  $A = P \left[ 1 + \frac{RT}{100} \right]$

$$A = 65800 \left[ 1 + \frac{(14 \times 4)}{100} \right]$$



$$= 65800 \times \left[1 + \frac{56}{100}\right]$$

$$= \frac{65800 \times 156}{100}$$

$$= 102648$$

**Q.62** 'A' invested Rs. 16000 at the rate of 10% p.a. for 1 year. If the Interest is compounded half yearly, then find total amount received by A at the end of the year?

**Sol.**  $A = P \left[1 + \frac{P/2}{100}\right]^{2n}$

$$A = 16000 \left[1 + \frac{5}{100}\right]^2$$

$$= 16000 \left(\frac{105}{100}\right)^2$$

$$= 16000 \times \frac{105}{100} \times \frac{105}{100}$$

$$= 17,640$$

**Q.63** Simple Interest for sum of Rs.1500 is Rs 30 in 4 year & Rs. 60 in 8 years find the rate?

(A) 2.5%

(B) 1.5%

(C) 0.5%

(D) 0.25%

**Sol.**

$$\begin{array}{ccc} & 1500 & \\ \swarrow & & \searrow \\ \text{S.I.} = 30 & & 60 \end{array}$$

$$SI = 60 - 30$$

$$= 30$$

$$S.I_1 - S.I_2 = 30$$

$$\frac{PRT}{100} - \frac{PRT}{100} = 30$$

$$1500 \left[ \frac{4x}{100} - \frac{8x}{100} \right] = 30$$

$$1500 \times \frac{4x}{100} = 30$$

$$2x = 1$$

$$\boxed{x = 0.5\%}$$

### Question to Practice

**Q.64** What will be the Compound Interest for sum of Rs. 8000 after 3 years at rate of 5% p.a.

## AVERAGE

**Formula:** 
$$\text{Average} = \frac{\text{Sum of Observation}}{\text{Total Number of Observation}}$$

**Q.65** The average age of A, B and C is 26 years. If the average age of A and C is 29 years. What is the age of B in years?

**Sol.** given:

$$\frac{A + B + C}{3} = 26, \quad \frac{A + C}{2} = 29$$

$$A + B + C = 26 \times 3 \quad A + C = 29 \times 2$$

$$A + B + C = 78 \quad A + C = 54$$

$$\text{Age of B} = \text{Total} - (A + C)$$

$$= 78 - 54$$

$$= 20 \text{ years.}$$

**Q.66** The average of 7 numbers is 5. If the average of first six of these numbers is 4, the seventh number is?

**Sol.** 
$$\left\{ \begin{array}{l} \text{Average} = \frac{\text{Total of 7' no.}}{\text{No. of terms}} \\ 5 = \frac{\text{Total of '7' no.}}{7} \end{array} \right\}$$

$$\text{Total of '7' no.}$$

$$= 7 \times 5$$

$$= 35$$

$$\left\{ \begin{array}{l} \text{Average} = \frac{\text{Total of 6 no.}}{\text{No. of Terms}} \\ 4 = \frac{\text{Total of 6 no.}}{6} \end{array} \right\}$$

$$\text{Total of 6 no.} = 6 \times 4$$

$$= 24$$

$$\therefore \text{Seventh no.} = 35 - 24$$

$$= 11$$


**Q.67** The average of marks obtained by 120 candidates was 35. If the average of marks of passed Candidates was 39 & that of failed candidates was 15, the number of candidates who passed the examination is?

**Sol.** 
$$\text{Avg} = \frac{\text{Total marks obtained}}{\text{No of Students}}$$

$$35 = \frac{\text{Total marks}}{120}$$

$$\begin{aligned}\text{Total marks} &= 120 \times 35 \\ &= 4200\end{aligned}$$

Let's assume no of Passed candidates as 'x'



4200 = Marks obtained by passed candidate + Marks obtained by failed Candidate

$$4200 = (x \times 39) + [(120 - x) \times 15]$$

$$4200 = 39x + 1800 - 15x$$

$$2400 = 24x$$

$$x = 100$$

∴ Passed candidates = 100

### Question to Practice

- Q.68** Of the three numbers, the first is twice the second and the second is thrice the third. If the average of the three numbers is 10. The number are?
- Q.69** The average expenditure of a man for the first 5 months is Rs 3600 and for the next 7 months it is Rs. 3900. If he saves Rs. 8700 during the year, his average income per month is?

## AVERAGE SPEED

**Note 1:** If the certain distance is covered at the speed of 'x' km/hr and the same distance is covered at 'y' Km/hr. then the average speed during entire journey is:

$$\left( \frac{2xy}{x+y} \right) \text{ km/hr.}$$

Where x, y = speed

**Note 2:** If the person covers 'A' Km at a speed of 'x' Km/hr., 'B' Km at a speed of 'y' km/hr. and 'C' km at a speed of 'z' km/hr. Find out average speed of entire journey

$$\left( \frac{A+B+C}{\frac{A}{x} + \frac{B}{y} + \frac{C}{z}} \right) \text{ km/hr.}$$

where, A, B, C = distance

x, y, z = speed

**Q.70** An person covers 9 km at a speed of 3 km/hr., 25 km at a speed of 5 km/hr and 30 km at a speed of 10 km/hr. Find out the average speed of the entire journey.

**Sol.**  $\left( \frac{A+B+C}{\frac{A}{x} + \frac{B}{y} + \frac{C}{z}} \right) \text{ km/hr.}$

$$\text{Avg. speed} = \left( \frac{9+25+30}{\frac{9}{3} + \frac{25}{5} + \frac{30}{10}} \right)$$

$$= \left( \frac{9+25+30}{3+5+3} \right)$$

$$= \frac{64}{11}$$

$$= 5.81 \text{ km/hr.}$$

## PROBABILITY

$$\text{Probability} = \frac{\text{Sum of Observation}}{\text{Possibility}}$$

### "Coins"

#### Possibility

1. One Coin tossed :  $\{H, T\} = 2 \rightarrow$  Possibility
2. Two Coins Tossed Simultaneously =  $\{HH, HT, TH, TT\} = 4$
3. Three Coins Tossed Simultaneously =  $\left\{ \begin{array}{l} HHH, TTT \\ HHT, TTH \\ HTH, THT \\ THH, HTT \end{array} \right\} = 8$
4. Four Coins Tossed =  $\left\{ \begin{array}{l} HHHH, TTTT \\ HHHT, TTTH \\ HHHT, TTTH \\ HTHH, THTT \\ THHH, HTTT \\ HHTT, THHT \\ HTTH, HTHT \\ TTHH, THTH \end{array} \right\} = 16$

**Q.71** 3 coins are tossed find the probability of exactly 2 heads.

**Sol.** Possible Outcomes :  $\left\{ \begin{array}{l} \times HHH, TTT \times \\ \checkmark HHT, TTH \times \\ \checkmark HTH, THT \times \\ \checkmark THH, HTT \times \end{array} \right\} = 8$

$$\text{Probability of exactly 2 heads} = \frac{3}{8}$$

#### Question to Practice

**Q.72** 3 coins are tossed find the probability of no heads?

## DICE

### Possible Outcomes

(1) 1 Dice =  $6^n$  = (Where n = No. of Dice)  $6^1$   
= 6

(2) 2 Dice =  $6^2$   
= 36

(3) 3 Dice =  $6^3$   
= 216

**Q.73** In a single throw of 2 dice, find the probability of getting a total of 3 or 5

**Sol.** Possible Outcomes

$$2 \text{ Dice} \left\{ \begin{array}{cccccc} (1,1) & \checkmark(1,2) & (1,3) & \checkmark(1,4) & (1,5) & (1,6) \\ \checkmark(2,1) & (2,2) & \checkmark(2,3) & (2,4) & (2,5) & (2,6) \\ (3,1) & \checkmark(3,2) & (3,3) & (3,4) & (3,5) & (3,6) \\ (4,1) & (4,2) & (4,3) & (4,4) & (4,5) & (4,6) \\ (5,1) & (5,2) & (5,3) & (5,4) & (5,5) & (5,6) \\ (6,1) & (6,2) & (6,3) & (6,4) & (6,5) & (6,6) \end{array} \right\}$$

$$\begin{aligned} \text{Probability} &= \frac{6}{36} \\ &= \frac{1}{6} \end{aligned}$$

### Question to Practice

**Q.74** In a single throw of 2 dice, what is the probability of a doublet (same number)?

**Q.75** In a single throw of 3 dice, then find the probability of getting a total of 5

**Sol.** Possible Outcomes =  $6^n$

$$= 6^3$$

$$= 216$$

$$\text{Total of 5 : } \left\{ \begin{array}{ccc} (1,1,3) & (1,3,1) & (3,1,1) \\ (2,2,1) & (2,1,2) & (1,2,2) \end{array} \right\}$$

$$\begin{aligned} \text{Probability} &= \frac{6}{216} \\ &= \frac{1}{36} \end{aligned}$$

## PERMUTATION

**Q.76** How many ways the word can be arranged?

**(i) Non-Repeated Letters**

**(A) CAT**

**(B) MACHINE**

**(C) GAME**

**(D) CRYSTAL**

**(E) EDUCATION**

**Sol.** (A) CAT = 3! ← Total No. of letter

$$= 3 \times 2 \times 1$$

$$= 6$$

(B) MACHINE = 7!

$$= 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1$$

$$= 5040$$

(C) GAME = 4!

$$= 4 \times 3 \times 2 \times 1$$

$$= 24$$

(D) CRYSTAL = 7!

$$= 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1$$

$$= 5040$$

(E) EDUCATION = 9!

$$= 9 \times 8 \times 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1$$

$$= 362880$$

**(ii) Repeated Letter**

**(A) SISTER**

**(B) PERCENTAGE**

**Sol.** (A) SISTER =  $\frac{6!}{2!}$  ← Total No. of letter

← No. of repeated letter

$$= \frac{6 \times 5 \times 4 \times 3 \times \cancel{2} \times 1}{\cancel{2} \times 1}$$

$$= 360$$

$$\begin{aligned} \text{(B) PERCENTAGE} &= \frac{10!}{3!} \\ &= \frac{10 \times 9 \times 8 \times 7 \times 6 \times 5 \times 4 \times \cancel{3} \times \cancel{2} \times \cancel{1}}{\cancel{3} \times \cancel{2} \times \cancel{1}} \\ &= 604800 \end{aligned}$$

**Q.77 How many ways the word can be arranged?**

**(i) Vowel that comes together**

**(A) JUDGE**

**(B) MACHINE**

**Sol. (A) JUDGE**

Vowel: (UE)

J D G (UE)

we can place (UE) at following places

↓ J ↓ D ↓ G ↓

$$= 4! \times 2!$$

No. of places  
where we can  
place vowels

Vowels (UE)  
[2 Letters]  
(No. of ways we can re-arrange vowel)

**(B) MACHINE**

Vowel: (AIE)

We can place (AIE) in following places

↓ M ↓ C ↓ H ↓ N ↓

$$= 5! \times 3!$$

No. of places  
where we can  
(AIE) place vowel

(No. of ways (AIE) can  
be re-arrange [3 Letters])

**(ii) Vowels always comes together**

**(A) SISTER**

**Sol. Vowels : (IE)**

We can place (IE) in following places

↓ S ↓ S ↓ T ↓ R ↓

$$= 5! \times 2!$$

No. of places  
where we can  
place (IE)  
vowel

$$2!$$

No. of repeated  
Letters

No. of ways (IE) can be  
re-arranged [2 Letters, 2ways]



## COMBINATION

**Q.78** Different committee's are to be made as per the requirement in each question. In how many ways can it be done?

**8 students out of which 5 are doctors and 3 are scientist**

**(i) A committee of 4 in while 3 are doctors & 1 is scientist**

**Sol.** 3 doctor & 1 scientists

Given  
total 5 doctors  
in question

Given  
total 3 scientists

$$= {}^5C_3 \times {}^3C_1$$

3 doctor      1 scientist

$$= \frac{5 \times 4 \times \cancel{3}}{1 \times 2 \times \cancel{3}} \times \cancel{3}$$

$$= 30$$

**(ii) A committee of 5 in while which 3 are doctors**

**Sol.** To make committee of 5

3 are doctors (given)

$$\Rightarrow 2 \text{ are scientists } [5 - 3 = 2]$$

Committee      doctor

Total      Total  
5 doctors      3 scientists  
given      given

$$= {}^5C_3 \times {}^3C_2$$

$$= \frac{5 \times 4 \times \cancel{3}}{1 \times 2 \times \cancel{3}} \times \frac{3 \times \cancel{2}}{1 \times \cancel{2}}$$

$$= 30$$

**(iii) A committee of 2 in which there is no doctor**

**Sol.** (No doctor)

Committee of 2  $\Rightarrow$  only 2 scientists

Total  
3 scientists  
given

$${}^3C_2 = \frac{3 \times \cancel{2}}{1 \times \cancel{2}} = 3$$

2 scientists

(iv) Committee of 2 unit which either both are doctors or both are scientists

Sol. 5 doctors 3 scientists (given)

Committee of 2

$${}^5C_2 \oplus {}^3C_2$$

either both doctor or scientist

$$= \frac{5 \times 4}{1 \times 2} + \frac{3 \times 2}{1 \times 2}$$

$$= 10 + 3$$

$$= 13$$

APNA  
COLLEGE

wadhwanisaranish2@gmail.com

## SQUARE AND CUBE ROOTS

**Q.79** What least number should be multiplied with 384 to make it a perfect square?

**Sol.**  $384 \times ? = \text{Perfect Square}$


$$384 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3$$

$$= \underbrace{2^2 \times 2^2 \times 2^2}_{\text{Perfect squares}} \times \underbrace{2^1 \times 3^1}_{\text{not perfect squares}}$$

Perfect squares      not perfect squares

To make  $2^1 \times 3^1$  perfect square, we have to multiply  $\Rightarrow 2^1 \times 3^1 \times 2^1 \times 3^1$  It by  $2^1 \times 3^1 \Rightarrow 2^2 \times 3^2$

$\therefore$  6 is Least number to be multiplied with 384 to make it a perfect square.



### Question to Practice

**Q.80** What is the smallest number with which 5400 may be multiplied so that product is perfect cube?

**Q.81** Square of difference between two numbers is 9 while the sum of squares of those two number is 225 what is their product?

**Sol.** Given:  $(a - b)^2 = 9 \dots (1)$

$$a^2 + b^2 = 225 \dots (2)$$

We know identity,

$$(a - b)^2 = a^2 + b^2 - 2ab$$

From (1) & (2)

$$9 = 225 - 2ab$$

$$ab = 116$$

$$\boxed{ab = 58}$$

$\therefore$  Produce = 58

## LOGARITHM

**Q.82 Find the value of:**

**(A)  $\log_5(25)$**

$$\begin{aligned}\text{Sol. } \log_5(5)^2 &= 2 \times \log_5(5) \\ &= 2 \times 1 \\ &= 2\end{aligned}$$

**(B)  $\log_{81} 1$**

$$\text{Sol. } 81 = 3^4$$

$$\begin{aligned}\log_3 4(3) &= \frac{1}{4} \times \log_3(3) \\ &= \frac{1}{4} \times 1 \\ &= \frac{1}{4}\end{aligned}$$

**(C)  $\log_{\sqrt{7}}\left(\frac{1}{243}\right)$**

$$\text{Sol. } \frac{1}{243} = \frac{1}{(7)^3} = 7^{-3} \quad (1)$$

$$\sqrt{7} = 7^{1/2}$$

$$\log_{7^{1/2}}(7^{-3}) = -3 \times \log_{7^{1/2}}(7)$$

$$= -3 \times \frac{1}{\frac{1}{2}} \log_7 7$$

$$= -3 \times 2 \times 1 = -6$$

**(D)  $\log_{.0001}(1000)$**

$$\text{Sol. } 1000 = 10^3$$

$$.0001 = \frac{1}{1000} = \frac{1}{10^4} = 10^{-4}$$

$$\log_{10^{-4}} 10^3 = 3 \times \frac{1}{(-4)} \log_{10} 10$$

$$= -\frac{3}{4} \times 1$$

$$= -\frac{3}{4}$$

(E)  $\log_2 \left( \frac{512 \times 256}{32} \right)$

Sol.  $32 = 2^5$ ;  $256 = 2^8$

$$512 = 2^9$$

$$= \log_2 \frac{(2^9 \times 2^8)}{2^5}$$

$$= \log_2 (2^9 \times 2^3)$$

$$= \log_2 (2^{12})$$

$$= 12 \times \log_2 (2)$$

$$= 12 \times 1 \Rightarrow 12$$

**Q.83 Find the value of y, if  $\log_y (25/9) = -2$**

Sol.  $\log_y (25/9) = -2$

$$a^m = x \quad [\log_a(x) = m]$$

$$y^{-2} = \frac{25}{9}$$

$$y^2 = \frac{9}{25}$$

$$y = \frac{3}{5}$$

**Q.84 Find the value of:**

$$\log \left( \frac{15}{16} \right) - \log \left( \frac{27}{45} \right) + \log \left( \frac{48}{75} \right)$$

Sol. **Product Rule:**

$$\log_a(xy) = \log_a(x) + \log_a(y)$$

**Quotient Rule:**

$$\log_a(x/y) = \log_a(x) - \log_a(y)$$

$$\log \left( \frac{15}{16} \right) - \underbrace{\log \left( \frac{27}{45} \right)}_{\substack{\downarrow \\ \text{Quotient Rule}}} + \underbrace{\log \left( \frac{48}{75} \right)}_{\substack{\downarrow \\ \text{Product Rule}}}$$

$$\log \left( \frac{15^{-1}}{16} \times \frac{45^{\cancel{3}}}{27^{\cancel{3}}_{81}} \times \frac{48^{\cancel{3}}_{16}}{75^{\cancel{3}}_{125}} \right)_{81}$$

$$= \log 1 = 0$$

**Question to Practice**

**Sol. 7**  $(1^2 + 2^2 + \dots + 20^2) - (1^2 + \dots + 9^2)$

(Total) – (First)

$$= \frac{n(n+1)(2n+1)}{6} - \frac{n(n+1)(2n+1)}{6}$$

$$= \frac{20 \times 21 \times 41}{6} - \frac{9(10)(19)}{6}$$

$$= 2870 - (15 \times 19)$$

$$= 2585$$

**Sol. 9**  $a = 2$

$$d = 7 - 2 = 5$$

$$n = 9$$

$$S_n = \frac{n}{2} [2a + (n-1)d]$$

$$S_{19} = \frac{19}{2} [2(2) + (19-1)5]$$

$$= \frac{19}{2} [4 + (18 \times 5)]$$

$$= \frac{19}{2} \times 94 = 893$$

**Sol. 14** Let the no. be  $x$

$$\frac{4}{5}x - \frac{3}{4}x = 8$$

$$\frac{16x - 15x}{20} = 8$$

$$x = 160$$

### Question to Practice

**Sol. 15** Let the no. be x

First no.-second no. = 7

$$\frac{3}{4}x - \frac{1}{6}x = 7$$

$$\frac{3x}{4} - \frac{x}{6} = 7$$

$$\frac{9x - 2x}{12} = 7$$

$$x = 12$$


$\frac{5}{3}$  of the number

$$\Rightarrow \frac{5}{3}x$$

$$= \frac{5}{3} \times 12$$

$$= 20$$

**Sol. 20**



$$\frac{2x + 8}{3x + 8} = \frac{5}{7}$$

$$14x + 56 = 15x + 40$$

$$x = 6$$

Present ages, of A & B.

$$2x + 4 \Rightarrow 2(6) + 4$$

$$= 16 + 4$$

$$= 20 \text{ years}$$

$$3x + 4 \Rightarrow 3(6) + 4$$

$$= 18 + 4$$

$$= 22 \text{ years}$$

### Question to Practice

**Sol. 21**

|             | <u>Son</u> | <u>Father</u> |
|-------------|------------|---------------|
| Present age | x          | 3 + 3x        |
| Future age  | x + 3      | 3x + 6        |

After 10 years,

$$3x + 6 = 10 + 2(x + 3)$$

$$3x + 6 = 10 + 2x + 6$$

$$x = 10$$

$$\begin{aligned}\therefore \text{Father Present age} &= 3 + 3x \\ &= 3 + 3(10) \\ &= 33 \text{ years}\end{aligned}$$

**Sol.25**

'A' :  $\frac{2}{3}$  of work = 4 days

$$1 \text{ work done by 'A'} = 4 \times \frac{3}{2}$$

$$A = 6 \text{ days}$$

'B' :  $\frac{3}{5}$  of work = 6 days

$$1 \text{ work done by 'B'} = 6 \times \frac{5}{3}$$

$$B = 10 \text{ days}$$

$$A + B = ?$$

$$= \frac{1}{6} + \frac{1}{10}$$

$$= \frac{3^4}{30_{15}} \Rightarrow \frac{4}{15}$$

$$= \frac{4}{15}$$

Final answer will be reciprocal  $\Rightarrow \frac{15}{4}$  days

$$= 3 \frac{3}{4} \text{ days}$$



### Question to Practice

**Sol.26**  $P_1 = 72$      $D_1 = 21$      $\omega_1 = 280$

$P_2 = ?$      $D_2 = 18$      $\omega_2 = 100$

We know,  $\frac{P_1 H_1 D_1}{P_2 H_2 D_2} = \frac{w_1}{w_2}$

But in above question nothing is mentioned about no. of hours

$\therefore$  we use  $\frac{P_1 D_1}{P_2 D_2} = \frac{\omega_1}{\omega_2}$

$$\frac{72 \times 21}{x \times 18} = \frac{280}{100}$$

$$\frac{6}{x} = \frac{1}{5}$$

$$x = 6 \times 5$$

$$\boxed{x = 30}$$

No. of men required = 30

**Sol.30**  $40 \text{ km/hr.} \times 9 = 360 \text{ km}$     ( $\because$  Distance = Speed  $\times$  Time)


$60 \text{ km/hr.} \times ? = 360 \text{ km}$

$$\text{time} = \frac{360}{60}$$

$$\text{time} = 6 \text{ hr.}$$

**Sol.33**

$162 \text{ m}$      $120 \text{ m}$   
 $18 \text{ sec.}$      $15 \text{ sec.}$



$$S_1 = S_2$$

$$\frac{D}{T} = \frac{D}{T}$$

$$\frac{(\text{Length of Train} + \text{Platform Length})}{\text{Time}} = \frac{\text{Length of Train} + \text{Platform Length}}{T}$$

$$\frac{x + 162}{18_6} = \frac{x + 120}{15_5}$$

$$5x + 810 = 6x + 720$$

$$\boxed{x = 90 \text{ m}}$$

### Question to Practice

#### Sol.35 Type - I

$$d = S_1 \left[ \frac{d + s_1 t}{s_1 + s_2} \right] \text{ km}$$

$t$  = Time difference

$$= T_1 \sim T_2$$

$$= 0 \quad (\because \text{both trains start at same time})$$

$$d = 30 \left[ \frac{300 + 30(0)}{30 + 45} \right]$$

$$= 30 \left[ \frac{300}{75} \right]$$

$$= \frac{9000}{75}$$

$$= 120 \text{ km}$$

#### Sol. 41

$$\theta = \left| 30H - \frac{11}{2}(M) \right|$$

$$\theta = \left| 30(10) - \frac{11}{2}(10) \right|$$

$$\theta = |300 - 55|$$

$$\theta = 245^\circ$$

$$\because \text{angle} > 180^\circ$$

$$\therefore 360^\circ - 245^\circ$$

$$= 115^\circ$$

### Question to Practice

**Sol. 42**  $\theta = \left| 30H - \frac{11}{2}(M) \right|$

$$0^\circ = 30 \times 3 - \frac{11}{2}M$$

$$0 = 90 - \frac{11}{2}M$$

$$-90 = -\frac{11}{2}M$$

$$M = \frac{90 \times 2}{11}$$

$$= \frac{180}{11}$$

$$= 16\frac{4}{11}$$

$$\Rightarrow 3:16:\frac{4}{11}\text{sec.}$$

**Sol. 43**  $\theta = 30H - \frac{11}{2}M$

$$\theta = \pm 90^\circ$$

If  $\theta = -90^\circ$

$$-90 = 30 \times 5 - \frac{11}{2}M$$

$$-90 - 150 = -\frac{11}{2}M$$

$$240 = \frac{11}{2}M$$

$$M = \frac{480}{11}$$

$$= 43\frac{7}{11}$$

Between 5:30 & 6:00, the hands of clock will be at right angle at 5:43:7/11 sec.

### Question to Practice

**Sol.47**  $20\% \text{ of } (p + Q) = 50\% \text{ of } (p - Q)$

$$2(P + Q) = 5(P - Q)$$

$$2P + 2Q = 5Q - 5Q$$

$$2Q + 5Q = 5P - 2P$$

$$7Q = 3P$$

$$\boxed{\frac{P}{Q} = \frac{7}{3}}$$

**Sol.48** Pass Mark =  $113 + 85$

$$= 198$$

$$36\% = 198$$

$$100\% = x$$

$$36x = 198 \times 100$$

$$x = \frac{198 \times 100}{36}$$

$$\boxed{x = 550}$$

**Sol. 49**  $= \frac{30}{100} \times 2800$

$$= 30 \times 28$$

$$= 840$$

**Sol. 53**  $SP = \frac{100 + P\%}{100} \times CP$

$$= \frac{100 + 15}{100} \times 350$$

$$= \frac{115}{100} \times 350$$

$$\boxed{SP = 402.5}$$

### Question to Practice

$$\text{Sol. 54 } CP = \frac{100}{100 - \text{Loss}\%} \times SP$$

$$= \frac{100}{90} \times 720$$

$$= 800$$

$$SP = \frac{100 + \text{gain}\%}{100} \times CP$$

$$= \frac{100 + 5}{100} \times 800$$

$$\boxed{SP = 840}$$

$$\text{Sol. 58 } \text{Alcohol: Water} = 4:3$$

$$= 4x:3x$$

$$\text{Alcohol} = 4x, \text{ water} = 3x$$

Given: 5 litres of water is added

$$\frac{4x}{3x+5} = \frac{4}{5}$$

$$4x \times 5 = 4(3x+5)$$

$$20x = 12x + 20$$

$$8x = 20$$

$$x = 20/8$$

$$x = 5/2$$

$$\text{Quantity of alcohol} = 4x$$

$$= 4 \times \frac{5}{2}$$

$$= 10 \text{ litres}$$

$$\text{Sol.59 } A:B = 2:3, \quad B:C = 4:5$$

(Choose value which is nearer to it i.e. 4)

$$\begin{array}{ccc} A & : & B & : & C \\ \boxed{3} & : & \boxed{2} & : & \boxed{3} \\ \boxed{4} & : & 4 & : & 5 \\ \times & & \times & & \times \\ \hline & & 8 & : & 12 & : & 15 \end{array}$$

(Choose value which is nearer to it i.e. 3)

$$A:B:C = 8:12:15$$

### Question to Practice

**Sol.60**  $3A = 5B$ ,  $4B = 6C$

$$\frac{A}{B} = \frac{5}{3} \quad \frac{B}{C} = \frac{6}{4}$$

$A : B = 5 : 3$      $B : C = 6 : 4$

Put nearest value

|              |   |   |   |   |
|--------------|---|---|---|---|
| A            | : | B | : | C |
| 5            | : | 3 | : | 3 |
| 6            | : | 6 | : | 4 |
| x            |   | x |   | x |
| -----        |   |   |   |   |
| 30 : 18 : 12 |   |   |   |   |

Put nearest value

But we want A : C

$30 : 12$

On Simplifying  $\Rightarrow 30^5 : 12^2$

$\Rightarrow \boxed{A : C = 5 : 2}$

**Sol. 64**  $A = P \left[ 1 + \frac{R}{100} \right]^n$

$$= 8000 \left[ 1 + \frac{5}{100} \right]^3$$

$$= 8000 \left[ \frac{105}{100} \right]^3$$

$$= 8000 \times \frac{105}{100} \times \frac{105}{100} \times \frac{105}{100}$$

$$= 21 \times 21 \times 21$$

$A = 9261$

$A = P + I$

$9261 = 8000 + I$

$I = 9261 - 8000$

$\boxed{I = 1261}$

C. I. = Rs. 1261

**Question to Practice****Sol.68** Third = x

Second = 3x

First = 2(3x)

= 6x

$$\frac{6x + 3x + x}{3} = 10$$

$$10x = 10 \times 3$$

$$10x = 30$$

$$\boxed{x = 3}$$

First number = 6x

$$= 6 \times 3$$

$$= 18$$

Second number = 3x

$$= 3 \times 3$$

$$= 9$$

Third number = x

$$= 3$$

**Sol.69** Total expenditure =  $3600 \times 5$ 

$$= 18,000$$

$$\text{Next 7 months} = 3900 \times 7$$

$$= 27,300$$

$$\text{Total Income for 12 months} = 18,000 + 27,300 + 8,700$$

$$= 54,000$$

$$\therefore \text{Arg. Income per month} = \frac{54000}{12}$$

$$= \text{Rs. } 4,500$$

### Question to Practice

**Sol.72** Possible Outcons =  $\left\{ \begin{array}{l} \times \text{HHH}, \text{TTT} \checkmark \\ \times \text{HHT}, \text{TTH} \times \\ \times \text{HTH}, \text{THT} \times \\ \times \text{THH}, \text{HTT} \times \end{array} \right\} = 8$

Probability of no. heads =  $\frac{1}{8}$

**Sol.74** Possible Outcomes

2 Dice  $\left\{ \begin{array}{l} (1,1) \quad (1,2) \quad (1,3) \quad (1,4) \quad (1,5) \quad (1,6) \\ (2,1) \quad (2,2) \quad (2,3) \quad (2,4) \quad (2,5) \quad (2,6) \\ (3,1) \quad (3,2) \quad (3,3) \quad (3,4) \quad (3,5) \quad (3,6) \\ (4,1) \quad (4,2) \quad (4,3) \quad (4,4) \quad (4,5) \quad (4,6) \\ (5,1) \quad (5,2) \quad (5,3) \quad (5,4) \quad (5,5) \quad (5,6) \\ (6,1) \quad (6,2) \quad (6,3) \quad (6,4) \quad (6,5) \quad (6,6) \end{array} \right\}$

Probability =  $\frac{6}{36}$   
 $= \frac{1}{6}$

**Sol.80**  $5400 = 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 5 \times 5$

$= \underbrace{2^3 \times 3^3}_{\text{Perfect cube}} \times \underbrace{5^2}_{\text{not perfect cube}}$

Perfect cube      not perfect cube

$\therefore$  To make  $5^2$  a perfect cube, we have to multiply it by 5

$= 5^2 \times (5)$

$= 5^3$

$\therefore$  Smallest number to be multiplied with 5400 to make it perfect cube.