

wadiyan /
PW2-22B-ADLVTEAM

Code

Issues

Pull requests

Actions

Projects

Security

Insights



wadiyan ▾

PW2-22B-ADLVTEAM / dokumentasi / Wadiyan /



wadiyan Update README.md

4d58d06 · 1 minute ago



Name	Name	Last commit date
...		
images	wadiyan: update dokumentasi	17 minutes ago
README.md	Update README.md	1 minute ago

README.md




DOKUMENTASI PROYEK INDIVIDU

Bagian Yang Dikerjakan

- Halaman Kontak

The screenshot shows a contact page for a company named ADLV. The page has a dark header with the company logo and navigation links for Overview, Katalog, Tentang Kami, and Kontak. The main content area is titled "Kontak" and contains a message asking users to contact them if they have any questions or need more information. It provides an address (Jl. Conton No 123, Jakarta, Indonesia), an email (contact@adly.com), a phone number (+62 0112 3456 789), and social media links for Instagram (@adly) and Facebook (ADLV Official). The footer includes the ADLV logo, a copyright notice (© 2025 ADLV. Semua Hak Dilindungi.), and links to Tentang Kami, Kontak, and Kebijakan Privasi.

- Halaman Utama



wadiyan ▾ [PW2-22B-ADLVTEAM / dokumentasi / Wadiyan /](#) [↑ Top](#)

kebutuhan lokal, mulai dari pakaian kasual hingga semi-formal.

[Lihat Katalog](#)

Orders **100** ⓘ Stock **4,200** ⓘ New Registers **1,200** ⓘ

Produk Terbaru

Jangan sampai ketinggalan update produk baru yang keren abis.

Jaket Keren
Rp 250.000

[Detail](#)

Kaos Nyaman
Rp 150.000

[Detail](#)

Hoodie Stylish
Rp 300.000

[Detail](#)

Testimoni User

Ayo bagikan pengalaman berbelanja secara online menggunakan E-Katalog ADLV

... see or seem is but a dream within a dream.
Edgar Allan Poe
A Dream Within a Dream

It is a truth universally acknowledged, that a single man in possession of a good fortune, must be in want of a wife.
Jane Austen
Pride and Prejudice

Call me Ishmael. Some years ago—never mind how long precisely—having little or no money in my purse, and nothing particular to interest me on shore, I thought I would sail about a little and see the watery part of the world.
Herman Melville
Moby-Dick

... and how long I see, and nothing more, would sail about like a man in a dream.
Charles Dickens
A Tale of Two Cities

To be, or not to be, that is the question: Whether 'tis nobler in the mind to suffer The slings and arrows of outrageous fortune, Or to take Arms against a Sea of troubles, And by opposing end them: to die, to sleep.
William Shakespeare
Hamlet

All that we see or seem is infinite only in respect of ignorance.
Edgar Allan Poe
A Dream Within a Dream

Bergabunglah Bersama Kami!


Nikmati pengalaman belanja yang nyaman dan mudah bersama ADLV

[Dattar Sekarang](#)

ADLV
© 2025 ADLV. Semua Hak Dilindungi.

[Tentang Kami](#) [Kontak](#) [Kebijakan Privasi](#)

- Toogle Aksi Hamburg Button



- Halaman Katalog



Kontribusi

Wadiyan (IF22B)

1. Overview Page Menambahkan halaman untuk menampilkan berbagai fitur seperti:

- o Banner pengantar
- o Produk terbaru
- o Testimoni pengguna
- o Call-to-Action

Kode utama untuk halaman ini terdapat pada file:

```
// HomePage.js (dalam src/frontend/components)
import React from "react";
...
export default HomePage;
```

2. Footer Komponen Menambahkan Footer untuk memberikan navigasi tambahan dan informasi hak cipta.

```
"use client";

const Footer = () => {
  return (
    <footer className="bg-gray-900 text-white py-6">
      <div className="container mx-auto px-4">
        <div className="flex flex-col md:flex-row justify-between items-ce
          <div>
            <h1 className="text-xl font-bold">ADLV</h1>
            <p className="text-sm text-gray-400">&copy; {new Date().getFullYear()}</p>
          </div>

          <div className="flex space-x-6">
            <a href="/about" className="text-gray-400 hover:text-white tra
              <a href="/kontak" className="text-gray-400 hover:text-white tr
              <a href="/kebijakan" className="text-gray-400 hover:text-white
            </div>

            <div className="flex space-x-4">
              <a href="https://facebook.com" target="_blank" rel="noopener n
                <i className="fab fa-facebook-f"></i>
              </a>
              <a href="https://instagram.com" target="_blank" rel="noopener
                <i className="fab fa-instagram"></i>
              </a>
              <a href="https://twitter.com" target="_blank" rel="noopener nc
                <i className="fab fa-twitter"></i>
              </a>
            </div>
          </div>
        </div>
      </footer>
    );
};
```

```
export default Footer;
```

3. Hamburger Menu Menambahkan komponen menu navigasi dengan gaya hamburger untuk tampilan responsif.

```
import React, { useState } from "react";
import Link from "next/link";

const HamburgerMenu = () => {
  const [isOpen, setIsOpen] = useState(false);

  const toggleMenu = () => {
    setIsOpen(!isOpen);
  };

  return (
    <div className="relative z-30">
      <button
        onClick={toggleMenu}
        className="flex flex-col space-y-1.5 p-2 focus:outline-none"
      >
        <div
          className={`w-6 h-0.5 bg-white transition-transform ${
            isOpen ? "rotate-45 translate-y-1.5 h-1" : ""
          }`}
        ></div>
        <div
          className={`w-6 h-0.5 bg-white transition-opacity ${
            isOpen ? "opacity-0" : ""
          }`}
        ></div>
        <div
          className={`w-6 h-0.5 bg-white transition-transform ${
            isOpen ? "-rotate-45 -translate-y-1.5 h-1" : ""
          }`}
        ></div>
      </button>

      {isOpen && (
        <div className="absolute top-10 right-0 bg-white shadow-md rounded">
          <ul className="flex flex-col space-y-2">
            <li>
              <Link href="/login" className="text-gray-700 hover:font-bold">
                Login
              </Link>
            </li>
          </ul>
        </div>
      )}
    </div>
  );
}

export default HamburgerMenu;
```

```

<li>
    <a href="/register" className="text-gray-700 hover:font-bold">
        Daftar
    </a>
</li>
<li>
    <a href="/cart" className="text-gray-700 hover:font-bold">
        Keranjang
    </a>
</li>
<li>
    <a href="/transaction-history" className="text-gray-700 hover:font-bold">
        Riwayat Transaksi
    </a>
</li>
<li>
    <a href="/orders" className="text-gray-700 hover:font-bold">
        Pesanan
    </a>
</li>
<li>
    <a href="/logout" className="text-gray-700 hover:text-red-500">
        Log Out
    </a>
</li>
</ul>
</div>
)}
</div>
);
};

export default HamburgerMenu;

```

4. Loading Wrapper Menambahkan komponen untuk menampilkan animasi loading sementara halaman atau komponen sedang dimuat.

```

"use client";

import { useState, useEffect } from "react";

export default function LoadingWrapper({
    children,
}: {
    children: React.ReactNode;
}) {
    const [isLoading, setIsLoading] = useState(true);

```

```

useEffect(() => {
  const timer = setTimeout(() => setIsLoading(false), 1000);
  return () => clearTimeout(timer);
}, []);

return isLoading ? (
  <div className="flex justify-center items-center h-full">
    <div className="animate-spin rounded-full h-16 w-16 border-t-4 border" style={{ border: `4px solid ${isDark ? '#333' : '#fff'}` }}>
      </div>
  ) : (
    <>{children}</>
  );
}

```

5. Navbar Komponen

Menambahkan Navbar untuk navigasi utama dengan dukungan untuk menu responsif.

```

"use client";
import Link from "next/link";
import HamburgerMenu from "./HamburgButton";
import { BackgroundBeams } from "./ui/background-beams";

const Navbar = () => {
  return (
    <nav className="">
      <div className="container mx-auto px-4 py-3 flex items-center justify-between">
        <div className="text-2xl font-bold">
          <Link href="/">
            
          </Link>
        </div>
        <div className="hidden md:flex space-x-6">
          <Link
            href="/overview"
            className="text-white hover:font-bold hover:text-white z-10">
            Overview
          </Link>
          <Link
            href="/katalog"
            className="text-white hover:font-bold hover:text-white z-10">
            Katalog
          </Link>
          <Link
            href="/about"
            className="text-white hover:font-bold hover:text-white z-10">
            About
          </Link>
        </div>
      </div>
    </nav>
  );
}

```

```

        className="text-white hover:font-bold hover:text-white z-10"
      >
        Tentang Kami
      </Link>
      <Link
        href="/kontak"
        className="text-white hover:font-bold hover:text-white z-10"
      >
        Kontak
      </Link>
    </div>
    <div className="space-x-4">
      <HamburgerMenu />
    </div>
    <BackgroundBeams />
  </div>
</nav>
);
};

export default Navbar;

```

6. Animated Testimonials Menambahkan komponen untuk menampilkan testimoni dengan animasi dinamis.

```

"use client";

import { IconArrowLeft, IconArrowRight } from "@tabler/icons-react";
import { motion, AnimatePresence } from "framer-motion";
import Image from "next/image";
import { useEffect, useState } from "react";

type Testimonial = {
  quote: string;
  name: string;
  designation: string;
  src: string;
};

export const AnimatedTestimonials = ({ 
  testimonials,
  autoplay = false,
}: { 
  testimonials: Testimonial[];
  autoplay?: boolean;
}) => {
  const [active, setActive] = useState(0);

```

```
const handleNext = () => {
  setActive((prev) => (prev + 1) % testimonials.length);
};

const handlePrev = () => {
  setActive((prev) => (prev - 1 + testimonials.length) % testimonials.length);
};

const isActive = (index: number) => {
  return index === active;
};

useEffect(() => {
  if (autoplay) {
    const interval = setInterval(handleNext, 5000);
    return () => clearInterval(interval);
  }
}, [autoplay]);

const randomRotateY = () => {
  return Math.floor(Math.random() * 21) - 10;
};

return (
  <div className="max-w-sm md:max-w-4xl mx-auto antialiased font-sans px-4 py-8">
    <div className="relative grid grid-cols-1 md:grid-cols-2 gap-20">
      <div>
        <div className="relative h-80 w-full">
          <AnimatePresence>
            {testimonials.map((testimonial, index) =>
              <motion.div
                key={testimonial.src}
                initial={{
                  opacity: 0,
                  scale: 0.9,
                  z: -100,
                  rotate: randomRotateY(),
                }}
                animate={{
                  opacity: isActive(index) ? 1 : 0.7,
                  scale: isActive(index) ? 1 : 0.95,
                  z: isActive(index) ? 0 : -100,
                  rotate: isActive(index) ? 0 : randomRotateY(),
                  zIndex: isActive(index)
                    ? 999
                    : testimonials.length + 2 - index,
                  y: isActive(index) ? [0, -80, 0] : 0,
                }}
                exit={{
                  opacity: 0,
                }}
              >
                <img alt={testimonial.src} />
              </motion.div>
            )}
          </AnimatePresence>
        </div>
      </div>
    </div>
  </div>
)
```

```
        scale: 0.9,
        z: 100,
        rotate: randomRotateY(),
    )}
    transition={{
        duration: 0.4,
        ease: "easeInOut",
    }}
    className="absolute inset-0 origin-bottom"
>
<Image
    src={testimonial.src}
    alt={testimonial.name}
    width={500}
    height={500}
    draggable={false}
    className="h-full w-full rounded-3xl object-cover obje
/>
</motion.div>
))}
</AnimatePresence>
</div>
</div>
<div className="flex justify-between flex-col py-4">
<motion.div
    key={active}
    initial={{
        y: 20,
        opacity: 0,
    }}
    animate={{
        y: 0,
        opacity: 1,
    }}
    exit={{
        y: -20,
        opacity: 0,
    }}
    transition={{
        duration: 0.2,
        ease: "easeInOut",
    }}
>
<h3 className="text-2xl font-bold dark:text-white text-black">
    {testimonials[active].name}
</h3>
<p className="text-sm text-gray-500 dark:text-neutral-500">
    {testimonials[active].designation}
</p>
```

```
<motion.p className="text-lg text-gray-500 mt-8 dark:text-neut
  {testimonials[active].quote.split(" ").map((word, index) =>
    <motion.span
      key={index}
      initial={{
        filter: "blur(10px)",
        opacity: 0,
        y: 5,
      }}
      animate={{
        filter: "blur(0px)",
        opacity: 1,
        y: 0,
      }}
      transition={{
        duration: 0.2,
        ease: "easeInOut",
        delay: 0.02 * index,
      }}
      className="inline-block"
    >
      {word}&nbsp;
    </motion.span>
  ))}
</motion.p>
</motion.div>
<div className="flex gap-4 pt-12 md:pt-0">
  <button
    onClick={handlePrev}
    className="z-20 text-white my-8 px-10 py-2 rounded-full bg-g
  >
    Previous
  </button>
  <button
    onClick={handleNext}
    className="z-20 text-white my-8 px-10 py-2 rounded-full bg-g
  >
    Next
  </button>
</div>
</div>
</div>
);
};
```

7. Infinite Moving Cards

Menambahkan komponen untuk menampilkan kartu yang bergerak secara horizontal tanpa henti dengan berbagai pengaturan.

- Properti yang didukung:

- **items**: Daftar item yang ditampilkan pada kartu (quote, name, title).
- **direction**: Arah gerakan, bisa "left" atau "right".
- **speed**: Kecepatan animasi, bisa "slow", "normal", atau "fast".
- **pauseOnHover**: Menjeda animasi saat kursor berada di atas.

```
"use client";  
  
import { cn } from "@/utils/utils";  
import React, { useEffect, useState } from "react";  
  
export const InfiniteMovingCards = ({  
  items,  
  direction = "left",  
  speed = "slow",  
  pauseOnHover = true,  
  className,  
}: {  
  items: {  
    quote: string;  
    name: string;  
    title: string;  
  }[];  
  direction?: "left" | "right";  
  speed?: "fast" | "normal" | "slow";  
  pauseOnHover?: boolean;  
  className?: string;  
}) => {  
  const containerRef = React.useRef<HTMLDivElement>(null);  
  const scrollerRef = React.useRef<HTMLULListElement>(null);  
  
  useEffect(() => {  
    addAnimation();  
  }, []);  
  const [start, setStart] = useState(false);  
  function addAnimation() {  
    if (containerRef.current && scrollerRef.current) {  
      const scrollerContent = Array.from(scrollerRef.current.children);  
  
      scrollerContent.forEach((item) => {  
        const duplicatedItem = item.cloneNode(true);  
        if (scrollerRef.current) {  
          scrollerRef.current.appendChild(duplicatedItem);  
        }  
      });  
    }  
  };  
};
```



```
        getDirection();
        getSpeed();
        setStart(true);
    }
}

const getDirection = () => {
    if (containerRef.current) {
        if (direction === "left") {
            containerRef.current.style.setProperty(
                "--animation-direction",
                "forwards"
            );
        } else {
            containerRef.current.style.setProperty(
                "--animation-direction",
                "reverse"
            );
        }
    }
};

const getSpeed = () => {
    if (containerRef.current) {
        if (speed === "fast") {
            containerRef.current.style.setProperty("--animation-duration", "2");
        } else if (speed === "normal") {
            containerRef.current.style.setProperty("--animation-duration", "4");
        } else {
            containerRef.current.style.setProperty("--animation-duration", "8");
        }
    }
};

return (
    <div
        ref={containerRef}
        className={cn(
            "scroller z-20 max-w-7xl overflow-hidden bg-white",
            className
        )}
    >
    <ul
        ref={scrollerRef}
        className={cn(
            "flex min-w-full shrink-0 gap-4 py-4 w-max flex-wrap",
            start && "animate-scroll",
            pauseOnHover && "hover:[animation-play-state:paused]"
        )}
    >
        {items.map((item, idx) => (
```

```

<li
  className="w-[350px] max-w-full relative rounded-2xl border border-gray-400 p-4"
  style={{
    background:
      "linear-gradient(180deg, var(--slate-800), var(--slate-900))",
    position: "relative",
    height: "100%",
    width: "100%"
  }}
  key={item.name}
>
  <blockquote>
    <div
      aria-hidden="true"
      className="user-select-none z-1 pointer-events-none absolute top-0 left-0 h-full w-full" style={{ opacity: 0.05 }}></div>
    <span className="relative z-20 text-sm leading-[1.6] text-gray-400 font-normal">{item.quote}</span>
    <div className="relative z-20 mt-6 flex flex-row items-center gap-4">
      <span className="flex flex-col gap-1">
        <span className="text-sm leading-[1.6] text-gray-400 font-normal">{item.name}</span>
        <span className="text-sm leading-[1.6] text-gray-400 font-normal">{item.title}</span>
        <span></span>
      </span>
      <div>
        <span></span>
        <span></span>
        <span></span>
      </div>
    </div>
  </blockquote>
</li>
)
)
</ul>
</div>
);
};

```

8. Background Beams Navbar

Menambahkan komponen untuk animasi di bg navbar bergerak tanpa henti dengan berbagai pengaturan.

```

"use client";
import React from "react";
import { motion } from "framer-motion";
import { cn } from "@/utils/utils";

export const BackgroundBeams = React.memo(
({ className }: { className?: string }) => {
  const paths = [
    "M-380 -189C-380 -189 -312 216 152 343C616 470 684 875 684 875",
    "M-373 -197C-373 -197 -305 208 159 335C623 462 691 867 691 867",
  ];

```

```
"M-366 -205C-366 -205 -298 200 166 327C630 454 698 859 698 859",  
"M-359 -213C-359 -213 -291 192 173 319C637 446 705 851 705 851",  
"M-352 -221C-352 -221 -284 184 180 311C644 438 712 843 712 843",  
"M-345 -229C-345 -229 -277 176 187 303C651 430 719 835 719 835",  
"M-338 -237C-338 -237 -270 168 194 295C658 422 726 827 726 827",  
"M-331 -245C-331 -245 -263 160 201 287C665 414 733 819 733 819",  
"M-324 -253C-324 -253 -256 152 208 279C672 406 740 811 740 811",  
"M-317 -261C-317 -261 -249 144 215 271C679 398 747 803 747 803",  
"M-310 -269C-310 -269 -242 136 222 263C686 390 754 795 754 795",  
"M-303 -277C-303 -277 -235 128 229 255C693 382 761 787 761 787",  
"M-296 -285C-296 -285 -228 120 236 247C700 374 768 779 768 779",  
"M-289 -293C-289 -293 -221 112 243 239C707 366 775 771 775 771",  
"M-282 -301C-282 -301 -214 104 250 231C714 358 782 763 782 763",  
"M-275 -309C-275 -309 -207 96 257 223C721 350 789 755 789 755",  
"M-268 -317C-268 -317 -200 88 264 215C728 342 796 747 796 747",  
"M-261 -325C-261 -325 -193 80 271 207C735 334 803 739 803 739",  
"M-254 -333C-254 -333 -186 72 278 199C742 326 810 731 810 731",  
"M-247 -341C-247 -341 -179 64 285 191C749 318 817 723 817 723",  
"M-240 -349C-240 -349 -172 56 292 183C756 310 824 715 824 715",  
"M-233 -357C-233 -357 -165 48 299 175C763 302 831 707 831 707",  
"M-226 -365C-226 -365 -158 40 306 167C770 294 838 699 838 699",  
"M-219 -373C-219 -373 -151 32 313 159C777 286 845 691 845 691",  
"M-212 -381C-212 -381 -144 24 320 151C784 278 852 683 852 683",  
"M-205 -389C-205 -389 -137 16 327 143C791 270 859 675 859 675",  
"M-198 -397C-198 -397 -130 8 334 135C798 262 866 667 866 667",  
"M-191 -405C-191 -405 -123 0 341 127C805 254 873 659 873 659",  
"M-184 -413C-184 -413 -116 -8 348 119C812 246 880 651 880 651",  
"M-177 -421C-177 -421 -109 -16 355 111C819 238 887 643 887 643",  
"M-170 -429C-170 -429 -102 -24 362 103C826 230 894 635 894 635",  
"M-163 -437C-163 -437 -95 -32 369 95C833 222 901 627 901 627",  
"M-156 -445C-156 -445 -88 -40 376 87C840 214 908 619 908 619",  
"M-149 -453C-149 -453 -81 -48 383 79C847 206 915 611 915 611",  
"M-142 -461C-142 -461 -74 -56 390 71C854 198 922 603 922 603",  
"M-135 -469C-135 -469 -67 -64 397 63C861 190 929 595 929 595",  
"M-128 -477C-128 -477 -60 -72 404 55C868 182 936 587 936 587",  
"M-121 -485C-121 -485 -53 -80 411 47C875 174 943 579 943 579",  
"M-114 -493C-114 -493 -46 -88 418 39C882 166 950 571 950 571",  
"M-107 -501C-107 -501 -39 -96 425 31C889 158 957 563 957 563",  
"M-100 -509C-100 -509 -32 -104 432 23C896 150 964 555 964 555",  
"M-93 -517C-93 -517 -25 -112 439 15C903 142 971 547 971 547",  
"M-86 -525C-86 -525 -18 -120 446 7C910 134 978 539 978 539",  
"M-79 -533C-79 -533 -11 -128 453 -1C917 126 985 531 985 531",  
"M-72 -541C-72 -541 -4 -136 460 -9C924 118 992 523 992 523",  
"M-65 -549C-65 -549 3 -144 467 -17C931 110 999 515 999 515",  
"M-58 -557C-58 -557 10 -152 474 -25C938 102 1006 507 1006 507",  
"M-51 -565C-51 -565 17 -160 481 -33C945 94 1013 499 1013 499",  
"M-44 -573C-44 -573 24 -168 488 -41C952 86 1020 491 1020 491",  
"M-37 -581C-37 -581 31 -176 495 -49C959 78 1027 483 1027 483",  
];
```

```
return (
  <div
    className={cn(
      "absolute h-full w-full inset-0 [mask-size:40px] [mask-repeat:nc",
      className
    )})
  >
  <svg
    className="z-0 h-full w-full pointer-events-none absolute"
    width="100%"
    height="100%"
    viewBox="0 0 696 316"
    fill="none"
    xmlns="http://www.w3.org/2000/svg"
  >
  <path
    d="M-380 -189C-380 -189 -312 216 152 343C616 470 684 875 684 8
    stroke=url(#paint0_radial_242_278)"
    strokeOpacity="0.05"
    strokeWidth="0.5"
  ></path>

  {paths.map((path, index) => (
    <motion.path
      key={`path-` + index}
      d={path}
      stroke={`url(#linearGradient-${index})`}
      strokeOpacity="0.4"
      strokeWidth="0.5"
    ></motion.path>
  )))
  <defs>
    {paths.map((path, index) => (
      <motion.linearGradient
        id={`linearGradient-${index}`}
        key={`gradient-${index}`}
        initial={{
          x1: "0%",
          x2: "0%",
          y1: "0%",
          y2: "0%",
        }}
        animate={{
          x1: ["0%", "100%"],
          x2: ["0%", "95%"],
          y1: ["0%", "100%"],
          y2: ["0%", `${93 + Math.random() * 8}%`],
        }}
        transition={}
    ))}}
  
```

```

duration: Math.random() * 10 + 10,
ease: "easeInOut",
repeat: Infinity,
delay: Math.random() * 10,
})
>
<stop stopColor="#18CCFC" stopOpacity="0"></stop>
<stop stopColor="#18CCFC"></stop>
<stop offset="32.5%" stopColor="#6344F5"></stop>
<stop offset="100%" stopColor="#AE48FF" stopOpacity="0"></
</motion.linearGradient>
))}

<radialGradient
id="paint0_radial_242_278"
cx="0"
cy="0"
r="1"
gradientUnits="userSpaceOnUse"
gradientTransform="translate(352 34) rotate(90) scale(555 1560
>
<stop offset="0.0666667" stopColor="var(--neutral-300)"></stop>
<stop offset="0.243243" stopColor="var(--neutral-300)"></stop>
<stop offset="0.43594" stopColor="white" stopOpacity="0"></stc
</radialGradient>
</defs>
</svg>
</div>
);
}
);

BackgroundBeams.displayName = "BackgroundBeams";

```

9. Menambahkan globals.d.ts

```

declare module "tailwindcss/lib/util/flattenColorPalette" {
  const flattenColorPalette: (
    colors: Record<string, any>
  ) => Record<string, string>;
  export default flattenColorPalette;
}

```



10. Menambahkan Assets

- Logo



- Assets Image Keperluan MVP Layout



- Assets Banner



- Assets Foto Pendiri



- Assets Jacket



- Assets Model



- Assets Baju Lengan Panjang



- Assets Model ADLV



- Assets Pendiri



- Assets T-shirt



- **Assets Pendiri**

