


Namespace base configuration

- User namespaces should be configured based on policies defined by the platform administrators.
- Policies should incorporate things like:
 - RBAC bindings
 - Quotas
 - Network Policies
 - Egress network policies
 - ...
- Policies can be configured per **user**, per **group**, or per **namespace**




[Namespace-configuration-operator](#)

is an operator that reacts to the creation of Users, Groups, Namespaces and creates arbitrary objects based on policies selected via label or annotation selectors.



Push Baseline configuration with Tenant onboarding



Use Case Catalog

Day 1

1. [UC01](#): Cluster as a service
2. [UC02](#): VM as a service
3. [UC03](#): Namespace as a service
4. [UC04](#): Container as a service
5. [UC05](#): Cloud native as a service
6. [UC06](#): VM migration as a service
7. [UC07](#): Baseline Configuration
8. [UC08](#): Custom Policies
9. [UC09](#): Control Policy Scope
10. [UC10](#): AuthN and Identity Providers
11. [UC11](#): Authorization and RBAC
12. [UC12](#): Zero Trust enforcement
13. [UC13](#): Workload network policies

Day 2

14. [UC14](#): Cross provider connectivity
15. [UC15](#): Hybrid workload
16. [UC16](#): Workload scalability
17. [UC17](#): Cluster autoscaling
18. [UC18](#): Metrics and Logging
19. [UC19](#): Network graphs
20. [UC20](#): Policy violation dashboard
21. [UC21](#): Day 2 Operations
22. [UC22](#): Cluster upgrades
23. [UC23](#): Developer onboarding
24. [UC24](#): Trusted SW supply chain

Day 3 (hands-on workshop)

25. [UC25](#): Node Resiliency
26. [UC26](#): Cluster and site resiliency
27. [UC27](#): Backup & Restore

Hands-on labs

1. [UC02](#): VM as a service
2. [UC04](#): Container as a service
3. [UC06](#): VM migration as a service
4. [UC11](#): Authorization and RBAC
5. [UC12](#): Zero Trust enforcement
6. [UC16](#): Workload scalability
7. [UC24](#): Trusted SW supply chain

