.NET Framework: Developing Modern Web Apps with ASP.NET MVC – Workshop*PLUS*

Wael Kdouh

Senior Consultant

v1.0

Module 1: Overview

Module Overview

Module 1: Overview

Section 1: Design Patterns

Lesson: MVC Design Pattern

Model View Controller (MVC) Design Pattern

MVC Control Flow

```
User interacts with GUI     →     Incoming request          →     Controller processes the
with a mouse                      directed to Controller           request and
                                                                   accesses/forms a data
                                                                   model
     ↑                                                                   │
     ┊ GUI waits for                                                     ↓
     ┊ further user
     ┊ interaction.
GUI rendered;               ←     View transforms Model     ←     Model is passed to View
Controller sends HTTP             into appropriate output          by Controller
response to browser               format
```

7

MVC Design Pattern

- Separation of Concerns (SoC)
- Search Engine Optimization (SEO) and Representational State Transfer (REST) friendly URL
- Test Driven Development (TDD)
- Better Integration with JavaScript
- Stateless design
- Full control over the rendered HTML
- Less code duplication; promotes maintainability

Module 1: Overview

Section 1: Design Patterns

Lesson: MVC vs. Web Forms vs. Web Pages

Web Forms

- Web Forms follow "Smart UI" Pattern (most common design pattern)
- Tightly-coupled and event driven
- UI and business logic is mixed together
- Fragmented and difficult to maintain and extend over time
- Difficult to fully Test

Request →   →   Persistence
              "SMART" UI   Store
Response ←   ←   (typically a database)

Web Forms Values

- Familiar control and event-based programming model
- Controls encapsulate HTML, JavaScript and Cascading Style Sheets (CSS)
- Support data binding and templating
- Rich UI controls included – datagrids, charts, Asynchronous JavaScript And XML (AJAX)
  - Help achieve common tasks
- Browser differences handles for you
  - Browser differences are handled by controls

SharePoint is an example of an application built using Web Forms

Web Pages Values

- Programming model built around individual pages
  - Similar to Classic ASP or PHP
- Easy to pick up and learn
- Inline scripting model with Razor and C#/Microsoft Visual Basic .NET
  - Full power of Microsoft .NET Framework is available
- Simplified model with top-to-bottom execution
- Full control over HTML
- No page lifecycle
  - No Page Load, Page Render, etc.

WebMatrix is an excellent lightweight IDE for quick Web Page development

MVC Values

- Slightly lower level programming model
- No higher-level abstraction by controls
- Requires deeper understanding of HTML, JS
  - Feels comfortable for many traditional web developers
- Total control of HTML markup, JS, CSS
- Supports unit testing, TDD, and agile methodologies
- Encourage more prescriptive applications
- Extremely flexible and extensible

# Module 1: Overview

Section 2: ASP.NET

Lesson: One ASP.NET – MVC, Web Forms, and Web Pages

Earlier, you had to choose one model over another

Beginning with Visual Studio 2013, it is one ASP.NET

Visual Studio 2012 Project System

One ASP.NET Project System

Commonalities

- All programming models have the same Microsoft ASP.NET
  - Authentication/Authorization/Membership
  - Output Caching, Session State, and Configuration
  - AJAX, Deployment, etc.
- All programming models are fully supported and will continue to be so
- All programming models solve real problems

Demo: ASP.NET MVC

Module 1: Overview

Section 2: ASP.NET

Lesson: Web API, SignalR, and SPA

ASP.NET Web API

- Framework for building and consuming HTTP services
- Reachable by a broad range of clients including browsers and mobile devices
    - A browser is all you need!
- Build RESTful services

ASP.NET SignalR

- ASP.NET library to add real-time web functionality
- Real-time Web: Ability to have server code push content to connected clients instantly as it becomes available
- SignalR API enables server side code (C#) to call JavaScript functions in client browser through RPC calls

ASP.NET SignalR

Clients.Client(id).myClientFunc()

Server invocation of client method
myClientFunc()

$.connection.myHub.server.myServerFunc()

Client invocation of server method
MyServerFunc()

Demo: ASP.NET SignalR

Module 1: Overview

Section 3: .NET Platform

Lesson: Overview

Open .NET Ecosystem

	.NET FRAMEWORK	.NET CORE	XAMARIN
APP MODELS	WPF / Windows Forms / ASP.NET	UWP / ASP.NET Core *	iOS / Android / OS X
BASE LIBRARIES	Base Class Library	Core Library	Mono Class Library

COMMON INFRASTRUCTURE

Compilers   Languages   Runtime components

.NET Core

	.NET Core			ASP.NET Core	EF Core
Source License	MIT			Apache 2	Apache 2
Binary License	Microsoft EULA			Microsoft EULA	Microsoft EULA
Acquisition	Installer	Package-Manager	NuGet	NuGet	NuGet
OSes	Windows	macOS	Linux	Same	Same
App Deployment	Runtime-dependent	Self-contained	Docker	Same	
Side-by-side installs	Yes!			Yes!	Yes!

.NET Foundation

.NET Compiler Platform ("Roslyn") MVVM Light Toolkit MSBuild

ASP.NET MVC

.NET SDK for Hadoop ASP.NET Core MEF .NET Core

IdentityManager

Kudu

.NET Micro Framework

Mailkit Cecil Xamarin.Auth

Mimekit Xamarin SDK

Umbraco Open Live Writer

WorldWide Telescope NuGet

Couchbase Lite for .NET

ASP.NET Web Pages Microsoft Azure SDK for .NET WCF

ASP.NET SignalR LLILC

Openness Entity Framework Open XML SDK Mono IdentityServer

Community Microsoft Azure WebJobs SDK

Microsoft Web Protection Library OWIN Authentication Middleware

Rapid innovation ProtoBuild ASP.NET Web API System.Drawing

Orchard CMS Orleans

ASP.NET AJAX Control Toolkit Prism Xamarin.Mobile Salesforce Toolkits for .NET

What Is Open Right Now?

ASP.NET vs. ASP.NET Core

| ASP.NET		ASP.NET Core
MSBuild/CodeDOM > csc.exe	**Compilation**	.Net CLI (Roslyn)
Loose, GAC, NuGet	**Libraries**	NuGet, npm, Bower
FCL, GAC, NuGet	**Application Frameworks**	NuGet
IIS	**Web Server**	IIS, HTTP.SYS, Kestrel
.NET BCL and FCL	**Platform Libraries**	.NET BCL and FCL; .NET on NuGet
.NET CLR	**Runtime**	.NET CLR; .NET Core CLR
IIS: WebEngine4.dll; EXE: OS	**Runtime Loader**	.Net CLI
Windows	**Operating System**	Windows, OSX, Linux

.NET Framework vs. .NET Core (Server Apps)

| .NET Framework	.NET Core
Current application runs on .NET framework. Recommended to extend it instead of migrating.	Cross-platform needs
Need 3rd party libraries not available on .NET Core	Targeting microservices
Need.NET technologies not available on .NET Core	Using Docker containers
Need a platform not supported by .NET Core	Need high performance & scalable systems
	Side-by-side .NET versions by application
	Fully open-source

.NET Standard Library

- Goal: Establish greater uniformity in the .NET ecosystem
- A set of APIs that all .NET platforms have to implement
- Unifies the .NET platform and prevents future fragmentation
- .NET Standard will replace Portable Class Libraries (PCLs)
- Addresses three main scenarios:
  - Defines uniform set of BCL APIs for all .NET platforms to implement, independent of workload
  - Enables developers to produce portable libraries that are usable across .NET runtimes, using the same set of APIs
  - Reduces and hopefully eliminates conditional compilation of shared source due to .NET APIs

# .NET with Framework Base Libraries

.NET Standard Library

.NET Standard Library

.NET Platform	.NET Standard							
	1.0	**1.1**	**1.2**	**1.3**	**1.4**	**1.5**	**1.6**	**2.0**
.NET Core	→	→	→	→	→	→	1.0	vNext
.NET Framework	→	4.5	4.5.1	4.6	4.6.1	4.6.2	vNext	4.6.1
Xamarin.iOS	→	→	→	→	→	→	→	vNext
Xamarin.Android	→	→	→	→	→	→	→	vNext
Universal Windows Platform	→	→	→	→	10.0	→	→	vNext
Windows	→	8.0	8.1					
Windows Phone	→	→	8.1					
Windows Phone Silverlight	8.0							

.NET STANDARD 2.0

XML	XLinq • XML Document • XPath • XSD • XSL
SERIALIZATION	BinaryFormatter • Data Contract • XML
NETWORKING	Sockets • Http • Mail • WebSockets
IO	Files • Compression • MMF
THREADING	Threads • Thread Pool • Tasks
CORE	Primitives • Collections • Reflection • Interop • Linq

* The above API footprint is subject to change. APIs may be added/removed. It's accurate as of Jan 2017.

Mapping the .NET Standard Library to Platforms

PLATFORM NAME	ALIAS							
.NET Standard	netstandard	1.0	1.1	1.2	1.3	1.4	1.5	1.6
.NET Core	netcoreapp	→	→	→	→	→	→	1.0
.NET Framework	net	→	4.5	4.5.1	4.6	4.6.1	4.6.2	vNext
Mono/Xamarin Platforms		→	→	→	→	→	→	*
Universal Windows Platform	uap	→	→	→	→	10.0		
Windows	win	→	8.0	8.1				
Windows Phone	wpa	→	→	8.1				
Windows Phone Silverlight	wp	8.0						

Demo: .Net Standard

Module 1: Overview

Section 3: ASP.NET MVC 5

Lesson: ASP.NET MVC 5 Projects

ASP.NET MVC Project Layout

- Project files
  - .csproj
  - .vbproj
- Support for:
  - NuGet
  - NPM
  - Bower

Package Managers

- NuGet
  - Package manager for Microsoft development platform
  - Great for server-side libraries: more than 55,000 packages available
  - .NET Framework and runtime now available through NuGet
- NPM
  - Package manager for JavaScript; widely used in JavaScript development community
  - First class citizen in ASP.NET and Visual Studio 2017
  - More than 250,000 packages are available
- Bower
  - Package manager for the web (HTML, JavaScript, and CSS)
  - Installed using NPM; suited for web application front-end development
  - More than 36,000 packages are available

Task Runners

- Tasks runners are used to achieve automation for client-side code:
    - LESS/SL compilation to CSS
    - JavaScript minification
    - JSLint/JSHint
    - JavaScript unit tests
- Grunt
    - Most popular task runner for JavaScript
    - More than 5800+ plug-ins are available
- Gulp
    - Task runner for JavaScript
    - Relies on the code logic based on the pipes for simplification
    - More than 2600+ plug-ins

Demo:

1. ASP.NET MVC 5 Project and Configuration System

# Module 1: Overview

Section 4: ASP.NET MVC

Lesson: Middleware

Middleware

- Small application components assembled into an application pipeline to handle requests and responses
- Integrated support by ASP.NET MVC 5
- Wired up in **Configure** method of **Startup** class
- Either invokes the next component in chain or short-circuits it
- **Run**, **Map**, and **Use** extension methods
  - MVC engine is configured in Request Pipeline through Use extension method
- Implemented in-line as anonymous method or through reusable class
- Order of **Use[Middleware]** statements in application's Configure method is very important

ASP.NET MVC 5 Middleware

Traditional ASP.NET Application Model

ASP.NET MVC 5 Middleware

Middleware Pipeline

ASP.NET MVC Request Pipeline

```
app.UseCookieAuthentication(new CookieAuthenticationOptions
{
    AuthenticationType = DefaultAuthenticationTypes.ApplicationCookie,
    LoginPath = new PathString("/Account/Login"),
    Provider = new CookieAuthenticationProvider
    {
        // Enables the application to validate the security stamp when the user logs in.
        // This is a security feature which is used when you change a password or add an external lo
        OnValidateIdentity = SecurityStampValidator.OnValidateIdentity<ApplicationUserManager, Appli
            validateInterval: TimeSpan.FromMinutes(30),
            regenerateIdentity: (manager, user) => user.GenerateUserIdentityAsync(manager))
    }
});
app.UseExternalSignInCookie(DefaultAuthenticationTypes.ExternalCookie);

// Enables the application to temporarily store user information when they are verifying the second
app.UseTwoFactorSignInCookie(DefaultAuthenticationTypes.TwoFactorCookie, TimeSpan.FromMinutes(5));

// Enables the application to remember the second login verification factor such as phone or email.
// Once you check this option, your second step of verification during the login process will be rem
// This is similar to the RememberMe option when you log in.
app.UseTwoFactorRememberBrowserCookie(DefaultAuthenticationTypes.TwoFactorRememberBrowserCookie);

// Uncomment the following lines to enable logging in with third party login providers
app.UseMicrosoftAccountAuthentication(
    clientId: "",
    clientSecret: "");

app.UseTwitterAuthentication(
    consumerKey: "",
    consumerSecret: "");

app.UseFacebookAuthentication(
    appId: "",
    appSecret: "");

app.UseGoogleAuthentication(new GoogleOAuth2AuthenticationOptions()
```

Demo: Writing Middleware

Module Summary

- In this module, you learnt the following:
  - MVC Design Pattern
  - .NET Platform: .NET Framework & .NET Core
  - ASP.NET MVC 5 and Modern Web
  - ASP.NET MVC 5 Project System
  - .NET Framework versus .NET Core
  - .NET Platform Standard
  - Middleware

Lab: Explore Visual Studio Tooling, ASP.NET MVC 5

Microsoft