




Fig. S1. Percentage of transboundary litter for each individual country for summer (red bars), winter (blue bars) and average (orange bars) as also shown in Table 1. The error bars indicate the 90% confidence interval for each computed percentage. Upper panel, homogeneous initial distribution. Lower panel, non-homogenous initial distribution.




Fig. S2. Percentage of local litter for each individual country for summer (red bars), winter (blue bars) and average (orange bars) as also shown in Table 2. The error bars indicate the 90% confidence interval for each computed percentage. Upper panel, homogeneous initial distribution. Lower panel, non-homogenous initial distribution.






Fig. S3. Percentage of coastal litter for each individual country for summer (red bars), winter (blue bars) and average (orange bars) as also shown in Table 3. The error bars indicate the 90% confidence interval for each computed percentage. Upper panel, homogeneous initial distribution. Lower panel, non-homogeneous initial distribution.


Sources of litter for Spanish coasts




Sources of litter for French coasts




Sources of litter for Italian coasts




Sources of litter for Croatian coasts




Sources of litter for Greek coasts




Sources of litter for Montenegro coasts




Sources of litter for Albania coasts




Sources of litter for Turkey coasts




Sources of litter for Syrian coasts




Sources of litter for Lebano coasts




Sources of litter for Israel coasts




Sources of litter for Egypt coasts




Sources of litter for Lybia coasts



Sources of litter for Tunisia coasts



Sources of litter for Algeria coasts










Fig. S4. Sources of litter for each analyzed country. Red dots correspond to summer simulations. Blue dots correspond to winter simulations. Homogeneous initial release




Sources of litter for Italian coasts




Sources of litter for Croatian coasts




Sources of litter for Greek coasts




Sources of litter for Montenegro coasts




Sources of litter for Albania coasts




Sources of litter for Turkey coasts




Sources of litter for Syrian coasts




Sources of litter for Lebano coasts




Sources of litter for Israel coasts




Sources of litter for Egypt coasts



Sources of litter for Lybia coasts



Sources of litter for Tunisia coasts






Fig. S5. Sources of litter for each analyzed country. Red dots correspond to summer simulations. Blue dots correspond to winter simulations. Non-homogeneous initial release




Fig. S6. Distance travelled by litter (in km) for each individual country for summer (red bars), winter (blue bars) and average (orange bars) as also shown in Table 4. The error bars indicate the 90% confidence interval for each computed distance. Upper panel, homogeneous initial distribution. Lower panel, non-homogenous initial distribution.




Fig. S7. Percentages of transboundary litter for each considered country (each black star) in the homogeneous vs. non-homogeneous simulation. Dotted line indicates the 1:1 ratio while continuous line is the linear fitting of the data cloud.

	Bathymetric limit for the release				
Country	10m	15m	25m	50m	100m
Spain	1.3	1.5	2.5	5.4	12.5
France	58.3	48.0	43.6	37.9	34.5
Italy	32.4	41.7	41.8	42.9	41.3
Croatia	0	0	0.3	3.8	10.0
Greece	3.4	5.5	7.9	14.5	29.1
Montenegro	12.6	2.8	6.5	7.4	13.2
Albania	20.5	12.3	8.6	9.0	11.1
Turkey	9.0	11.4	13.7	16.0	13.8
Syria	NaN	NaN	90	47.5	31.4
Lebanon	NaN	NaN	100	50	32.5
Israel	0	4.5	6.5	5.7	5.2
Egypt	11.2	13.8	13.1	14.2	10.9
Libya	21.1	13.9	15.5	16.5	19.7
Tunisia	14.4	19.4	20.9	23.3	22.4
Algeria	NaN	NaN	61.7	32.3	26.2
Morocco	NaN	60.6	72.7	70.7	78.0
TOTAL	19.8	21.1	22.2	23.9	25.3

Table S1. Percentages of transboundary litter for each country in the different simulations initialized with homogeneous distribution.