

CATHEDRAL ONE DEPARTURE
(CATH1.PSP) 15120PALM SPRINGS, CALIFORNIA
PALM SPRINGS INTL (PSP)

ATIS 118.25
GND CON 121.9
PALM SPRINGS TOWER *
119.7 377.05
SOCAL DEP CON *
126.7 370.95
135.275 251.1

MINIMUM CROSSING ALTITUDES

FOR PSP VORTAC

V16-370-372: 11600 W
V370: 6200 NE
V386: 7600 NW
V388: 6300 W
V137: 11200 NW

DAGGETT
113.2 DAG
Chan 79
N34°57.75'-W116°34.69'
L-7, H-4

SOGGI
N34°30.18'
W116°40.70'

YUCCA
N34°06.21'
W116°31.26'

DEWAY
N33°56.92'
W116°44.40'

BANDS
N33°53.38'
W116°50.97'


OCEANSIDE
115.3 OCN
Chan 100

DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAYS 13L/R: Climbing left turn heading 100° to cross PSP VORTAC R-176, then turn left heading 040° to intercept PSP R-104, thence . . .

TAKEOFF RUNWAYS 31L/R: Climb heading 310° to cross PSP VORTAC R-268, then turn right direct PSP VORTAC, thence . . .

. . . climb via PSP R-104 to EMRUD INT/PSP 10 DME, then turn right direct PSP VORTAC. If not at MEA/MCA at PSP VORTAC, climb in PSP VORTAC holding pattern until reaching MEA/MCA for assigned route of flight.

TAKEOFF OBSTACLE NOTES

- Rwy 13L: Trees beginning 299' from DER, 530' left of centerline, up to 66' AGL/465' MSL.
Hangar 935' from DER, 552' left of centerline, 31' AGL/440' MSL.
- Rwy 13R: Trees beginning 1170' from DER, 239' right of centerline, up to 100' AGL/599' MSL.
Poles beginning 815' from DER, 209' right of centerline, up to 44' AGL/433' MSL.
LT 843' from DER, 441' right of centerline, 38' AGL/427' MSL.
Antenna 1642' from DER, 26' right of centerline, 53' AGL/442' MSL.
- Rwy 31L: Poles beginning 1641' from DER, 125' right of centerline, up to 31' AGL/560' MSL.
Towers beginning 2418' from DER, 402' left of centerline, up to 59' AGL/560' MSL.
Tree 3016' from DER, 66' right of centerline, 43' AGL/562' MSL.
- Rwy 31R: Multiple trees and bushes beginning 305' from DER, 233' right of centerline, up to 48' AGL/507' MSL. Vent on bldg 919' from DER, 399' right of centerline, 15' AGL/474' MSL.

THERMAL
116.2 TRM
Chan 109

TAKEOFF MINIMUMS

- Rwy 13L, Standard with minimum climb of 440' per NM to 2300.
Rwy 13R, Standard with minimum climb of 422' per NM to 2300.
Rwy 31R, Standard with minimum climb of 405' per NM to 2700.
Rwy 31L, Standard with minimum climb of 386' per NM to 2700.

NOTE: Chart not to scale.

CATHEDRAL ONE DEPARTURE
(CATH1.PSP) 15120


SL-545 (FAA)

PALM SPRINGS INTL (PSP)
PALM SPRINGS, CALIFORNIA

THERMAL SIX DEPARTURE

SL-545 (FAA)

PALM SPRINGS INTL (PSP)
PALM SPRINGS, CALIFORNIA



SW-3, 13 OCT 2016 to 10 NOV 2016

SW-3, 13 OCT 2016 to 10 NOV 2016

THERMAL SIX DEPARTURE